PAVEMENT EVALUATION - SORTED BY STREET NAME

Pavement Management Program - Ashburnham, MA 12/9/2011 TO 12/30/2012

Street Name	From Station	To Station	Length (ft)	Width (ft)
ACADEMY STREET (LOCAL THRU MINOR)	+ 0	10+99	1,099	24

DISTRESSES	Priority Level	Severity Level	Extent Level	Distress Score
Potholes	1	LIGHT-3	LIGHT-3	18
Delamination	2	LIGHT-3	LIGHT-3	18
Alligator Cracking	3	MODERATE-2	MODERATE-2	12
Rutting	4	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	24
Block Cracking	5	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	16
Transverse Cracking	6	HEAVY-1	MODERATE-2	6
Reflective Cracking	6	HEAVY-1	MODERATE-2	6
Logitudinal Cracking	7	MODERATE-2	LIGHT-3	10
Edge Cracking	7	MODERATE-2	LIGHT-3	10
Flushing	8	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	16
Raveling	9	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	8
Ripping	9	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	8
Shoving	10	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	8
Tenting	11	MODERATE-2	LIGHT-3	5
Lane/Shoulder Drop-Off	12	LIGHT-3	LIGHT-3	6
Lane/ShoulderSeparation	12	MODERATE-2	LIGHT-3	5
TOTAL DISTRESS SCORE				176 OF 240

INDICES	Priority Level	Severity Level	Indices Score
Riding	1	50	150
Safety	2	75	225
Drainage	3	30	60
Utility	4	35	70
Traffic	5	65	65
Maintenance	6	70	70
INDICES TOTAL			640 OF 1,200

SPOT REPAIR(S):	
Number	3
Average Area (sf)	200
Total Area (sf)	600

TOTAL SCORE	816	OF 1,440
INITIAL RATING	57	
FINAL RATING	57	

PAVEMENT EVALUATION - SORTED BY STREET NAME

Pavement Management Program - Ashburnham, MA 12/9/2011 TO 12/30/2012

Street Name	From Station	To Station	Length (ft)	Width (ft)
AMES AVENUE (LOCAL/DEAD END)	+ 0	3+80	380	17

DISTRESSES	Priority Level	Severity Level	Extent Level	Distress Score
Potholes	1	MODERATE-2	MODERATE-2	12
Delamination	2	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	24
Alligator Cracking	3	MODERATE-2	HEAVY-1	9
Rutting	4	LIGHT-3	LIGHT-3	18
Block Cracking	5	MODERATE-2	MODERATE-2	8
Transverse Cracking	6	MODERATE-2	MODERATE-2	8
Reflective Cracking	6	LIGHT-3	LIGHT-3	12
Logitudinal Cracking	7	HEAVY-1	MODERATE-2	6
Edge Cracking	7	MODERATE-2	HEAVY-1	6
Flushing	8	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	16
Raveling	9	LIGHT-3	LIGHT-3	6
Ripping	9	LIGHT-3	LIGHT-3	6
Shoving	10	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	8
Tenting	11	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	8
Lane/Shoulder Drop-Off	12	LIGHT-3	LIGHT-3	6
Lane/ShoulderSeparation	12	MODERATE-2	LIGHT-3	5
TOTAL DISTRESS SCORE				158 OF 240

INDICES	Priority Level	Severity Level	Indices Score
Riding	1	50	150
Safety	2	85	255
Drainage	3	60	120
Utility	4	85	170
Traffic	5	65	65
Maintenance	6	75	75
INDICES TOTAL			835 OF 1,200

SPOT REPAIR(S):	
Number	3
Average Area (sf)	200
Total Area (sf)	600

TOTAL SCORE	993	OF 1,440
INITIAL RATING	69	
FINAL RATING	69	

PAVEMENT EVALUATION - SORTED BY STREET NAME

Pavement Management Program - Ashburnham, MA 12/9/2011 TO 12/30/2012

Street Name	From Station	To Station	Length (ft)	Width (ft)
ASHBY ROAD (MINOR COLLECTOR)	+ 0	146+70	14,670	28

DISTRESSES	Priority Level	Severity Level	Extent Level	Distress Score
Potholes	1	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	24
Delamination	2	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	24
Alligator Cracking	3	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	24
Rutting	4	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	24
Block Cracking	5	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	16
Transverse Cracking	6	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	16
Reflective Cracking	6	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	16
Logitudinal Cracking	7	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	16
Edge Cracking	7	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	16
Flushing	8	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	16
Raveling	9	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	8
Rippling	9	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	8
Shoving	10	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	8
Tenting	11	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	8
Lane/Shoulder Drop-Off	12	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	8
Lane/ShoulderSeparation	12	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	8
TOTAL DISTRESS SCORE				240 OF 240

INDICES	Priority Level	Severity Level	Indices Score
Riding	1	100	300
Safety	2	95	285
Drainage	3	100	200
Utility	4	100	200
Traffic	5	100	100
Maintenance	6	90	90
INDICES TOTAL			1175 OF 1,200

SPOT REPAIR(S):	
Number	N/A
Average Area (sf)	N/A
Total Area (sf)	N/A

TOTAL SCORE	1,415 OF 1,440
INITIAL RATING	98
FINAL RATING	94

PAVEMENT EVALUATION - SORTED BY STREET NAME

Pavement Management Program - Ashburnham, MA 12/9/2011 TO 12/30/2012

Street Name	From Station	To Station	Length (ft)	Width (ft)
ASHBY ROAD (MINOR COLLECTOR)	146+70	189+70	4,300	26

DISTRESSES	Priority Level	Severity Level	Extent Level	Distress Score
Potholes	1	LIGHT-3	LIGHT-3	18
Delamination	2	LIGHT-3	LIGHT-3	18
Alligator Cracking	3	MODERATE-2	MODERATE-2	12
Rutting	4	LIGHT-3	LIGHT-3	18
Block Cracking	5	MODERATE-2	MODERATE-2	8
Transverse Cracking	6	LIGHT-3	LIGHT-3	12
Reflective Cracking	6	LIGHT-3	LIGHT-3	12
Logitudinal Cracking	7	MODERATE-2	MODERATE-2	8
Edge Cracking	7	LIGHT-3	LIGHT-3	12
Flushing	8	LIGHT-3	LIGHT-3	12
Raveling	9	LIGHT-3	LIGHT-3	6
Rippling	9	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	8
Shoving	10	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	8
Tenting	11	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	8
Lane/Shoulder Drop-Off	12	LIGHT-3	LIGHT-3	6
Lane/ShoulderSeparation	12	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	8
TOTAL DISTRESS SCORE				174 OF 240

INDICES	Priority Level	Severity Level	Indices Score
Riding	1	70	210
Safety	2	85	255
Drainage	3	70	140
Utility	4	80	160
Traffic	5	80	80
Maintenance	6	80	80
INDICES TOTAL			925 OF 1,200

SPOT REPAIR(S):	
Number	2
Average Area (sf)	190
Total Area (sf)	380

TOTAL SCORE	1,099 OF 1,440
INITIAL RATING	76
FINAL RATING	73

PAVEMENT EVALUATION - SORTED BY STREET NAME

Pavement Management Program - Ashburnham, MA 12/9/2011 TO 12/30/2012

Street Name	From Station	To Station	Length (ft)	Width (ft)
BIRCHWOOD TERRACE (LOCAL/DEAD END)	+ 0	9+00	900	26

DISTRESSES	Priority Level	Severity Level	Extent Level	Distress Score
Potholes	1	HEAVY-1	MODERATE-2	9
Delamination	2	MODERATE-2	MODERATE-2	12
Alligator Cracking	3	MODERATE-2	MODERATE-2	12
Rutting	4	LIGHT-3	LIGHT-3	18
Block Cracking	5	LIGHT-3	LIGHT-3	12
Transverse Cracking	6	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	16
Reflective Cracking	6	MODERATE-2	MODERATE-2	8
Logitudinal Cracking	7	LIGHT-3	LIGHT-3	12
Edge Cracking	7	LIGHT-3	LIGHT-3	12
Flushing	8	MODERATE-2	MODERATE-2	8
Raveling	9	MODERATE-2	MODERATE-2	4
Ripping	9	MODERATE-2	MODERATE-2	4
Shoving	10	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	8
Tenting	11	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	8
Lane/Shoulder Drop-Off	12	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	8
Lane/Shoulder Separation	12	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	8
TOTAL DISTRESS SCORE				159 OF 240

INDICES	Priority Level	Severity Level	Indices Score
Riding	1	40	120
Safety	2	90	270
Drainage	3	80	160
Utility	4	30	60
Traffic	5	70	70
Maintenance	6	55	55
INDICES TOTAL			735 OF 1,200

SPOT REPAIR(S):	
Number	40
Average Area (sf)	400
Total Area (sf)	16,000

TOTAL SCORE	894	OF 1,440
INITIAL RATING	62	
FINAL RATING	62	

PAVEMENT EVALUATION - SORTED BY STREET NAME

Pavement Management Program - Ashburnham, MA 12/9/2011 TO 12/30/2012

Street Name	From Station	To Station	Length (ft)	Width (ft)
BIRCHWOOD TERRACE (LOCAL/DEAD END)	9+00	11+29	229	13

DISTRESSES	Priority Level	Severity Level	Extent Level	Distress Score
Potholes	1	HEAVY-1	HEAVY-1	6
Delamination	2	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	24
Alligator Cracking	3	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	24
Rutting	4	HEAVY-1	HEAVY-1	6
Block Cracking	5	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	16
Transverse Cracking	6	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	16
Reflective Cracking	6	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	16
Logitudinal Cracking	7	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	16
Edge Cracking	7	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	16
Flushing	8	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	16
Raveling	9	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	8
Ripping	9	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	8
Shoving	10	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	8
Tenting	11	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	8
Lane/Shoulder Drop-Off	12	MODERATE-2	MODERATE-2	4
Lane/Shoulder Separation	12	MODERATE-2	MODERATE-2	4
TOTAL DISTRESS SCORE				196 OF 240

INDICES	Priority Level	Severity Level	Indices Score
Riding	1	5	15
Safety	2	10	30
Drainage	3	5	10
Utility	4	5	10
Traffic	5	10	10
Maintenance	6	25	25
INDICES TOTAL			100 OF 1,200

SPOT REPAIR(S):	
Number	N/A
Average Area (sf)	N/A
Total Area (sf)	N/A

TOTAL SCORE	296	OF 1,440
INITIAL RATING	21	
FINAL RATING	21	

PAVEMENT EVALUATION - SORTED BY STREET NAME

Pavement Management Program - Ashburnham, MA 12/9/2011 TO 12/30/2012

Street Name	From Station	To Station	Length (ft)	Width (ft)
BUSH HILL ROAD (LOCAL/DEAD END)	+ 0	97+81	9,781	12

DISTRESSES	Priority Level	Severity Level	Extent Level	Distress Score
Potholes	1	HEAVY-1	HEAVY-1	6
Delamination	2	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	24
Alligator Cracking	3	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	24
Rutting	4	HEAVY-1	HEAVY-1	6
Block Cracking	5	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	16
Transverse Cracking	6	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	16
Reflective Cracking	6	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	16
Logitudinal Cracking	7	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	16
Edge Cracking	7	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	16
Flushing	8	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	16
Raveling	9	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	8
Ripping	9	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	8
Shoving	10	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	8
Tenting	11	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	8
Lane/Shoulder Drop-Off	12	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	8
Lane/ShoulderSeparation	12	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	8
TOTAL DISTRESS SCORE				204 OF 240

INDICES	Priority Level	Severity Level	Indices Score
Riding	1	10	30
Safety	2	20	60
Drainage	3	5	10
Utility	4	100	200
Traffic	5	65	65
Maintenance	6	20	20
INDICES TOTAL			385 OF 1,200

SPOT REPAIR(S):	
Number	N/A
Average Area (sf)	N/A
Total Area (sf)	N/A

TOTAL SCORE	589	OF 1,440
INITIAL RATING	41	
FINAL RATING	41	

PAVEMENT EVALUATION - SORTED BY STREET NAME

Pavement Management Program - Ashburnham, MA 12/9/2011 TO 12/30/2012

Street Name	From Station	To Station	Length (ft)	Width (ft)
BYFIELD ROAD (LOCAL/DEAD END)	+ 0	48+45	4,845	13

DISTRESSES	Priority Level	Severity Level	Extent Level	Distress Score
Potholes	1	HEAVY-1	HEAVY-1	6
Delamination	2	HEAVY-1	HEAVY-1	6
Alligator Cracking	3	MODERATE-2	MODERATE-2	12
Rutting	4	HEAVY-1	HEAVY-1	6
Block Cracking	5	MODERATE-2	MODERATE-2	8
Transverse Cracking	6	MODERATE-2	MODERATE-2	8
Reflective Cracking	6	MODERATE-2	MODERATE-2	8
Logitudinal Cracking	7	MODERATE-2	MODERATE-2	8
Edge Cracking	7	MODERATE-2	MODERATE-2	8
Flushing	8	MODERATE-2	MODERATE-2	8
Raveling	9	HEAVY-1	HEAVY-1	2
Ripping	9	HEAVY-1	HEAVY-1	2
Shoving	10	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	8
Tenting	11	HEAVY-1	HEAVY-1	2
Lane/Shoulder Drop-Off	12	HEAVY-1	HEAVY-1	2
Lane/ShoulderSeparation	12	HEAVY-1	HEAVY-1	2
TOTAL DISTRESS SCORE				96 OF 240

INDICES	Priority Level	Severity Level	Indices Score
Riding	1	10	30
Safety	2	10	30
Drainage	3	10	20
Utility	4	40	80
Traffic	5	20	20
Maintenance	6	5	5
INDICES TOTAL			185 OF 1,200

SPOT REPAIR(S):	
Number	N/A
Average Area (sf)	N/A
Total Area (sf)	N/A

TOTAL SCORE	281	OF 1,440
INITIAL RATING	20	
FINAL RATING	20	

PAVEMENT EVALUATION - SORTED BY STREET NAME

Pavement Management Program - Ashburnham, MA 12/9/2011 TO 12/30/2012

Street Name	From Station	To Station	Length (ft)	Width (ft)
CAROLINA AVENUE (LOCAL/DEAD END)	+ 0	8+06	806	20

DISTRESSES	Priority Level	Severity Level	Extent Level	Distress Score
Potholes	1	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	24
Delamination	2	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	24
Alligator Cracking	3	HEAVY-1	HEAVY-1	6
Rutting	4	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	24
Block Cracking	5	MODERATE-2	MODERATE-2	8
Transverse Cracking	6	HEAVY-1	MODERATE-2	6
Reflective Cracking	6	HEAVY-1	MODERATE-2	6
Logitudinal Cracking	7	HEAVY-1	HEAVY-1	4
Edge Cracking	7	MODERATE-2	MODERATE-2	8
Flushing	8	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	16
Raveling	9	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	8
Rippling	9	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	8
Shoving	10	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	8
Tenting	11	LIGHT-3	LIGHT-3	6
Lane/Shoulder Drop-Off	12	LIGHT-3	LIGHT-3	6
Lane/Shoulder Separation	12	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	8
TOTAL DISTRESS SCORE				170 OF 240

INDICES	Priority Level	Severity Level	Indices Score
Riding	1	45	135
Safety	2	90	270
Drainage	3	70	140
Utility	4	80	160
Traffic	5	65	65
Maintenance	6	65	65
INDICES TOTAL			835 OF 1,200

SPOT REPAIR(S):	
Number	5
Average Area (sf)	200
Total Area (sf)	1,000

TOTAL SCORE	1,005 OF 1,440
INITIAL RATING	70
FINAL RATING	70

PAVEMENT EVALUATION - SORTED BY STREET NAME

Pavement Management Program - Ashburnham, MA 12/9/2011 TO 12/30/2012

Street Name	From Station	To Station	Length (ft)	Width (ft)
CASHMAN HILL ROAD (LOCAL THRU MINOR)	+ 0	18+00	1,800	19

DISTRESSES	Priority Level	Severity Level	Extent Level	Distress Score
Potholes	1	HEAVY-1	HEAVY-1	6
Delamination	2	HEAVY-1	HEAVY-1	6
Alligator Cracking	3	MODERATE-2	HEAVY-1	9
Rutting	4	LIGHT-3	LIGHT-3	18
Block Cracking	5	MODERATE-2	MODERATE-2	8
Transverse Cracking	6	MODERATE-2	MODERATE-2	8
Reflective Cracking	6	MODERATE-2	MODERATE-2	8
Logitudinal Cracking	7	HEAVY-1	MODERATE-2	6
Edge Cracking	7	MODERATE-2	MODERATE-2	8
Flushing	8	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	16
Raveling	9	HEAVY-1	HEAVY-1	2
Rippling	9	HEAVY-1	HEAVY-1	2
Shoving	10	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	8
Tenting	11	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	8
Lane/Shoulder Drop-Off	12	LIGHT-3	LIGHT-3	6
Lane/Shoulder Separation	12	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	8
TOTAL DISTRESS SCORE				127 OF 240

INDICES	Priority Level	Severity Level	Indices Score
Riding	1	35	105
Safety	2	70	210
Drainage	3	35	70
Utility	4	50	100
Traffic	5	90	90
Maintenance	6	60	60
INDICES TOTAL			635 OF 1,200

SPOT REPAIR(S):	
Number	N/A
Average Area (sf)	N/A
Total Area (sf)	N/A

TOTAL SCORE	762 OF 1,440
INITIAL RATING	53
FINAL RATING	53

PAVEMENT EVALUATION - SORTED BY STREET NAME

Pavement Management Program - Ashburnham, MA 12/9/2011 TO 12/30/2012

Street Name	From Station	To Station	Length (ft)	Width (ft)
CASHMAN HILL ROAD (LOCAL THRU MINOR)	18+00	80+52	6,252	19

DISTRESSES	Priority Level	Severity Level	Extent Level	Distress Score
Potholes	1	LIGHT-3	LIGHT-3	18
Delamination	2	LIGHT-3	LIGHT-3	18
Alligator Cracking	3	MODERATE-2	MODERATE-2	12
Rutting	4	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	24
Block Cracking	5	LIGHT-3	LIGHT-3	12
Transverse Cracking	6	LIGHT-3	LIGHT-3	12
Reflective Cracking	6	LIGHT-3	LIGHT-3	12
Logitudinal Cracking	7	MODERATE-2	LIGHT-3	10
Edge Cracking	7	LIGHT-3	LIGHT-3	12
Flushing	8	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	16
Raveling	9	LIGHT-3	LIGHT-3	6
Rippling	9	LIGHT-3	LIGHT-3	6
Shoving	10	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	8
Tenting	11	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	8
Lane/Shoulder Drop-Off	12	LIGHT-3	LIGHT-3	6
Lane/Shoulder Separation	12	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	8
TOTAL DISTRESS SCORE				188 OF 240

INDICES	Priority Level	Severity Level	Indices Score
Riding	1	65	195
Safety	2	65	195
Drainage	3	35	70
Utility	4	80	160
Traffic	5	90	90
Maintenance	6	60	60
INDICES TOTAL			770 OF 1,200

SPOT REPAIR(S):	
Number	4
Average Area (sf)	100
Total Area (sf)	400

TOTAL SCORE	958	OF 1,440
INITIAL RATING	67	
FINAL RATING	67	

PAVEMENT EVALUATION - SORTED BY STREET NAME

Pavement Management Program - Ashburnham, MA 12/9/2011 TO 12/30/2012

Street Name	From Station	To Station	Length (ft)	Width (ft)
CENTER STREET (MINOR COLLECTOR)	+ 0 (WILLIAMS ROAD)	50+00 (MELE AVENUE)	5,000	27

DISTRESSES	Priority Level	Severity Level	Extent Level	Distress Score
Potholes	1	LIGHT-3	LIGHT-3	18
Delamination	2	LIGHT-3	LIGHT-3	18
Alligator Cracking	3	MODERATE-2	MODERATE-2	12
Rutting	4	LIGHT-3	LIGHT-3	18
Block Cracking	5	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	16
Transverse Cracking	6	LIGHT-3	LIGHT-3	12
Reflective Cracking	6	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	16
Logitudinal Cracking	7	MODERATE-2	MODERATE-2	8
Edge Cracking	7	LIGHT-3	LIGHT-3	12
Flushing	8	LIGHT-3	LIGHT-3	12
Raveling	9	LIGHT-3	LIGHT-3	6
Rippling	9	LIGHT-3	LIGHT-3	6
Shoving	10	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	8
Tenting	11	LIGHT-3	LIGHT-3	6
Lane/Shoulder Drop-Off	12	LIGHT-3	LIGHT-3	6
Lane/Shoulder Separation	12	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	8
TOTAL DISTRESS SCORE				182 OF 240

INDICES	Priority Level	Severity Level	Indices Score
Riding	1	65	195
Safety	2	90	270
Drainage	3	70	140
Utility	4	65	130
Traffic	5	90	90
Maintenance	6	85	85
INDICES TOTAL			910 OF 1,200

SPOT REPAIR(S):	
Number	20
Average Area (sf)	200
Total Area (sf)	4,000

TOTAL SCORE	1,092	OF 1,440
INITIAL RATING	76	
FINAL RATING	73	

PAVEMENT EVALUATION - SORTED BY STREET NAME

Pavement Management Program - Ashburnham, MA 12/9/2011 TO 12/30/2012

Street Name	From Station	To Station	Length (ft)	Width (ft)
CENTER STREET	50+00	63+00	1,300	26
(MINOR COLLECTOR)	(MELE AVENUE)	(CROSS STREET)		

DISTRESSES	Priority Level	Severity Level	Extent Level	Distress Score
Potholes	1	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	24
Delamination	2	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	24
Alligator Cracking	3	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	24
Rutting	4	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	24
Block Cracking	5	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	16
Transverse Cracking	6	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	16
Reflective Cracking	6	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	16
Logitudinal Cracking	7	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	16
Edge Cracking	7	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	16
Flushing	8	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	16
Raveling	9	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	8
Rippling	9	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	8
Shoving	10	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	8
Tenting	11	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	8
Lane/Shoulder Drop-Off	12	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	8
Lane/ShoulderSeparation	12	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	8
TOTAL DISTRESS SCORE				240 OF 240

INDICES	Priority Level	Severity Level	Indices Score
Riding	1	95	285
Safety	2	95	285
Drainage	3	90	180
Utility	4	100	200
Traffic	5	95	95
Maintenance	6	85	85
INDICES TOTAL			1130 OF 1,200

SPOT REPAIR(S):	
Number	N/A
Average Area (sf)	N/A
Total Area (sf)	N/A

TOTAL SCORE	1,370 OF 1,440
INITIAL RATING	95
FINAL RATING	91

PAVEMENT EVALUATION - SORTED BY STREET NAME

Pavement Management Program - Ashburnham, MA 12/9/2011 TO 12/30/2012

Street Name	From Station	To Station	Length (ft)	Width (ft)
CENTER STREET	63+00	79+26	1,626	30
(MINOR COLLECTOR)	(CROSS STREET)	(GARDNER HILL RO		

DISTRESSES	Priority Level	Severity Level	Extent Level	Distress Score
Potholes	1	HEAVY-1	MODERATE-2	9
Delamination	2	HEAVY-1	HEAVY-1	6
Alligator Cracking	3	HEAVY-1	MODERATE-2	9
Rutting	4	MODERATE-2	MODERATE-2	12
Block Cracking	5	LIGHT-3	LIGHT-3	12
Transverse Cracking	6	MODERATE-2	MODERATE-2	8
Reflective Cracking	6	LIGHT-3	LIGHT-3	12
Logitudinal Cracking	7	MODERATE-2	MODERATE-2	8
Edge Cracking	7	MODERATE-2	MODERATE-2	8
Flushing	8	LIGHT-3	LIGHT-3	12
Raveling	9	MODERATE-2	MODERATE-2	4
Rippling	9	MODERATE-2	MODERATE-2	4
Shoving	10	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	8
Tenting	11	MODERATE-2	MODERATE-2	4
Lane/Shoulder Drop-Off	12	LIGHT-3	LIGHT-3	6
Lane/ShoulderSeparation	12	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	8
TOTAL DISTRESS SCORE				130 OF 240

INDICES	Priority Level	Severity Level	Indices Score
Riding	1	30	90
Safety	2	70	210
Drainage	3	20	40
Utility	4	20	40
Traffic	5	60	60
Maintenance	6	85	85
INDICES TOTAL			525 OF 1,200

SPOT REPAIR(S):	
Number	N/A
Average Area (sf)	N/A
Total Area (sf)	N/A

TOTAL SCORE	655 OF 1,440
INITIAL RATING	45
FINAL RATING	43

PAVEMENT EVALUATION - SORTED BY STREET NAME

Pavement Management Program - Ashburnham, MA 12/9/2011 TO 12/30/2012

Street Name	From Station	To Station	Length (ft)	Width (ft)
CENTRAL STREET (MINOR COLLECTOR)	+ 0	13+00	1,300	29

DISTRESSES	Priority Level	Severity Level	Extent Level	Distress Score
Potholes	1	LIGHT-3	LIGHT-3	18
Delamination	2	HEAVY-1	HEAVY-1	6
Alligator Cracking	3	MODERATE-2	MODERATE-2	12
Rutting	4	MODERATE-2	MODERATE-2	12
Block Cracking	5	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	16
Transverse Cracking	6	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	16
Reflective Cracking	6	LIGHT-3	N/A (NOT APPLICABLE)-4	14
Logitudinal Cracking	7	MODERATE-2	MODERATE-2	8
Edge Cracking	7	LIGHT-3	LIGHT-3	12
Flushing	8	MODERATE-2	MODERATE-2	8
Raveling	9	LIGHT-3	LIGHT-3	6
Rippling	9	LIGHT-3	LIGHT-3	6
Shoving	10	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	8
Tenting	11	LIGHT-3	LIGHT-3	6
Lane/Shoulder Drop-Off	12	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	8
Lane/ShoulderSeparation	12	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	8
TOTAL DISTRESS SCORE				164 OF 240

INDICES	Priority Level	Severity Level	Indices Score
Riding	1	50	150
Safety	2	80	240
Drainage	3	60	120
Utility	4	60	120
Traffic	5	80	80
Maintenance	6	80	80
INDICES TOTAL			790 OF 1,200

SPOT REPAIR(S):	
Number	20
Average Area (sf)	300
Total Area (sf)	6,000

TOTAL SCORE	954	OF 1,440
INITIAL RATING	66	
FINAL RATING	63	

PAVEMENT EVALUATION - SORTED BY STREET NAME

Pavement Management Program - Ashburnham, MA 12/9/2011 TO 12/30/2012

Street Name	From Station	To Station	Length (ft)	Width (ft)
CENTRAL STREET (MINOR COLLECTOR)	13+00	60+56	4,756	27

DISTRESSES	Priority Level	Severity Level	Extent Level	Distress Score
Potholes	1	LIGHT-3	LIGHT-3	18
Delamination	2	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	24
Alligator Cracking	3	MODERATE-2	MODERATE-2	12
Rutting	4	LIGHT-3	LIGHT-3	18
Block Cracking	5	LIGHT-3	LIGHT-3	12
Transverse Cracking	6	LIGHT-3	LIGHT-3	12
Reflective Cracking	6	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	16
Logitudinal Cracking	7	MODERATE-2	MODERATE-2	8
Edge Cracking	7	MODERATE-2	MODERATE-2	8
Flushing	8	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	16
Raveling	9	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	8
Rippling	9	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	8
Shoving	10	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	8
Tenting	11	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	8
Lane/Shoulder Drop-Off	12	LIGHT-3	N/A (NOT APPLICABLE)-4	7
Lane/ShoulderSeparation	12	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	8
TOTAL DISTRESS SCORE				191 OF 240

INDICES	Priority Level	Severity Level	Indices Score
Riding	1	70	210
Safety	2	85	255
Drainage	3	75	150
Utility	4	80	160
Traffic	5	90	90
Maintenance	6	90	90
INDICES TOTAL			955 OF 1,200

SPOT REPAIR(S):	
Number	20
Average Area (sf)	300
Total Area (sf)	6,000

TOTAL SCORE	1,146	OF 1,440
INITIAL RATING	80	
FINAL RATING	77	

PAVEMENT EVALUATION - SORTED BY STREET NAME

Pavement Management Program - Ashburnham, MA 12/9/2011 TO 12/30/2012

Street Name	From Station	To Station	Length (ft)	Width (ft)
CHAPEL STREET (LOCAL THRU MINOR)	+ 0	17+62	1,762	22

DISTRESSES	Priority Level	Severity Level	Extent Level	Distress Score
Potholes	1	HEAVY-1	HEAVY-1	6
Delamination	2	HEAVY-1	HEAVY-1	6
Alligator Cracking	3	MODERATE-2	MODERATE-2	12
Rutting	4	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	24
Block Cracking	5	LIGHT-3	LIGHT-3	12
Transverse Cracking	6	MODERATE-2	MODERATE-2	8
Reflective Cracking	6	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	16
Logitudinal Cracking	7	MODERATE-2	MODERATE-2	8
Edge Cracking	7	LIGHT-3	LIGHT-3	12
Flushing	8	LIGHT-3	LIGHT-3	12
Raveling	9	MODERATE-2	MODERATE-2	4
Ripping	9	MODERATE-2	MODERATE-2	4
Shoving	10	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	8
Tenting	11	LIGHT-3	LIGHT-3	6
Lane/Shoulder Drop-Off	12	LIGHT-3	LIGHT-3	6
Lane/ShoulderSeparation	12	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	8
TOTAL DISTRESS SCORE				152 OF 240

INDICES	Priority Level	Severity Level	Indices Score
Riding	1	55	165
Safety	2	65	195
Drainage	3	60	120
Utility	4	60	120
Traffic	5	25	25
Maintenance	6	70	70
INDICES TOTAL			695 OF 1,200

SPOT REPAIR(S):	
Number	17
Average Area (sf)	200
Total Area (sf)	3,400

TOTAL SCORE	847	OF 1,440
INITIAL RATING	59	
FINAL RATING	59	

PAVEMENT EVALUATION - SORTED BY STREET NAME

Pavement Management Program - Ashburnham, MA 12/9/2011 TO 12/30/2012

Street Name	From Station	To Station	Length (ft)	Width (ft)
CHESHIRE POND ROAD (LOCAL/DEAD END)	+ 0	12+15	1,215	33

DISTRESSES	Priority Level	Severity Level	Extent Level	Distress Score
Potholes	1	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	24
Delamination	2	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	24
Alligator Cracking	3	LIGHT-3	LIGHT-3	18
Rutting	4	LIGHT-3	LIGHT-3	18
Block Cracking	5	LIGHT-3	N/A (NOT APPLICABLE)-4	14
Transverse Cracking	6	LIGHT-3	LIGHT-3	12
Reflective Cracking	6	LIGHT-3	LIGHT-3	12
Logitudinal Cracking	7	LIGHT-3	LIGHT-3	12
Edge Cracking	7	N/A (NOT APPLICABLE)-4	LIGHT-3	14
Flushing	8	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	16
Raveling	9	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	8
Ripping	9	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	8
Shoving	10	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	8
Tenting	11	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	8
Lane/Shoulder Drop-Off	12	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	8
Lane/ShoulderSeparation	12	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	8
TOTAL DISTRESS SCORE				212 OF 240

INDICES	Priority Level	Severity Level	Indices Score
Riding	1	85	255
Safety	2	95	285
Drainage	3	95	190
Utility	4	100	200
Traffic	5	80	80
Maintenance	6	95	95
INDICES TOTAL			1105 OF 1,200

SPOT REPAIR(S):	
Number	N/A
Average Area (sf)	N/A
Total Area (sf)	N/A

TOTAL SCORE	1,317	OF 1,440
INITIAL RATING	91	
FINAL RATING	91	

PAVEMENT EVALUATION - SORTED BY STREET NAME

Pavement Management Program - Ashburnham, MA 12/9/2011 TO 12/30/2012

Street Name	From Station	To Station	Length (ft)	Width (ft)
COBB ROAD (LOCAL THRU MINOR)	+ 0	17+24	1,724	18

DISTRESSES	Priority Level	Severity Level	Extent Level	Distress Score
Potholes	1	HEAVY-1	HEAVY-1	6
Delamination	2	HEAVY-1	HEAVY-1	6
Alligator Cracking	3	HEAVY-1	HEAVY-1	6
Rutting	4	HEAVY-1	HEAVY-1	6
Block Cracking	5	MODERATE-2	MODERATE-2	8
Transverse Cracking	6	MODERATE-2	MODERATE-2	8
Reflective Cracking	6	MODERATE-2	MODERATE-2	8
Logitudinal Cracking	7	MODERATE-2	HEAVY-1	6
Edge Cracking	7	HEAVY-1	HEAVY-1	4
Flushing	8	HEAVY-1	HEAVY-1	4
Raveling	9	HEAVY-1	HEAVY-1	2
Ripping	9	HEAVY-1	HEAVY-1	2
Shoving	10	LIGHT-3	LIGHT-3	6
Tenting	11	HEAVY-1	HEAVY-1	2
Lane/Shoulder Drop-Off	12	MODERATE-2	MODERATE-2	4
Lane/Shoulder Separation	12	LIGHT-3	LIGHT-3	6
TOTAL DISTRESS SCORE				84 OF 240

INDICES	Priority Level	Severity Level	Indices Score
Riding	1	10	30
Safety	2	70	210
Drainage	3	10	20
Utility	4	20	40
Traffic	5	30	30
Maintenance	6	40	40
INDICES TOTAL			370 OF 1,200

SPOT REPAIR(S):	
Number	N/A
Average Area (sf)	N/A
Total Area (sf)	N/A

TOTAL SCORE	454 OF 1,440
INITIAL RATING	32
FINAL RATING	32

PAVEMENT EVALUATION - SORTED BY STREET NAME

Pavement Management Program - Ashburnham, MA 12/9/2011 TO 12/30/2012

Street Name	From Station	To Station	Length (ft)	Width (ft)
COREY HILL ROAD (LOCAL THRU MINOR)	+ 0	44+95	4,495	26

DISTRESSES	Priority Level	Severity Level	Extent Level	Distress Score
Potholes	1	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	24
Delamination	2	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	24
Alligator Cracking	3	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	24
Rutting	4	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	24
Block Cracking	5	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	16
Transverse Cracking	6	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	16
Reflective Cracking	6	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	16
Logitudinal Cracking	7	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	16
Edge Cracking	7	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	16
Flushing	8	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	16
Raveling	9	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	8
Ripping	9	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	8
Shoving	10	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	8
Tenting	11	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	8
Lane/Shoulder Drop-Off	12	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	8
Lane/Shoulder Separation	12	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	8
TOTAL DISTRESS SCORE				240 OF 240

INDICES	Priority Level	Severity Level	Indices Score
Riding	1	95	285
Safety	2	95	285
Drainage	3	100	200
Utility	4	100	200
Traffic	5	95	95
Maintenance	6	85	85
INDICES TOTAL			1150 OF 1,200

SPOT REPAIR(S):	
Number	N/A
Average Area (sf)	N/A
Total Area (sf)	N/A

TOTAL SCORE	1,390 OF 1,440
INITIAL RATING	97
FINAL RATING	97

PAVEMENT EVALUATION - SORTED BY STREET NAME

Pavement Management Program - Ashburnham, MA 12/9/2011 TO 12/30/2012

Street Name	From Station	To Station	Length (ft)	Width (ft)
COREY ROAD (LOCAL THRU MINOR)	+ 0	13+96	1,396	15

DISTRESSES	Priority Level	Severity Level	Extent Level	Distress Score
Potholes	1	HEAVY-1	HEAVY-1	6
Delamination	2	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	24
Alligator Cracking	3	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	24
Rutting	4	HEAVY-1	HEAVY-1	6
Block Cracking	5	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	16
Transverse Cracking	6	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	16
Reflective Cracking	6	N/A (NOT APPLICABLE)-4	LIGHT-3	14
Logitudinal Cracking	7	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	16
Edge Cracking	7	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	16
Flushing	8	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	16
Raveling	9	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	8
Rippling	9	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	8
Shoving	10	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	8
Tenting	11	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	8
Lane/Shoulder Drop-Off	12	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	8
Lane/ShoulderSeparation	12	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	8
TOTAL DISTRESS SCORE				202 OF 240

INDICES	Priority Level	Severity Level	Indices Score
Riding	1	20	60
Safety	2	35	105
Drainage	3	20	40
Utility	4	100	200
Traffic	5	40	40
Maintenance	6	50	50
INDICES TOTAL			495 OF 1,200

SPOT REPAIR(S):	
Number	N/A
Average Area (sf)	N/A
Total Area (sf)	N/A

TOTAL SCORE	697	OF 1,440
INITIAL RATING	48	
FINAL RATING	48	

PAVEMENT EVALUATION - SORTED BY STREET NAME

Pavement Management Program - Ashburnham, MA 12/9/2011 TO 12/30/2012

Street Name	From Station	To Station	Length (ft)	Width (ft)
COTE AVENUE (LOCAL/DEAD END)	+ 0	5+97	597	15

DISTRESSES	Priority Level	Severity Level	Extent Level	Distress Score
Potholes	1	HEAVY-1	HEAVY-1	6
Delamination	2	LIGHT-3	LIGHT-3	18
Alligator Cracking	3	MODERATE-2	MODERATE-2	12
Rutting	4	MODERATE-2	MODERATE-2	12
Block Cracking	5	LIGHT-3	LIGHT-3	12
Transverse Cracking	6	LIGHT-3	LIGHT-3	12
Reflective Cracking	6	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	16
Logitudinal Cracking	7	MODERATE-2	LIGHT-3	10
Edge Cracking	7	LIGHT-3	LIGHT-3	12
Flushing	8	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	16
Raveling	9	HEAVY-1	MODERATE-2	3
Rippling	9	MODERATE-2	MODERATE-2	4
Shoving	10	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	8
Tenting	11	N/A (NOT APPLICABLE)-4	LIGHT-3	7
Lane/Shoulder Drop-Off	12	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	8
Lane/ShoulderSeparation	12	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	8
TOTAL DISTRESS SCORE				164 OF 240

INDICES	Priority Level	Severity Level	Indices Score
Riding	1	35	105
Safety	2	85	255
Drainage	3	65	130
Utility	4	100	200
Traffic	5	65	65
Maintenance	6	75	75
INDICES TOTAL			830 OF 1,200

SPOT REPAIR(S):	
Number	N/A
Average Area (sf)	N/A
Total Area (sf)	N/A

TOTAL SCORE	994	OF 1,440
INITIAL RATING	69	
FINAL RATING	69	

PAVEMENT EVALUATION - SORTED BY STREET NAME

Pavement Management Program - Ashburnham, MA 12/9/2011 TO 12/30/2012

Street Name	From Station	To Station	Length (ft)	Width (ft)
CROSBY ROAD (LOCAL/DEAD END)	+ 0	33+11	3,311	18

DISTRESSES	Priority Level	Severity Level	Extent Level	Distress Score
Potholes	1	HEAVY-1	HEAVY-1	6
Delamination	2	HEAVY-1	HEAVY-1	6
Alligator Cracking	3	HEAVY-1	HEAVY-1	6
Rutting	4	HEAVY-1	HEAVY-1	6
Block Cracking	5	HEAVY-1	MODERATE-2	6
Transverse Cracking	6	MODERATE-2	MODERATE-2	8
Reflective Cracking	6	HEAVY-1	MODERATE-2	6
Logitudinal Cracking	7	HEAVY-1	HEAVY-1	4
Edge Cracking	7	MODERATE-2	HEAVY-1	6
Flushing	8	MODERATE-2	MODERATE-2	8
Raveling	9	HEAVY-1	HEAVY-1	2
Rippling	9	HEAVY-1	HEAVY-1	2
Shoving	10	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	8
Tenting	11	MODERATE-2	MODERATE-2	4
Lane/Shoulder Drop-Off	12	HEAVY-1	HEAVY-1	2
Lane/ShoulderSeparation	12	MODERATE-2	MODERATE-2	4
TOTAL DISTRESS SCORE				84 OF 240

INDICES	Priority Level	Severity Level	Indices Score
Riding	1	5	15
Safety	2	20	60
Drainage	3	15	30
Utility	4	10	20
Traffic	5	75	75
Maintenance	6	30	30
INDICES TOTAL			230 OF 1,200

SPOT REPAIRS:	
Number	N/A
Average Area (sf)	N/A
Total Area (sf)	N/A

TOTAL SCORE	314 OF 1,440
INITIAL RATING	22
FINAL RATING	22

PAVEMENT EVALUATION - SORTED BY STREET NAME

Pavement Management Program - Ashburnham, MA 12/9/2011 TO 12/30/2012

Street Name	From Station	To Station	Length (ft)	Width (ft)
CROSS ROAD (LOCAL THRU MINOR)	+ 0	24+48	2,448	18

DISTRESSES	Priority Level	Severity Level	Extent Level	Distress Score
Potholes	1	HEAVY-1	HEAVY-1	6
Delamination	2	HEAVY-1	HEAVY-1	6
Alligator Cracking	3	HEAVY-1	HEAVY-1	6
Rutting	4	HEAVY-1	HEAVY-1	6
Block Cracking	5	HEAVY-1	HEAVY-1	4
Transverse Cracking	6	HEAVY-1	HEAVY-1	4
Reflective Cracking	6	HEAVY-1	HEAVY-1	4
Logitudinal Cracking	7	HEAVY-1	HEAVY-1	4
Edge Cracking	7	HEAVY-1	HEAVY-1	4
Flushing	8	HEAVY-1	HEAVY-1	4
Raveling	9	HEAVY-1	HEAVY-1	2
Rippling	9	HEAVY-1	HEAVY-1	2
Shoving	10	MODERATE-2	MODERATE-2	4
Tenting	11	MODERATE-2	MODERATE-2	4
Lane/Shoulder Drop-Off	12	HEAVY-1	HEAVY-1	2
Lane/ShoulderSeparation	12	HEAVY-1	HEAVY-1	2
TOTAL DISTRESS SCORE				64 OF 240

INDICES	Priority Level	Severity Level	Indices Score
Riding	1	5	15
Safety	2	15	45
Drainage	3	15	30
Utility	4	95	190
Traffic	5	90	90
Maintenance	6	20	20
INDICES TOTAL			390 OF 1,200

SPOT REPAIRS:	
Number	N/A
Average Area (sf)	N/A
Total Area (sf)	N/A

TOTAL SCORE	454 OF 1,440
INITIAL RATING	32
FINAL RATING	32

PAVEMENT EVALUATION - SORTED BY STREET NAME

Pavement Management Program - Ashburnham, MA 12/9/2011 TO 12/30/2012

Street Name	From Station	To Station	Length (ft)	Width (ft)
CROSS ROAD INTERSECTION WITH (LOCAL THRU MINOR)	+ 0	2+20	220	18

DISTRESSES	Priority Level	Severity Level	Extent Level	Distress Score
Potholes	1	HEAVY-1	HEAVY-1	6
Delamination	2	MODERATE-2	MODERATE-2	12
Alligator Cracking	3	MODERATE-2	MODERATE-2	12
Rutting	4	HEAVY-1	HEAVY-1	6
Block Cracking	5	MODERATE-2	MODERATE-2	8
Transverse Cracking	6	MODERATE-2	MODERATE-2	8
Reflective Cracking	6	MODERATE-2	MODERATE-2	8
Logitudinal Cracking	7	MODERATE-2	MODERATE-2	8
Edge Cracking	7	MODERATE-2	MODERATE-2	8
Flushing	8	MODERATE-2	MODERATE-2	8
Raveling	9	MODERATE-2	MODERATE-2	4
Rippling	9	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	8
Shoving	10	LIGHT-3	LIGHT-3	6
Tenting	11	LIGHT-3	LIGHT-3	6
Lane/Shoulder Drop-Off	12	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	8
Lane/ShoulderSeparation	12	N/A (NOT APPLICABLE)-4	LIGHT-3	7
TOTAL DISTRESS SCORE				123 OF 240

INDICES	Priority Level	Severity Level	Indices Score
Riding	1	10	30
Safety	2	20	60
Drainage	3	10	20
Utility	4	40	80
Traffic	5	30	30
Maintenance	6	20	20
INDICES TOTAL			240 OF 1,200

SPOT REPAIR(S):	
Number	N/A
Average Area (sf)	N/A
Total Area (sf)	N/A

TOTAL SCORE	363	OF 1,440
INITIAL RATING	25	
FINAL RATING	25	

PAVEMENT EVALUATION - SORTED BY STREET NAME

Pavement Management Program - Ashburnham, MA 12/9/2011 TO 12/30/2012

Street Name	From Station	To Station	Length (ft)	Width (ft)
CROSS ROAD INTERSECTION WITH (LOCAL THRU MINOR)	+ 0	1+14	114	18

DISTRESSES	Priority Level	Severity Level	Extent Level	Distress Score
Potholes	1	MODERATE-2	MODERATE-2	12
Delamination	2	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	24
Alligator Cracking	3	MODERATE-2	MODERATE-2	12
Rutting	4	MODERATE-2	MODERATE-2	12
Block Cracking	5	LIGHT-3	LIGHT-3	12
Transverse Cracking	6	LIGHT-3	LIGHT-3	12
Reflective Cracking	6	LIGHT-3	LIGHT-3	12
Logitudinal Cracking	7	MODERATE-2	MODERATE-2	8
Edge Cracking	7	MODERATE-2	MODERATE-2	8
Flushing	8	MODERATE-2	MODERATE-2	8
Raveling	9	MODERATE-2	MODERATE-2	4
Rippling	9	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	8
Shoving	10	LIGHT-3	LIGHT-3	6
Tenting	11	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	8
Lane/Shoulder Drop-Off	12	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	8
Lane/ShoulderSeparation	12	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	8
TOTAL DISTRESS SCORE				162 OF 240

INDICES	Priority Level	Severity Level	Indices Score
Riding	1	15	45
Safety	2	15	45
Drainage	3	15	30
Utility	4	30	60
Traffic	5	80	80
Maintenance	6	20	20
INDICES TOTAL			280 OF 1,200

SPOT REPAIR(S):	
Number	N/A
Average Area (sf)	N/A
Total Area (sf)	N/A

TOTAL SCORE	442	OF 1,440
INITIAL RATING	31	
FINAL RATING	31	

PAVEMENT EVALUATION - SORTED BY STREET NAME

Pavement Management Program - Ashburnham, MA 12/9/2011 TO 12/30/2012

Street Name	From Station	To Station	Length (ft)	Width (ft)
CROSS STREET (LOCAL THRU MINOR)	+ 0	9+38	938	22

DISTRESSES	Priority Level	Severity Level	Extent Level	Distress Score
Potholes	1	LIGHT-3	LIGHT-3	18
Delamination	2	HEAVY-1	LIGHT-3	12
Alligator Cracking	3	MODERATE-2	MODERATE-2	12
Rutting	4	LIGHT-3	LIGHT-3	18
Block Cracking	5	LIGHT-3	MODERATE-2	10
Transverse Cracking	6	MODERATE-2	MODERATE-2	8
Reflective Cracking	6	MODERATE-2	MODERATE-2	8
Logitudinal Cracking	7	MODERATE-2	MODERATE-2	8
Edge Cracking	7	MODERATE-2	MODERATE-2	8
Flushing	8	LIGHT-3	LIGHT-3	12
Raveling	9	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	8
Ripping	9	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	8
Shoving	10	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	8
Tenting	11	LIGHT-3	LIGHT-3	6
Lane/Shoulder Drop-Off	12	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	8
Lane/Shoulder Separation	12	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	8
TOTAL DISTRESS SCORE				160 OF 240

INDICES	Priority Level	Severity Level	Indices Score
Riding	1	40	120
Safety	2	70	210
Drainage	3	60	120
Utility	4	80	160
Traffic	5	65	65
Maintenance	6	70	70
INDICES TOTAL			745 OF 1,200

SPOT REPAIR(S):	
Number	3
Average Area (sf)	130
Total Area (sf)	390

TOTAL SCORE	905	OF 1,440
INITIAL RATING	63	
FINAL RATING	63	

PAVEMENT EVALUATION - SORTED BY STREET NAME

Pavement Management Program - Ashburnham, MA 12/9/2011 TO 12/30/2012

Street Name	From Station	To Station	Length (ft)	Width (ft)
CUSHING STREET (LOCAL THRU MINOR)	+ 0	29+00	2,900	22

DISTRESSES	Priority Level	Severity Level	Extent Level	Distress Score
Potholes	1	MODERATE-2	MODERATE-2	12
Delamination	2	MODERATE-2	MODERATE-2	12
Alligator Cracking	3	MODERATE-2	MODERATE-2	12
Rutting	4	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	24
Block Cracking	5	MODERATE-2	MODERATE-2	8
Transverse Cracking	6	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	16
Reflective Cracking	6	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	16
Logitudinal Cracking	7	MODERATE-2	MODERATE-2	8
Edge Cracking	7	MODERATE-2	MODERATE-2	8
Flushing	8	MODERATE-2	MODERATE-2	8
Raveling	9	MODERATE-2	MODERATE-2	4
Ripping	9	MODERATE-2	MODERATE-2	4
Shoving	10	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	8
Tenting	11	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	8
Lane/Shoulder Drop-Off	12	MODERATE-2	MODERATE-2	4
Lane/Shoulder Separation	12	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	8
TOTAL DISTRESS SCORE				160 OF 240

INDICES	Priority Level	Severity Level	Indices Score
Riding	1	60	180
Safety	2	40	120
Drainage	3	15	30
Utility	4	85	170
Traffic	5	90	90
Maintenance	6	60	60
INDICES TOTAL			650 OF 1,200

SPOT REPAIR(S):	
Number	20
Average Area (sf)	200
Total Area (sf)	4,000

TOTAL SCORE	810	OF 1,440
INITIAL RATING	56	
FINAL RATING	56	

PAVEMENT EVALUATION - SORTED BY STREET NAME

Pavement Management Program - Ashburnham, MA 12/9/2011 TO 12/30/2012

Street Name	From Station	To Station	Length (ft)	Width (ft)
CUSHING STREET BRANCH (LOCAL THRU MINOR)	+ 0	3+10	310	

DISTRESSES	Priority Level	Severity Level	Extent Level	Distress Score
Potholes	1	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	24
Delamination	2	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	24
Alligator Cracking	3	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	24
Rutting	4	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	24
Block Cracking	5	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	16
Transverse Cracking	6	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	16
Reflective Cracking	6	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	16
Logitudinal Cracking	7	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	16
Edge Cracking	7	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	16
Flushing	8	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	16
Raveling	9	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	8
Ripping	9	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	8
Shoving	10	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	8
Tenting	11	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	8
Lane/Shoulder Drop-Off	12	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	8
Lane/Shoulder Separation	12	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	8
TOTAL DISTRESS SCORE				240 OF 240

INDICES	Priority Level	Severity Level	Indices Score
Riding	1	90	270
Safety	2	95	285
Drainage	3	90	180
Utility	4	100	200
Traffic	5	90	90
Maintenance	6	90	90
INDICES TOTAL			1115 OF 1,200

SPOT REPAIR(S):	
Number	N/A
Average Area (sf)	N/A
Total Area (sf)	N/A

TOTAL SCORE	1,355 OF 1,440
INITIAL RATING	94
FINAL RATING	94

PAVEMENT EVALUATION - SORTED BY STREET NAME

Pavement Management Program - Ashburnham, MA 12/9/2011 TO 12/30/2012

Street Name	From Station	To Station	Length (ft)	Width (ft)
D W A DRIVE (LOCAL THRU MINOR)	+ 0	9+01	901	20

DISTRESSES	Priority Level	Severity Level	Extent Level	Distress Score
Potholes	1	LIGHT-3	LIGHT-3	18
Delamination	2	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	24
Alligator Cracking	3	LIGHT-3	LIGHT-3	18
Rutting	4	LIGHT-3	LIGHT-3	18
Block Cracking	5	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	16
Transverse Cracking	6	LIGHT-3	LIGHT-3	12
Reflective Cracking	6	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	16
Logitudinal Cracking	7	LIGHT-3	LIGHT-3	12
Edge Cracking	7	LIGHT-3	LIGHT-3	12
Flushing	8	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	16
Raveling	9	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	8
Ripping	9	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	8
Shoving	10	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	8
Tenting	11	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	8
Lane/Shoulder Drop-Off	12	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	8
Lane/Shoulder Separation	12	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	8
TOTAL DISTRESS SCORE				210 OF 240

INDICES	Priority Level	Severity Level	Indices Score
Riding	1	75	225
Safety	2	60	180
Drainage	3	75	150
Utility	4	60	120
Traffic	5	85	85
Maintenance	6	80	80
INDICES TOTAL			840 OF 1,200

SPOT REPAIR(S):	
Number	3
Average Area (sf)	150
Total Area (sf)	450

TOTAL SCORE	1,050 OF 1,440
INITIAL RATING	73
FINAL RATING	73

PAVEMENT EVALUATION - SORTED BY STREET NAME

Pavement Management Program - Ashburnham, MA 12/9/2011 TO 12/30/2012

Street Name	From Station	To Station	Length (ft)	Width (ft)
DANIEL LANE (LOCAL/DEAD END)	+ 0	7+93	793	13

DISTRESSES	Priority Level	Severity Level	Extent Level	Distress Score
Potholes	1	HEAVY-1	HEAVY-1	6
Delamination	2	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	24
Alligator Cracking	3	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	24
Rutting	4	HEAVY-1	HEAVY-1	6
Block Cracking	5	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	16
Transverse Cracking	6	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	16
Reflective Cracking	6	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	16
Logitudinal Cracking	7	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	16
Edge Cracking	7	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	16
Flushing	8	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	16
Raveling	9	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	8
Rippling	9	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	8
Shoving	10	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	8
Tenting	11	HEAVY-1	HEAVY-1	2
Lane/Shoulder Drop-Off	12	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	8
Lane/ShoulderSeparation	12	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	8
TOTAL DISTRESS SCORE				198 OF 240

INDICES	Priority Level	Severity Level	Indices Score
Riding	1	5	15
Safety	2	50	150
Drainage	3	5	10
Utility	4	30	60
Traffic	5	55	55
Maintenance	6	25	25
INDICES TOTAL			315 OF 1,200

SPOT REPAIR(S):	
Number	N/A
Average Area (sf)	N/A
Total Area (sf)	N/A

TOTAL SCORE	513	OF 1,440
INITIAL RATING	36	
FINAL RATING	36	

PAVEMENT EVALUATION - SORTED BY STREET NAME

Pavement Management Program - Ashburnham, MA 12/9/2011 TO 12/30/2012

Street Name	From Station	To Station	Length (ft)	Width (ft)
DEPOT ROAD (LOCAL THRU MINOR)	+ 0	58+56	5,856	25

DISTRESSES	Priority Level	Severity Level	Extent Level	Distress Score
Potholes	1	LIGHT-3	LIGHT-3	18
Delamination	2	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	24
Alligator Cracking	3	MODERATE-2	MODERATE-2	12
Rutting	4	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	24
Block Cracking	5	LIGHT-3	LIGHT-3	12
Transverse Cracking	6	LIGHT-3	LIGHT-3	12
Reflective Cracking	6	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	16
Logitudinal Cracking	7	MODERATE-2	MODERATE-2	8
Edge Cracking	7	LIGHT-3	LIGHT-3	12
Flushing	8	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	16
Raveling	9	LIGHT-3	LIGHT-3	6
Rippling	9	LIGHT-3	LIGHT-3	6
Shoving	10	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	8
Tenting	11	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	8
Lane/Shoulder Drop-Off	12	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	8
Lane/ShoulderSeparation	12	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	8
TOTAL DISTRESS SCORE				198 OF 240

INDICES	Priority Level	Severity Level	Indices Score
Riding	1	75	225
Safety	2	70	210
Drainage	3	70	140
Utility	4	90	180
Traffic	5	65	65
Maintenance	6	65	65
INDICES TOTAL			885 OF 1,200

SPOT REPAIR(S):	
Number	10
Average Area (sf)	200
Total Area (sf)	2,000

TOTAL SCORE	1,083	OF 1,440
INITIAL RATING	75	
FINAL RATING	75	

PAVEMENT EVALUATION - SORTED BY STREET NAME

Pavement Management Program - Ashburnham, MA 12/9/2011 TO 12/30/2012

Street Name	From Station	To Station	Length (ft)	Width (ft)
DUNN ROAD (LOCAL THRU MINOR)	+ 0	8+00	800	26

DISTRESSES	Priority Level	Severity Level	Extent Level	Distress Score
Potholes	1	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	24
Delamination	2	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	24
Alligator Cracking	3	MODERATE-2	MODERATE-2	12
Rutting	4	LIGHT-3	LIGHT-3	18
Block Cracking	5	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	16
Transverse Cracking	6	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	16
Reflective Cracking	6	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	16
Logitudinal Cracking	7	MODERATE-2	HEAVY-1	6
Edge Cracking	7	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	16
Flushing	8	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	16
Raveling	9	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	8
Rippling	9	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	8
Shoving	10	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	8
Tenting	11	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	8
Lane/Shoulder Drop-Off	12	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	8
Lane/ShoulderSeparation	12	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	8
TOTAL DISTRESS SCORE				212 OF 240

INDICES	Priority Level	Severity Level	Indices Score
Riding	1	80	240
Safety	2	75	225
Drainage	3	65	130
Utility	4	100	200
Traffic	5	65	65
Maintenance	6	70	70
INDICES TOTAL			930 OF 1,200

SPOT REPAIR(S):	
Number	N/A
Average Area (sf)	N/A
Total Area (sf)	N/A

TOTAL SCORE	1,142 OF 1,440
INITIAL RATING	79
FINAL RATING	79

PAVEMENT EVALUATION - SORTED BY STREET NAME

Pavement Management Program - Ashburnham, MA 12/9/2011 TO 12/30/2012

Street Name	From Station	To Station	Length (ft)	Width (ft)
DUNN ROAD (LOCAL THRU MINOR)	8+00	84+78	7,678	20

DISTRESSES	Priority Level	Severity Level	Extent Level	Distress Score
Potholes	1	HEAVY-1	HEAVY-1	6
Delamination	2	HEAVY-1	HEAVY-1	6
Alligator Cracking	3	HEAVY-1	HEAVY-1	6
Rutting	4	MODERATE-2	MODERATE-2	12
Block Cracking	5	MODERATE-2	MODERATE-2	8
Transverse Cracking	6	MODERATE-2	MODERATE-2	8
Reflective Cracking	6	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	16
Logitudinal Cracking	7	HEAVY-1	HEAVY-1	4
Edge Cracking	7	HEAVY-1	HEAVY-1	4
Flushing	8	HEAVY-1	HEAVY-1	4
Raveling	9	HEAVY-1	MODERATE-2	3
Rippling	9	MODERATE-2	MODERATE-2	4
Shoving	10	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	8
Tenting	11	MODERATE-2	MODERATE-2	4
Lane/Shoulder Drop-Off	12	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	8
Lane/ShoulderSeparation	12	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	8
TOTAL DISTRESS SCORE				109 OF 240

INDICES	Priority Level	Severity Level	Indices Score
Riding	1	10	30
Safety	2	50	150
Drainage	3	30	60
Utility	4	55	110
Traffic	5	65	65
Maintenance	6	60	60
INDICES TOTAL			475 OF 1,200

SPOT REPAIR(S):	
Number	N/A
Average Area (sf)	N/A
Total Area (sf)	N/A

TOTAL SCORE	584 OF 1,440
INITIAL RATING	41
FINAL RATING	41

PAVEMENT EVALUATION - SORTED BY STREET NAME

Pavement Management Program - Ashburnham, MA 12/9/2011 TO 12/30/2012

Street Name	From Station	To Station	Length (ft)	Width (ft)
EAST RINDGE ROAD (LOCAL THRU MINOR)	+ 0 (CROSS ROAD)	26+00	2,600	20

DISTRESSES	Priority Level	Severity Level	Extent Level	Distress Score
Potholes	1	HEAVY-1	MODERATE-2	9
Delamination	2	HEAVY-1	HEAVY-1	6
Alligator Cracking	3	MODERATE-2	MODERATE-2	12
Rutting	4	MODERATE-2	MODERATE-2	12
Block Cracking	5	MODERATE-2	MODERATE-2	8
Transverse Cracking	6	LIGHT-3	LIGHT-3	12
Reflective Cracking	6	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	16
Logitudinal Cracking	7	MODERATE-2	MODERATE-2	8
Edge Cracking	7	MODERATE-2	MODERATE-2	8
Flushing	8	MODERATE-2	MODERATE-2	8
Raveling	9	MODERATE-2	MODERATE-2	4
Ripping	9	LIGHT-3	LIGHT-3	6
Shoving	10	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	8
Tenting	11	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	8
Lane/Shoulder Drop-Off	12	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	8
Lane/ShoulderSeparation	12	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	8
TOTAL DISTRESS SCORE				141 OF 240

INDICES	Priority Level	Severity Level	Indices Score
Riding	1	30	90
Safety	2	60	180
Drainage	3	20	40
Utility	4	50	100
Traffic	5	100	100
Maintenance	6	55	55
INDICES TOTAL			565 OF 1,200

SPOT REPAIR(S):	
Number	N/A
Average Area (sf)	N/A
Total Area (sf)	N/A

TOTAL SCORE	706	OF 1,440
INITIAL RATING	49	
FINAL RATING	49	

PAVEMENT EVALUATION - SORTED BY STREET NAME

Pavement Management Program - Ashburnham, MA 12/9/2011 TO 12/30/2012

Street Name	From Station	To Station	Length (ft)	Width (ft)
EAST RINDGE ROAD (LOCAL THRU MINOR)	122+30 (TUCKERMAN ROAD)	132+30	1,000	24

DISTRESSES	Priority Level	Severity Level	Extent Level	Distress Score
Potholes	1	LIGHT-3	LIGHT-3	18
Delamination	2	LIGHT-3	LIGHT-3	18
Alligator Cracking	3	MODERATE-2	MODERATE-2	12
Rutting	4	MODERATE-2	MODERATE-2	12
Block Cracking	5	MODERATE-2	MODERATE-2	8
Transverse Cracking	6	LIGHT-3	LIGHT-3	12
Reflective Cracking	6	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	16
Logitudinal Cracking	7	MODERATE-2	MODERATE-2	8
Edge Cracking	7	MODERATE-2	MODERATE-2	8
Flushing	8	LIGHT-3	LIGHT-3	12
Raveling	9	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	8
Ripping	9	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	8
Shoving	10	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	8
Tenting	11	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	8
Lane/Shoulder Drop-Off	12	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	8
Lane/ShoulderSeparation	12	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	8
TOTAL DISTRESS SCORE				172 OF 240

INDICES	Priority Level	Severity Level	Indices Score
Riding	1	60	180
Safety	2	75	225
Drainage	3	20	40
Utility	4	55	110
Traffic	5	100	100
Maintenance	6	55	55
INDICES TOTAL			710 OF 1,200

SPOT REPAIR(S):	
Number	1
Average Area (sf)	200
Total Area (sf)	200

TOTAL SCORE	882	OF 1,440
INITIAL RATING	61	
FINAL RATING	61	

PAVEMENT EVALUATION - SORTED BY STREET NAME

Pavement Management Program - Ashburnham, MA 12/9/2011 TO 12/30/2012

Street Name	From Station	To Station	Length (ft)	Width (ft)
EAST RINDGE ROAD (LOCAL THRU MINOR)	132+30	153+30	2,100	24

DISTRESSES	Priority Level	Severity Level	Extent Level	Distress Score
Potholes	1	HEAVY-1	HEAVY-1	6
Delamination	2	HEAVY-1	HEAVY-1	6
Alligator Cracking	3	HEAVY-1	HEAVY-1	6
Rutting	4	MODERATE-2	HEAVY-1	9
Block Cracking	5	MODERATE-2	HEAVY-1	6
Transverse Cracking	6	MODERATE-2	LIGHT-3	10
Reflective Cracking	6	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	16
Logitudinal Cracking	7	HEAVY-1	HEAVY-1	4
Edge Cracking	7	MODERATE-2	MODERATE-2	8
Flushing	8	LIGHT-3	LIGHT-3	12
Raveling	9	MODERATE-2	MODERATE-2	4
Rippling	9	MODERATE-2	MODERATE-2	4
Shoving	10	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	8
Tenting	11	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	8
Lane/Shoulder Drop-Off	12	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	8
Lane/ShoulderSeparation	12	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	8
TOTAL DISTRESS SCORE				123 OF 240

INDICES	Priority Level	Severity Level	Indices Score
Riding	1	35	105
Safety	2	65	195
Drainage	3	20	40
Utility	4	55	110
Traffic	5	100	100
Maintenance	6	55	55
INDICES TOTAL			605 OF 1,200

SPOT REPAIR(S):	
Number	N/A
Average Area (sf)	N/A
Total Area (sf)	N/A

TOTAL SCORE	728	OF 1,440
INITIAL RATING	51	
FINAL RATING	51	

PAVEMENT EVALUATION - SORTED BY STREET NAME

Pavement Management Program - Ashburnham, MA 12/9/2011 TO 12/30/2012

Street Name	From Station	To Station	Length (ft)	Width (ft)
EAST RINDGE ROAD (LOCAL THRU MINOR)	26+00	47+00 (YOUNG ROAD)	2,100	20

DISTRESSES	Priority Level	Severity Level	Extent Level	Distress Score
Potholes	1	LIGHT-3	LIGHT-3	18
Delamination	2	LIGHT-3	LIGHT-3	18
Alligator Cracking	3	MODERATE-2	HEAVY-1	9
Rutting	4	LIGHT-3	LIGHT-3	18
Block Cracking	5	MODERATE-2	MODERATE-2	8
Transverse Cracking	6	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	16
Reflective Cracking	6	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	16
Logitudinal Cracking	7	MODERATE-2	MODERATE-2	8
Edge Cracking	7	MODERATE-2	MODERATE-2	8
Flushing	8	LIGHT-3	LIGHT-3	12
Raveling	9	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	8
Rippling	9	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	8
Shoving	10	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	8
Tenting	11	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	8
Lane/Shoulder Drop-Off	12	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	8
Lane/ShoulderSeparation	12	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	8
TOTAL DISTRESS SCORE				179 OF 240

INDICES	Priority Level	Severity Level	Indices Score
Riding	1	60	180
Safety	2	70	210
Drainage	3	30	60
Utility	4	75	150
Traffic	5	100	100
Maintenance	6	55	55
INDICES TOTAL			755 OF 1,200

SPOT REPAIR(S):	
Number	4
Average Area (sf)	150
Total Area (sf)	600

TOTAL SCORE	934	OF 1,440
INITIAL RATING	65	
FINAL RATING	65	

PAVEMENT EVALUATION - SORTED BY STREET NAME

Pavement Management Program - Ashburnham, MA 12/9/2011 TO 12/30/2012

Street Name	From Station	To Station	Length (ft)	Width (ft)
EAST RINDGE ROAD (LOCAL THRU MINOR)	47+00 (YOUNG ROAD)	122+30 (TUCKERMAN ROAD	7,530	19

DISTRESSES	Priority Level	Severity Level	Extent Level	Distress Score
Potholes	1	MODERATE-2	MODERATE-2	12
Delamination	2	HEAVY-1	HEAVY-1	6
Alligator Cracking	3	HEAVY-1	HEAVY-1	6
Rutting	4	HEAVY-1	HEAVY-1	6
Block Cracking	5	HEAVY-1	HEAVY-1	4
Transverse Cracking	6	MODERATE-2	MODERATE-2	8
Reflective Cracking	6	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	16
Logitudinal Cracking	7	HEAVY-1	MODERATE-2	6
Edge Cracking	7	MODERATE-2	MODERATE-2	8
Flushing	8	MODERATE-2	MODERATE-2	8
Raveling	9	MODERATE-2	MODERATE-2	4
Rippling	9	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	8
Shoving	10	MODERATE-2	MODERATE-2	4
Tenting	11	MODERATE-2	MODERATE-2	4
Lane/Shoulder Drop-Off	12	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	8
Lane/Shoulder Separation	12	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	8
TOTAL DISTRESS SCORE				116 OF 240

INDICES	Priority Level	Severity Level	Indices Score
Riding	1	35	105
Safety	2	65	195
Drainage	3	20	40
Utility	4	55	110
Traffic	5	100	100
Maintenance	6	55	55
INDICES TOTAL			605 OF 1,200

SPOT REPAIR(S):	
Number	N/A
Average Area (sf)	N/A
Total Area (sf)	N/A

TOTAL SCORE	721 OF 1,440
INITIAL RATING	50
FINAL RATING	50

PAVEMENT EVALUATION - SORTED BY STREET NAME

Pavement Management Program - Ashburnham, MA 12/9/2011 TO 12/30/2012

Street Name	From Station	To Station	Length (ft)	Width (ft)
FAIRBANKS MEMORIAL DRIVE ()				

DISTRESSES	Priority Level	Severity Level	Extent Level	Distress Score
Potholes	1			
Delamination	2			
Alligator Cracking	3			
Rutting	4			
Block Cracking	5			
Transverse Cracking	6			
Reflective Cracking	6			
Logitudinal Cracking	7			
Edge Cracking	7			
Flushing	8			
Raveling	9			
Rippling	9			
Shoving	10			
Tenting	11			
Lane/Shoulder Drop-Off	12			
Lane/Shoulder Separation	12			
TOTAL DISTRESS SCORE				OF 240

INDICES	Priority Level	Severity Level	Indices Score
Riding	1		
Safety	2		
Drainage	3		
Utility	4		
Traffic	5		
Maintenance	6		
INDICES TOTAL			OF 1,200

SPOT REPAIR(S):	
Number	N/A
Average Area (sf)	N/A
Total Area (sf)	N/A

TOTAL SCORE	OF 1,440
INITIAL RATING	
FINAL RATING	

PAVEMENT EVALUATION - SORTED BY STREET NAME

Pavement Management Program - Ashburnham, MA 12/9/2011 TO 12/30/2012

Street Name	From Station	To Station	Length (ft)	Width (ft)
FAIRVIEW AVENUE (LOCAL THRU MINOR)	+ 0	17+60	1,760	19

DISTRESSES	Priority Level	Severity Level	Extent Level	Distress Score
Potholes	1	HEAVY-1	MODERATE-2	9
Delamination	2	HEAVY-1	MODERATE-2	9
Alligator Cracking	3	MODERATE-2	MODERATE-2	12
Rutting	4	LIGHT-3	LIGHT-3	18
Block Cracking	5	LIGHT-3	LIGHT-3	12
Transverse Cracking	6	LIGHT-3	LIGHT-3	12
Reflective Cracking	6	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	16
Logitudinal Cracking	7	MODERATE-2	MODERATE-2	8
Edge Cracking	7	LIGHT-3	LIGHT-3	12
Flushing	8	LIGHT-3	LIGHT-3	12
Raveling	9	MODERATE-2	MODERATE-2	4
Rippling	9	MODERATE-2	MODERATE-2	4
Shoving	10	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	8
Tenting	11	MODERATE-2	MODERATE-2	4
Lane/Shoulder Drop-Off	12	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	8
Lane/ShoulderSeparation	12	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	8
TOTAL DISTRESS SCORE				156 OF 240

INDICES	Priority Level	Severity Level	Indices Score
Riding	1	50	150
Safety	2	90	270
Drainage	3	80	160
Utility	4	50	100
Traffic	5	75	75
Maintenance	6	80	80
INDICES TOTAL			835 OF 1,200

SPOT REPAIRS:	
Number	15
Average Area (sf)	200
Total Area (sf)	3,000

TOTAL SCORE	991	OF 1,440
INITIAL RATING	69	
FINAL RATING	69	

PAVEMENT EVALUATION - SORTED BY STREET NAME

Pavement Management Program - Ashburnham, MA 12/9/2011 TO 12/30/2012

Street Name	From Station	To Station	Length (ft)	Width (ft)
FAIRVIEW PARK (LOCAL THRU MINOR)	+ 0	15+39	1,539	24

DISTRESSES	Priority Level	Severity Level	Extent Level	Distress Score
Potholes	1	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	24
Delamination	2	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	24
Alligator Cracking	3	MODERATE-2	LIGHT-3	15
Rutting	4	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	24
Block Cracking	5	LIGHT-3	LIGHT-3	12
Transverse Cracking	6	MODERATE-2	MODERATE-2	8
Reflective Cracking	6	MODERATE-2	MODERATE-2	8
Logitudinal Cracking	7	LIGHT-3	LIGHT-3	12
Edge Cracking	7	LIGHT-3	LIGHT-3	12
Flushing	8	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	16
Raveling	9	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	8
Rippling	9	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	8
Shoving	10	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	8
Tenting	11	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	8
Lane/Shoulder Drop-Off	12	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	8
Lane/ShoulderSeparation	12	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	8
TOTAL DISTRESS SCORE				203 OF 240

INDICES	Priority Level	Severity Level	Indices Score
Riding	1	80	240
Safety	2	90	270
Drainage	3	85	170
Utility	4	85	170
Traffic	5	95	95
Maintenance	6	95	95
INDICES TOTAL			1040 OF 1,200

SPOT REPAIRS:	
Number	N/A
Average Area (sf)	N/A
Total Area (sf)	N/A

TOTAL SCORE	1,243	OF 1,440
INITIAL RATING	86	
FINAL RATING	86	

PAVEMENT EVALUATION - SORTED BY STREET NAME

Pavement Management Program - Ashburnham, MA 12/9/2011 TO 12/30/2012

Street Name	From Station	To Station	Length (ft)	Width (ft)
FERIN ROAD (LOCAL/DEAD END)	+ 0	66+61	6,661	15

DISTRESSES	Priority Level	Severity Level	Extent Level	Distress Score
Potholes	1	HEAVY-1	HEAVY-1	6
Delamination	2	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	24
Alligator Cracking	3	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	24
Rutting	4	HEAVY-1	HEAVY-1	6
Block Cracking	5	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	16
Transverse Cracking	6	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	16
Reflective Cracking	6	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	16
Logitudinal Cracking	7	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	16
Edge Cracking	7	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	16
Flushing	8	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	16
Raveling	9	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	8
Rippling	9	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	8
Shoving	10	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	8
Tenting	11	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	8
Lane/Shoulder Drop-Off	12	MODERATE-2	MODERATE-2	4
Lane/ShoulderSeparation	12	HEAVY-1	HEAVY-1	2
TOTAL DISTRESS SCORE				194 OF 240

INDICES	Priority Level	Severity Level	Indices Score
Riding	1	10	30
Safety	2	30	90
Drainage	3	5	10
Utility	4	100	200
Traffic	5	90	90
Maintenance	6	10	10
INDICES TOTAL			430 OF 1,200

SPOT REPAIR(S):	
Number	N/A
Average Area (sf)	N/A
Total Area (sf)	N/A

TOTAL SCORE	624 OF 1,440
INITIAL RATING	43
FINAL RATING	43

PAVEMENT EVALUATION - SORTED BY STREET NAME

Pavement Management Program - Ashburnham, MA 12/9/2011 TO 12/30/2012

Street Name	From Station	To Station	Length (ft)	Width (ft)
FORRISTALL ROAD (LOCAL/DEAD END)	+ 0	5+83	583	15

DISTRESSES	Priority Level	Severity Level	Extent Level	Distress Score
Potholes	1	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	24
Delamination	2	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	24
Alligator Cracking	3	MODERATE-2	LIGHT-3	15
Rutting	4	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	24
Block Cracking	5	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	16
Transverse Cracking	6	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	16
Reflective Cracking	6	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	16
Logitudinal Cracking	7	MODERATE-2	LIGHT-3	10
Edge Cracking	7	LIGHT-3	LIGHT-3	12
Flushing	8	LIGHT-3	LIGHT-3	12
Raveling	9	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	8
Rippling	9	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	8
Shoving	10	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	8
Tenting	11	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	8
Lane/Shoulder Drop-Off	12	LIGHT-3	LIGHT-3	6
Lane/ShoulderSeparation	12	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	8
TOTAL DISTRESS SCORE				215 OF 240

INDICES	Priority Level	Severity Level	Indices Score
Riding	1	70	210
Safety	2	70	210
Drainage	3	70	140
Utility	4	90	180
Traffic	5	65	65
Maintenance	6	70	70
INDICES TOTAL			875 OF 1,200

SPOT REPAIR(S):	
Number	N/A
Average Area (sf)	N/A
Total Area (sf)	N/A

TOTAL SCORE	1,090 OF 1,440
INITIAL RATING	76
FINAL RATING	76

PAVEMENT EVALUATION - SORTED BY STREET NAME

Pavement Management Program - Ashburnham, MA 12/9/2011 TO 12/30/2012

Street Name	From Station	To Station	Length (ft)	Width (ft)
GARDNER HILL ROAD (MAJOR COLLECTOR)	+ 0	27+00	2,700	32

DISTRESSES	Priority Level	Severity Level	Extent Level	Distress Score
Potholes	1	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	24
Delamination	2	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	24
Alligator Cracking	3	MODERATE-2	MODERATE-2	12
Rutting	4	HEAVY-1	MODERATE-2	9
Block Cracking	5	LIGHT-3	LIGHT-3	12
Transverse Cracking	6	LIGHT-3	LIGHT-3	12
Reflective Cracking	6	LIGHT-3	LIGHT-3	12
Logitudinal Cracking	7	MODERATE-2	MODERATE-2	8
Edge Cracking	7	MODERATE-2	MODERATE-2	8
Flushing	8	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	16
Raveling	9	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	8
Rippling	9	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	8
Shoving	10	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	8
Tenting	11	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	8
Lane/Shoulder Drop-Off	12	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	8
Lane/ShoulderSeparation	12	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	8
TOTAL DISTRESS SCORE				185 OF 240

INDICES	Priority Level	Severity Level	Indices Score
Riding	1	70	210
Safety	2	90	270
Drainage	3	80	160
Utility	4	85	170
Traffic	5	90	90
Maintenance	6	85	85
INDICES TOTAL			985 OF 1,200

SPOT REPAIR(S):	
Number	20
Average Area (sf)	200
Total Area (sf)	4,000

TOTAL SCORE	1,170 OF 1,440
INITIAL RATING	81
FINAL RATING	76

PAVEMENT EVALUATION - SORTED BY STREET NAME

Pavement Management Program - Ashburnham, MA 12/9/2011 TO 12/30/2012

Street Name	From Station	To Station	Length (ft)	Width (ft)
GIBSON ROAD (LOCAL/DEAD END)	+ 0	31+55	3,155	19

DISTRESSES	Priority Level	Severity Level	Extent Level	Distress Score
Potholes	1	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	24
Delamination	2	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	24
Alligator Cracking	3	MODERATE-2	MODERATE-2	12
Rutting	4	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	24
Block Cracking	5	LIGHT-3	LIGHT-3	12
Transverse Cracking	6	LIGHT-3	LIGHT-3	12
Reflective Cracking	6	LIGHT-3	LIGHT-3	12
Logitudinal Cracking	7	MODERATE-2	MODERATE-2	8
Edge Cracking	7	MODERATE-2	LIGHT-3	10
Flushing	8	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	16
Raveling	9	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	8
Rippling	9	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	8
Shoving	10	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	8
Tenting	11	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	8
Lane/Shoulder Drop-Off	12	LIGHT-3	LIGHT-3	6
Lane/ShoulderSeparation	12	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	8
TOTAL DISTRESS SCORE				200 OF 240

INDICES	Priority Level	Severity Level	Indices Score
Riding	1	80	240
Safety	2	80	240
Drainage	3	80	160
Utility	4	90	180
Traffic	5	75	75
Maintenance	6	70	70
INDICES TOTAL			965 OF 1,200

SPOT REPAIR(S):	
Number	N/A
Average Area (sf)	N/A
Total Area (sf)	N/A

TOTAL SCORE	1,165 OF 1,440
INITIAL RATING	81
FINAL RATING	81

PAVEMENT EVALUATION - SORTED BY STREET NAME

Pavement Management Program - Ashburnham, MA 12/9/2011 TO 12/30/2012

Street Name	From Station	To Station	Length (ft)	Width (ft)
GINGER BREAD LANE (LOCAL THRU MINOR)	+ 0	2+79	279	16

DISTRESSES	Priority Level	Severity Level	Extent Level	Distress Score
Potholes	1	MODERATE-2	MODERATE-2	12
Delamination	2	HEAVY-1	HEAVY-1	6
Alligator Cracking	3	HEAVY-1	HEAVY-1	6
Rutting	4	MODERATE-2	MODERATE-2	12
Block Cracking	5	MODERATE-2	MODERATE-2	8
Transverse Cracking	6	MODERATE-2	MODERATE-2	8
Reflective Cracking	6	MODERATE-2	MODERATE-2	8
Logitudinal Cracking	7	HEAVY-1	HEAVY-1	4
Edge Cracking	7	LIGHT-3	LIGHT-3	12
Flushing	8	MODERATE-2	MODERATE-2	8
Raveling	9	MODERATE-2	MODERATE-2	4
Rippling	9	LIGHT-3	LIGHT-3	6
Shoving	10	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	8
Tenting	11	LIGHT-3	LIGHT-3	6
Lane/Shoulder Drop-Off	12	MODERATE-2	MODERATE-2	4
Lane/ShoulderSeparation	12	LIGHT-3	LIGHT-3	6
TOTAL DISTRESS SCORE				118 OF 240

INDICES	Priority Level	Severity Level	Indices Score
Riding	1	20	60
Safety	2	70	210
Drainage	3	50	100
Utility	4	80	160
Traffic	5	75	75
Maintenance	6	70	70
INDICES TOTAL			675 OF 1,200

SPOT REPAIR(S):	
Number	N/A
Average Area (sf)	N/A
Total Area (sf)	N/A

TOTAL SCORE	793	OF 1,440
INITIAL RATING	55	
FINAL RATING	55	

PAVEMENT EVALUATION - SORTED BY STREET NAME

Pavement Management Program - Ashburnham, MA 12/9/2011 TO 12/30/2012

Street Name	From Station	To Station	Length (ft)	Width (ft)
HARDY ROAD (LOCAL/DEAD END)	+ 0	17+62	1,762	15

DISTRESSES	Priority Level	Severity Level	Extent Level	Distress Score
Potholes	1	LIGHT-3	LIGHT-3	18
Delamination	2	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	24
Alligator Cracking	3	MODERATE-2	LIGHT-3	15
Rutting	4	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	24
Block Cracking	5	LIGHT-3	LIGHT-3	12
Transverse Cracking	6	LIGHT-3	LIGHT-3	12
Reflective Cracking	6	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	16
Logitudinal Cracking	7	HEAVY-1	MODERATE-2	6
Edge Cracking	7	MODERATE-2	MODERATE-2	8
Flushing	8	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	16
Raveling	9	LIGHT-3	LIGHT-3	6
Rippling	9	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	8
Shoving	10	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	8
Tenting	11	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	8
Lane/Shoulder Drop-Off	12	MODERATE-2	MODERATE-2	4
Lane/ShoulderSeparation	12	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	8
TOTAL DISTRESS SCORE				193 OF 240

INDICES	Priority Level	Severity Level	Indices Score
Riding	1	65	195
Safety	2	60	180
Drainage	3	65	130
Utility	4	100	200
Traffic	5	90	90
Maintenance	6	55	55
INDICES TOTAL			850 OF 1,200

SPOT REPAIR(S):	
Number	5
Average Area (sf)	150
Total Area (sf)	750

TOTAL SCORE	1,043	OF 1,440
INITIAL RATING	72	
FINAL RATING	72	

PAVEMENT EVALUATION - SORTED BY STREET NAME

Pavement Management Program - Ashburnham, MA 12/9/2011 TO 12/30/2012

Street Name	From Station	To Station	Length (ft)	Width (ft)
HARRIS ROAD (LOCAL THRU MINOR)	+ 0	64+00	6,400	18

DISTRESSES	Priority Level	Severity Level	Extent Level	Distress Score
Potholes	1	LIGHT-3	LIGHT-3	18
Delamination	2	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	24
Alligator Cracking	3	MODERATE-2	MODERATE-2	12
Rutting	4	LIGHT-3	LIGHT-3	18
Block Cracking	5	LIGHT-3	LIGHT-3	12
Transverse Cracking	6	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	16
Reflective Cracking	6	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	16
Longitudinal Cracking	7	HEAVY-1	MODERATE-2	6
Edge Cracking	7	LIGHT-3	LIGHT-3	12
Flushing	8	LIGHT-3	LIGHT-3	12
Raveling	9	LIGHT-3	LIGHT-3	6
Rippling	9	LIGHT-3	LIGHT-3	6
Shoving	10	N/A (NOT APPLICABLE)-4	LIGHT-3	7
Tenting	11	LIGHT-3	LIGHT-3	6
Lane/Shoulder Drop-Off	12	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	8
Lane/Shoulder Separation	12	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	8
TOTAL DISTRESS SCORE				187 OF 240

INDICES	Priority Level	Severity Level	Indices Score
Riding	1	65	195
Safety	2	65	195
Drainage	3	65	130
Utility	4	75	150
Traffic	5	80	80
Maintenance	6	65	65
INDICES TOTAL			815 OF 1,200

SPOT REPAIR(S):	
Number	N/A
Average Area (sf)	N/A
Total Area (sf)	N/A

TOTAL SCORE	1,002 OF 1,440
INITIAL RATING	70
FINAL RATING	70

PAVEMENT EVALUATION - SORTED BY STREET NAME

Pavement Management Program - Ashburnham, MA 12/9/2011 TO 12/30/2012

Street Name	From Station	To Station	Length (ft)	Width (ft)
HARRIS ROAD (LOCAL THRU MINOR)	64+00	101+44	3,744	20

DISTRESSES	Priority Level	Severity Level	Extent Level	Distress Score
Potholes	1	HEAVY-1	HEAVY-1	6
Delamination	2	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	24
Alligator Cracking	3	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	24
Rutting	4	HEAVY-1	HEAVY-1	6
Block Cracking	5	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	16
Transverse Cracking	6	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	16
Reflective Cracking	6	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	16
Longitudinal Cracking	7	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	16
Edge Cracking	7	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	16
Flushing	8	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	16
Raveling	9	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	8
Rippling	9	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	8
Shoving	10	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	8
Tenting	11	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	8
Lane/Shoulder Drop-Off	12	HEAVY-1	HEAVY-1	2
Lane/Shoulder Separation	12	MODERATE-2	MODERATE-2	4
TOTAL DISTRESS SCORE				194 OF 240

INDICES	Priority Level	Severity Level	Indices Score
Riding	1	30	90
Safety	2	60	180
Drainage	3	20	40
Utility	4	100	200
Traffic	5	100	100
Maintenance	6	40	40
INDICES TOTAL			650 OF 1,200

SPOT REPAIR(S):	
Number	N/A
Average Area (sf)	N/A
Total Area (sf)	N/A

TOTAL SCORE	844 OF 1,440
INITIAL RATING	59
FINAL RATING	59

PAVEMENT EVALUATION - SORTED BY STREET NAME

Pavement Management Program - Ashburnham, MA 12/9/2011 TO 12/30/2012

Street Name	From Station	To Station	Length (ft)	Width (ft)
HASTINGS ROAD (LOCAL THRU MINOR)	+ 0	11+00	1,100	21

DISTRESSES	Priority Level	Severity Level	Extent Level	Distress Score
Potholes	1	HEAVY-1	HEAVY-1	6
Delamination	2	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	24
Alligator Cracking	3	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	24
Rutting	4	HEAVY-1	HEAVY-1	6
Block Cracking	5	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	16
Transverse Cracking	6	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	16
Reflective Cracking	6	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	16
Logitudinal Cracking	7	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	16
Edge Cracking	7	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	16
Flushing	8	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	16
Raveling	9	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	8
Rippling	9	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	8
Shoving	10	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	8
Tenting	11	HEAVY-1	HEAVY-1	2
Lane/Shoulder Drop-Off	12	HEAVY-1	HEAVY-1	2
Lane/ShoulderSeparation	12	HEAVY-1	HEAVY-1	2
TOTAL DISTRESS SCORE				186 OF 240

INDICES	Priority Level	Severity Level	Indices Score
Riding	1	5	15
Safety	2	20	60
Drainage	3	5	10
Utility	4	5	10
Traffic	5	65	65
Maintenance	6	10	10
INDICES TOTAL			170 OF 1,200

SPOT REPAIR(S):	
Number	N/A
Average Area (sf)	N/A
Total Area (sf)	N/A

TOTAL SCORE	356	OF 1,440
INITIAL RATING	25	
FINAL RATING	25	

PAVEMENT EVALUATION - SORTED BY STREET NAME

Pavement Management Program - Ashburnham, MA 12/9/2011 TO 12/30/2012

Street Name	From Station	To Station	Length (ft)	Width (ft)
HASTINGS ROAD (LOCAL THRU MINOR)	11+00	18+00	700	17

DISTRESSES	Priority Level	Severity Level	Extent Level	Distress Score
Potholes	1	HEAVY-1	HEAVY-1	6
Delamination	2	HEAVY-1	HEAVY-1	6
Alligator Cracking	3	HEAVY-1	HEAVY-1	6
Rutting	4	MODERATE-2	MODERATE-2	12
Block Cracking	5	MODERATE-2	MODERATE-2	8
Transverse Cracking	6	MODERATE-2	MODERATE-2	8
Reflective Cracking	6	MODERATE-2	MODERATE-2	8
Logitudinal Cracking	7	HEAVY-1	HEAVY-1	4
Edge Cracking	7	HEAVY-1	HEAVY-1	4
Flushing	8	MODERATE-2	MODERATE-2	8
Raveling	9	MODERATE-2	MODERATE-2	4
Rippling	9	HEAVY-1	HEAVY-1	2
Shoving	10	LIGHT-3	LIGHT-3	6
Tenting	11	HEAVY-1	HEAVY-1	2
Lane/Shoulder Drop-Off	12	LIGHT-3	LIGHT-3	6
Lane/ShoulderSeparation	12	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	8
TOTAL DISTRESS SCORE				98 OF 240

INDICES	Priority Level	Severity Level	Indices Score
Riding	1	10	30
Safety	2	20	60
Drainage	3	5	10
Utility	4	5	10
Traffic	5	80	80
Maintenance	6	10	10
INDICES TOTAL			200 OF 1,200

SPOT REPAIR(S):	
Number	N/A
Average Area (sf)	N/A
Total Area (sf)	N/A

TOTAL SCORE	298	OF 1,440
INITIAL RATING	21	
FINAL RATING	21	

PAVEMENT EVALUATION - SORTED BY STREET NAME

Pavement Management Program - Ashburnham, MA 12/9/2011 TO 12/30/2012

Street Name	From Station	To Station	Length (ft)	Width (ft)
HASTINGS ROAD (LOCAL THRU MINOR)	18+00	24+00	600	22

DISTRESSES	Priority Level	Severity Level	Extent Level	Distress Score
Potholes	1	HEAVY-1	HEAVY-1	6
Delamination	2	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	24
Alligator Cracking	3	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	24
Rutting	4	HEAVY-1	HEAVY-1	6
Block Cracking	5	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	16
Transverse Cracking	6	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	16
Reflective Cracking	6	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	16
Logitudinal Cracking	7	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	16
Edge Cracking	7	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	16
Flushing	8	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	16
Raveling	9	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	8
Rippling	9	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	8
Shoving	10	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	8
Tenting	11	HEAVY-1	HEAVY-1	2
Lane/Shoulder Drop-Off	12	HEAVY-1	HEAVY-1	2
Lane/ShoulderSeparation	12	HEAVY-1	HEAVY-1	2
TOTAL DISTRESS SCORE				186 OF 240

INDICES	Priority Level	Severity Level	Indices Score
Riding	1	5	15
Safety	2	20	60
Drainage	3	5	10
Utility	4	5	10
Traffic	5	80	80
Maintenance	6	10	10
INDICES TOTAL			185 OF 1,200

SPOT REPAIR(S):	
Number	N/A
Average Area (sf)	N/A
Total Area (sf)	N/A

TOTAL SCORE	371	OF 1,440
INITIAL RATING	26	
FINAL RATING	26	

PAVEMENT EVALUATION - SORTED BY STREET NAME

Pavement Management Program - Ashburnham, MA 12/9/2011 TO 12/30/2012

Street Name	From Station	To Station	Length (ft)	Width (ft)
HASTINGS ROAD (LOCAL THRU MINOR)	24+00	82+00	5,800	18

DISTRESSES	Priority Level	Severity Level	Extent Level	Distress Score
Potholes	1	HEAVY-1	HEAVY-1	6
Delamination	2	HEAVY-1	HEAVY-1	6
Alligator Cracking	3	HEAVY-1	HEAVY-1	6
Rutting	4	MODERATE-2	MODERATE-2	12
Block Cracking	5	MODERATE-2	MODERATE-2	8
Transverse Cracking	6	MODERATE-2	MODERATE-2	8
Reflective Cracking	6	MODERATE-2	MODERATE-2	8
Logitudinal Cracking	7	HEAVY-1	HEAVY-1	4
Edge Cracking	7	HEAVY-1	HEAVY-1	4
Flushing	8	MODERATE-2	MODERATE-2	8
Raveling	9	HEAVY-1	HEAVY-1	2
Rippling	9	HEAVY-1	HEAVY-1	2
Shoving	10	LIGHT-3	LIGHT-3	6
Tenting	11	HEAVY-1	HEAVY-1	2
Lane/Shoulder Drop-Off	12	LIGHT-3	LIGHT-3	6
Lane/ShoulderSeparation	12	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	8
TOTAL DISTRESS SCORE				96 OF 240

INDICES	Priority Level	Severity Level	Indices Score
Riding	1	10	30
Safety	2	20	60
Drainage	3	5	10
Utility	4	5	10
Traffic	5	80	80
Maintenance	6	10	10
INDICES TOTAL			200 OF 1,200

SPOT REPAIR(S):	
Number	N/A
Average Area (sf)	N/A
Total Area (sf)	N/A

TOTAL SCORE	296	OF 1,440
INITIAL RATING	21	
FINAL RATING	21	

PAVEMENT EVALUATION - SORTED BY STREET NAME

Pavement Management Program - Ashburnham, MA 12/9/2011 TO 12/30/2012

Street Name	From Station	To Station	Length (ft)	Width (ft)
HASTINGS ROAD (LOCAL THRU MINOR)	82+00	98+39	1,639	18

DISTRESSES	Priority Level	Severity Level	Extent Level	Distress Score
Potholes	1	HEAVY-1	HEAVY-1	6
Delamination	2	HEAVY-1	HEAVY-1	6
Alligator Cracking	3	MODERATE-2	MODERATE-2	12
Rutting	4	MODERATE-2	MODERATE-2	12
Block Cracking	5	MODERATE-2	MODERATE-2	8
Transverse Cracking	6	MODERATE-2	MODERATE-2	8
Reflective Cracking	6	LIGHT-3	MODERATE-2	10
Logitudinal Cracking	7	HEAVY-1	MODERATE-2	6
Edge Cracking	7	MODERATE-2	MODERATE-2	8
Flushing	8	LIGHT-3	LIGHT-3	12
Raveling	9	HEAVY-1	HEAVY-1	2
Ripplng	9	MODERATE-2	MODERATE-2	4
Shoving	10	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	8
Tenting	11	HEAVY-1	HEAVY-1	2
Lane/Shoulder Drop-Off	12	MODERATE-2	MODERATE-2	4
Lane/ShoulderSeparation	12	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	8
TOTAL DISTRESS SCORE				116 OF 240

INDICES	Priority Level	Severity Level	Indices Score
Riding	1	15	45
Safety	2	25	75
Drainage	3	5	10
Utility	4	5	10
Traffic	5	80	80
Maintenance	6	10	10
INDICES TOTAL			230 OF 1,200

SPOT REPAIR(S):	
Number	N/A
Average Area (sf)	N/A
Total Area (sf)	N/A

TOTAL SCORE	346	OF 1,440
INITIAL RATING	24	
FINAL RATING	24	

PAVEMENT EVALUATION - SORTED BY STREET NAME

Pavement Management Program - Ashburnham, MA 12/9/2011 TO 12/30/2012

Street Name	From Station	To Station	Length (ft)	Width (ft)
HAY ROAD (LOCAL/DEAD END)	+ 0	24+71	2,471	16

DISTRESSES	Priority Level	Severity Level	Extent Level	Distress Score
Potholes	1	LIGHT-3	LIGHT-3	18
Delamination	2	LIGHT-3	MODERATE-2	15
Alligator Cracking	3	MODERATE-2	MODERATE-2	12
Rutting	4	LIGHT-3	LIGHT-3	18
Block Cracking	5	MODERATE-2	MODERATE-2	8
Transverse Cracking	6	MODERATE-2	MODERATE-2	8
Reflective Cracking	6	MODERATE-2	MODERATE-2	8
Logitudinal Cracking	7	MODERATE-2	MODERATE-2	8
Edge Cracking	7	MODERATE-2	MODERATE-2	8
Flushing	8	LIGHT-3	LIGHT-3	12
Raveling	9	LIGHT-3	LIGHT-3	6
Ripplng	9	LIGHT-3	LIGHT-3	6
Shoving	10	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	8
Tenting	11	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	8
Lane/Shoulder Drop-Off	12	LIGHT-3	LIGHT-3	6
Lane/ShoulderSeparation	12	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	8
TOTAL DISTRESS SCORE				157 OF 240

INDICES	Priority Level	Severity Level	Indices Score
Riding	1	65	195
Safety	2	80	240
Drainage	3	75	150
Utility	4	80	160
Traffic	5	90	90
Maintenance	6	75	75
INDICES TOTAL			910 OF 1,200

SPOT REPAIR(S):	
Number	10
Average Area (sf)	150
Total Area (sf)	1,500

TOTAL SCORE	1,067	OF 1,440
INITIAL RATING	74	
FINAL RATING	74	

PAVEMENT EVALUATION - SORTED BY STREET NAME

Pavement Management Program - Ashburnham, MA 12/9/2011 TO 12/30/2012

Street Name	From Station	To Station	Length (ft)	Width (ft)
HEALD ROAD (LOCAL/DEAD END)	+ 0	7+02	702	15

DISTRESSES	Priority Level	Severity Level	Extent Level	Distress Score
Potholes	1	HEAVY-1	HEAVY-1	6
Delamination	2	HEAVY-1	HEAVY-1	6
Alligator Cracking	3	HEAVY-1	HEAVY-1	6
Rutting	4	HEAVY-1	HEAVY-1	6
Block Cracking	5	HEAVY-1	HEAVY-1	4
Transverse Cracking	6	MODERATE-2	MODERATE-2	8
Reflective Cracking	6	MODERATE-2	MODERATE-2	8
Logitudinal Cracking	7	HEAVY-1	HEAVY-1	4
Edge Cracking	7	HEAVY-1	HEAVY-1	4
Flushing	8	HEAVY-1	HEAVY-1	4
Raveling	9	HEAVY-1	HEAVY-1	2
Rippling	9	HEAVY-1	HEAVY-1	2
Shoving	10	HEAVY-1	HEAVY-1	2
Tenting	11	HEAVY-1	HEAVY-1	2
Lane/Shoulder Drop-Off	12	MODERATE-2	MODERATE-2	4
Lane/Shoulder Separation	12	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	8
TOTAL DISTRESS SCORE				76 OF 240

INDICES	Priority Level	Severity Level	Indices Score
Riding	1	5	15
Safety	2	60	180
Drainage	3	5	10
Utility	4	5	10
Traffic	5	5	5
Maintenance	6	15	15
INDICES TOTAL			235 OF 1,200

SPOT REPAIR(S):	
Number	N/A
Average Area (sf)	N/A
Total Area (sf)	N/A

TOTAL SCORE	311 OF 1,440
INITIAL RATING	22
FINAL RATING	22

PAVEMENT EVALUATION - SORTED BY STREET NAME

Pavement Management Program - Ashburnham, MA 12/9/2011 TO 12/30/2012

Street Name	From Station	To Station	Length (ft)	Width (ft)
HIGH STREET (LOCAL THRU MINOR)	+ 0	23+47	2,347	22

DISTRESSES	Priority Level	Severity Level	Extent Level	Distress Score
Potholes	1	LIGHT-3	LIGHT-3	18
Delamination	2	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	24
Alligator Cracking	3	MODERATE-2	MODERATE-2	12
Rutting	4	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	24
Block Cracking	5	LIGHT-3	MODERATE-2	10
Transverse Cracking	6	LIGHT-3	LIGHT-3	12
Reflective Cracking	6	LIGHT-3	LIGHT-3	12
Logitudinal Cracking	7	MODERATE-2	MODERATE-2	8
Edge Cracking	7	LIGHT-3	LIGHT-3	12
Flushing	8	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	16
Raveling	9	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	8
Rippling	9	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	8
Shoving	10	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	8
Tenting	11	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	8
Lane/Shoulder Drop-Off	12	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	8
Lane/Shoulder Separation	12	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	8
TOTAL DISTRESS SCORE				196 OF 240

INDICES	Priority Level	Severity Level	Indices Score
Riding	1	70	210
Safety	2	80	240
Drainage	3	70	140
Utility	4	70	140
Traffic	5	75	75
Maintenance	6	80	80
INDICES TOTAL			885 OF 1,200

SPOT REPAIR(S):	
Number	20
Average Area (sf)	200
Total Area (sf)	4,000

TOTAL SCORE	1,081 OF 1,440
INITIAL RATING	75
FINAL RATING	75

PAVEMENT EVALUATION - SORTED BY STREET NAME

Pavement Management Program - Ashburnham, MA 12/9/2011 TO 12/30/2012

Street Name	From Station	To Station	Length (ft)	Width (ft)
HIGH STREET (LOCAL THRU MINOR)	+ 0	27+17	2,717	28

DISTRESSES	Priority Level	Severity Level	Extent Level	Distress Score
Potholes	1	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	24
Delamination	2	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	24
Alligator Cracking	3	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	24
Rutting	4	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	24
Block Cracking	5	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	16
Transverse Cracking	6	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	16
Reflective Cracking	6	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	16
Logitudinal Cracking	7	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	16
Edge Cracking	7	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	16
Flushing	8	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	16
Raveling	9	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	8
Rippling	9	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	8
Shoving	10	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	8
Tenting	11	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	8
Lane/Shoulder Drop-Off	12	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	8
Lane/Shoulder Separation	12	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	8
TOTAL DISTRESS SCORE				240 OF 240

INDICES	Priority Level	Severity Level	Indices Score
Riding	1	100	300
Safety	2	95	285
Drainage	3	95	190
Utility	4	100	200
Traffic	5	100	100
Maintenance	6	90	90
INDICES TOTAL			1165 OF 1,200

SPOT REPAIR(S):	
Number	N/A
Average Area (sf)	N/A
Total Area (sf)	N/A

TOTAL SCORE	1,405 OF 1,440
INITIAL RATING	98
FINAL RATING	98

PAVEMENT EVALUATION - SORTED BY STREET NAME

Pavement Management Program - Ashburnham, MA 12/9/2011 TO 12/30/2012

Street Name	From Station	To Station	Length (ft)	Width (ft)
HIGH STREET BRANCH (LOCAL THRU MINOR)	+ 0	1+72	172	28

DISTRESSES	Priority Level	Severity Level	Extent Level	Distress Score
Potholes	1	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	24
Delamination	2	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	24
Alligator Cracking	3	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	24
Rutting	4	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	24
Block Cracking	5	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	16
Transverse Cracking	6	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	16
Reflective Cracking	6	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	16
Logitudinal Cracking	7	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	16
Edge Cracking	7	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	16
Flushing	8	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	16
Raveling	9	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	8
Rippling	9	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	8
Shoving	10	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	8
Tenting	11	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	8
Lane/Shoulder Drop-Off	12	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	8
Lane/Shoulder Separation	12	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	8
TOTAL DISTRESS SCORE				240 OF 240

INDICES	Priority Level	Severity Level	Indices Score
Riding	1	100	300
Safety	2	95	285
Drainage	3	95	190
Utility	4	100	200
Traffic	5	100	100
Maintenance	6	90	90
INDICES TOTAL			1165 OF 1,200

SPOT REPAIR(S):	
Number	N/A
Average Area (sf)	N/A
Total Area (sf)	N/A

TOTAL SCORE	1,405 OF 1,440
INITIAL RATING	98
FINAL RATING	98

PAVEMENT EVALUATION - SORTED BY STREET NAME

Pavement Management Program - Ashburnham, MA 12/9/2011 TO 12/30/2012

Street Name	From Station	To Station	Length (ft)	Width (ft)
HIGHLAND AVENUE (LOCAL THRU MINOR)	+ 0	6+28	628	17

DISTRESSES	Priority Level	Severity Level	Extent Level	Distress Score
Potholes	1	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	24
Delamination	2	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	24
Alligator Cracking	3	MODERATE-2	LIGHT-3	15
Rutting	4	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	24
Block Cracking	5	MODERATE-2	LIGHT-3	10
Transverse Cracking	6	LIGHT-3	LIGHT-3	12
Reflective Cracking	6	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	16
Logitudinal Cracking	7	MODERATE-2	MODERATE-2	8
Edge Cracking	7	HEAVY-1	HEAVY-1	4
Flushing	8	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	16
Raveling	9	LIGHT-3	LIGHT-3	6
Ripping	9	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	8
Shoving	10	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	8
Tenting	11	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	8
Lane/Shoulder Drop-Off	12	LIGHT-3	LIGHT-3	6
Lane/ShoulderSeparation	12	LIGHT-3	N/A (NOT APPLICABLE)-4	7
TOTAL DISTRESS SCORE				196 OF 240

INDICES	Priority Level	Severity Level	Indices Score
Riding	1	80	240
Safety	2	60	180
Drainage	3	65	130
Utility	4	80	160
Traffic	5	65	65
Maintenance	6	65	65
INDICES TOTAL			840 OF 1,200

SPOT REPAIR(S):	
Number	3
Average Area (sf)	80
Total Area (sf)	240

TOTAL SCORE	1,036 OF 1,440
INITIAL RATING	72
FINAL RATING	72

PAVEMENT EVALUATION - SORTED BY STREET NAME

Pavement Management Program - Ashburnham, MA 12/9/2011 TO 12/30/2012

Street Name	From Station	To Station	Length (ft)	Width (ft)
HILANDALE ROAD (LOCAL THRU MINOR)	+ 0	18+67	1,867	20

DISTRESSES	Priority Level	Severity Level	Extent Level	Distress Score
Potholes	1	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	24
Delamination	2	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	24
Alligator Cracking	3	MODERATE-2	MODERATE-2	12
Rutting	4	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	24
Block Cracking	5	LIGHT-3	LIGHT-3	12
Transverse Cracking	6	LIGHT-3	LIGHT-3	12
Reflective Cracking	6	LIGHT-3	LIGHT-3	12
Logitudinal Cracking	7	LIGHT-3	LIGHT-3	12
Edge Cracking	7	LIGHT-3	LIGHT-3	12
Flushing	8	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	16
Raveling	9	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	8
Ripping	9	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	8
Shoving	10	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	8
Tenting	11	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	8
Lane/Shoulder Drop-Off	12	LIGHT-3	LIGHT-3	6
Lane/ShoulderSeparation	12	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	8
TOTAL DISTRESS SCORE				206 OF 240

INDICES	Priority Level	Severity Level	Indices Score
Riding	1	70	210
Safety	2	80	240
Drainage	3	80	160
Utility	4	95	190
Traffic	5	75	75
Maintenance	6	75	75
INDICES TOTAL			950 OF 1,200

SPOT REPAIR(S):	
Number	2
Average Area (sf)	100
Total Area (sf)	200

TOTAL SCORE	1,156 OF 1,440
INITIAL RATING	80
FINAL RATING	80

PAVEMENT EVALUATION - SORTED BY STREET NAME

Pavement Management Program - Ashburnham, MA 12/9/2011 TO 12/30/2012

Street Name	From Station	To Station	Length (ft)	Width (ft)
HOLDEN STREET (LOCAL/DEAD END)	+ 0	8+05	805	16

DISTRESSES	Priority Level	Severity Level	Extent Level	Distress Score
Potholes	1	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	24
Delamination	2	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	24
Alligator Cracking	3	LIGHT-3	LIGHT-3	18
Rutting	4	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	24
Block Cracking	5	LIGHT-3	LIGHT-3	12
Transverse Cracking	6	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	16
Reflective Cracking	6	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	16
Logitudinal Cracking	7	LIGHT-3	LIGHT-3	12
Edge Cracking	7	LIGHT-3	LIGHT-3	12
Flushing	8	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	16
Raveling	9	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	8
Rippling	9	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	8
Shoving	10	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	8
Tenting	11	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	8
Lane/Shoulder Drop-Off	12	LIGHT-3	LIGHT-3	6
Lane/ShoulderSeparation	12	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	8
TOTAL DISTRESS SCORE				220 OF 240

INDICES	Priority Level	Severity Level	Indices Score
Riding	1	75	225
Safety	2	80	240
Drainage	3	80	160
Utility	4	95	190
Traffic	5	80	80
Maintenance	6	80	80
INDICES TOTAL			975 OF 1,200

SPOT REPAIR(S):	
Number	5
Average Area (sf)	200
Total Area (sf)	1,000

TOTAL SCORE	1,195	OF 1,440
INITIAL RATING	83	
FINAL RATING	83	

PAVEMENT EVALUATION - SORTED BY STREET NAME

Pavement Management Program - Ashburnham, MA 12/9/2011 TO 12/30/2012

Street Name	From Station	To Station	Length (ft)	Width (ft)
HOLT ROAD (LOCAL THRU MINOR)	+ 0	58+68	5,868	20

DISTRESSES	Priority Level	Severity Level	Extent Level	Distress Score
Potholes	1	HEAVY-1	HEAVY-1	6
Delamination	2	HEAVY-1	HEAVY-1	6
Alligator Cracking	3	HEAVY-1	HEAVY-1	6
Rutting	4	MODERATE-2	MODERATE-2	12
Block Cracking	5	MODERATE-2	MODERATE-2	8
Transverse Cracking	6	MODERATE-2	MODERATE-2	8
Reflective Cracking	6	LIGHT-3	LIGHT-3	12
Logitudinal Cracking	7	HEAVY-1	HEAVY-1	4
Edge Cracking	7	HEAVY-1	HEAVY-1	4
Flushing	8	MODERATE-2	MODERATE-2	8
Raveling	9	HEAVY-1	HEAVY-1	2
Rippling	9	MODERATE-2	MODERATE-2	4
Shoving	10	LIGHT-3	LIGHT-3	6
Tenting	11	LIGHT-3	LIGHT-3	6
Lane/Shoulder Drop-Off	12	MODERATE-2	MODERATE-2	4
Lane/ShoulderSeparation	12	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	8
TOTAL DISTRESS SCORE				104 OF 240

INDICES	Priority Level	Severity Level	Indices Score
Riding	1	20	60
Safety	2	40	120
Drainage	3	15	30
Utility	4	10	20
Traffic	5	80	80
Maintenance	6	55	55
INDICES TOTAL			365 OF 1,200

SPOT REPAIR(S):	
Number	N/A
Average Area (sf)	N/A
Total Area (sf)	N/A

TOTAL SCORE	469	OF 1,440
INITIAL RATING	33	
FINAL RATING	33	

PAVEMENT EVALUATION - SORTED BY STREET NAME

Pavement Management Program - Ashburnham, MA 12/9/2011 TO 12/30/2012

Street Name	From Station	To Station	Length (ft)	Width (ft)
HOSLEY ROAD (LOCAL/DEAD END)	+ 0	10+08	1,008	18

DISTRESSES	Priority Level	Severity Level	Extent Level	Distress Score
Potholes	1	HEAVY-1	HEAVY-1	6
Delamination	2	HEAVY-1	HEAVY-1	6
Alligator Cracking	3	HEAVY-1	HEAVY-1	6
Rutting	4	HEAVY-1	HEAVY-1	6
Block Cracking	5	MODERATE-2	MODERATE-2	8
Transverse Cracking	6	MODERATE-2	MODERATE-2	8
Reflective Cracking	6	MODERATE-2	MODERATE-2	8
Logitudinal Cracking	7	HEAVY-1	HEAVY-1	4
Edge Cracking	7	MODERATE-2	MODERATE-2	8
Flushing	8	LIGHT-3	LIGHT-3	12
Raveling	9	HEAVY-1	HEAVY-1	2
Rippling	9	HEAVY-1	HEAVY-1	2
Shoving	10	LIGHT-3	LIGHT-3	6
Tenting	11	MODERATE-2	MODERATE-2	4
Lane/Shoulder Drop-Off	12	LIGHT-3	MODERATE-2	5
Lane/ShoulderSeparation	12	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	8
TOTAL DISTRESS SCORE				99 OF 240

INDICES	Priority Level	Severity Level	Indices Score
Riding	1	10	30
Safety	2	80	240
Drainage	3	10	20
Utility	4	5	10
Traffic	5	75	75
Maintenance	6	80	80
INDICES TOTAL			455 OF 1,200

SPOT REPAIR(S):	
Number	N/A
Average Area (sf)	N/A
Total Area (sf)	N/A

TOTAL SCORE	554	OF 1,440
INITIAL RATING	38	
FINAL RATING	38	

PAVEMENT EVALUATION - SORTED BY STREET NAME

Pavement Management Program - Ashburnham, MA 12/9/2011 TO 12/30/2012

Street Name	From Station	To Station	Length (ft)	Width (ft)
HUNTER AVENUE (LOCAL THRU MINOR)	+ 0	20+00	2,000	24

DISTRESSES	Priority Level	Severity Level	Extent Level	Distress Score
Potholes	1	HEAVY-1	HEAVY-1	6
Delamination	2	MODERATE-2	MODERATE-2	12
Alligator Cracking	3	MODERATE-2	MODERATE-2	12
Rutting	4	MODERATE-2	MODERATE-2	12
Block Cracking	5	MODERATE-2	MODERATE-2	8
Transverse Cracking	6	MODERATE-2	MODERATE-2	8
Reflective Cracking	6	MODERATE-2	MODERATE-2	8
Logitudinal Cracking	7	MODERATE-2	MODERATE-2	8
Edge Cracking	7	LIGHT-3	LIGHT-3	12
Flushing	8	LIGHT-3	LIGHT-3	12
Raveling	9	MODERATE-2	MODERATE-2	4
Rippling	9	LIGHT-3	LIGHT-3	6
Shoving	10	LIGHT-3	LIGHT-3	6
Tenting	11	MODERATE-2	MODERATE-2	4
Lane/Shoulder Drop-Off	12	LIGHT-3	LIGHT-3	6
Lane/ShoulderSeparation	12	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	8
TOTAL DISTRESS SCORE				132 OF 240

INDICES	Priority Level	Severity Level	Indices Score
Riding	1	40	120
Safety	2	80	240
Drainage	3	75	150
Utility	4	80	160
Traffic	5	70	70
Maintenance	6	85	85
INDICES TOTAL			825 OF 1,200

SPOT REPAIR(S):	
Number	N/A
Average Area (sf)	N/A
Total Area (sf)	N/A

TOTAL SCORE	957	OF 1,440
INITIAL RATING	66	
FINAL RATING	66	

PAVEMENT EVALUATION - SORTED BY STREET NAME

Pavement Management Program - Ashburnham, MA 12/9/2011 TO 12/30/2012

Street Name	From Station	To Station	Length (ft)	Width (ft)
HUNTER AVENUE (LOCAL THRU MINOR)	20+00	31+04	1,104	22

DISTRESSES	Priority Level	Severity Level	Extent Level	Distress Score
Potholes	1	LIGHT-3	LIGHT-3	18
Delamination	2	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	24
Alligator Cracking	3	LIGHT-3	MODERATE-2	15
Rutting	4	LIGHT-3	LIGHT-3	18
Block Cracking	5	LIGHT-3	LIGHT-3	12
Transverse Cracking	6	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	16
Reflective Cracking	6	LIGHT-3	LIGHT-3	12
Logitudinal Cracking	7	LIGHT-3	LIGHT-3	12
Edge Cracking	7	LIGHT-3	LIGHT-3	12
Flushing	8	LIGHT-3	LIGHT-3	12
Raveling	9	LIGHT-3	LIGHT-3	6
Rippling	9	LIGHT-3	LIGHT-3	6
Shoving	10	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	8
Tenting	11	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	8
Lane/Shoulder Drop-Off	12	LIGHT-3	LIGHT-3	6
Lane/ShoulderSeparation	12	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	8
TOTAL DISTRESS SCORE				193 OF 240

INDICES	Priority Level	Severity Level	Indices Score
Riding	1	80	240
Safety	2	80	240
Drainage	3	80	160
Utility	4	85	170
Traffic	5	70	70
Maintenance	6	85	85
INDICES TOTAL			965 OF 1,200

SPOT REPAIR(S):	
Number	3
Average Area (sf)	100
Total Area (sf)	300

TOTAL SCORE	1,158 OF 1,440
INITIAL RATING	80
FINAL RATING	80

PAVEMENT EVALUATION - SORTED BY STREET NAME

Pavement Management Program - Ashburnham, MA 12/9/2011 TO 12/30/2012

Street Name	From Station	To Station	Length (ft)	Width (ft)
JEWELL HILL ROAD (LOCAL THRU MINOR)	+ 0	89+38	8,938	18

DISTRESSES	Priority Level	Severity Level	Extent Level	Distress Score
Potholes	1	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	24
Delamination	2	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	24
Alligator Cracking	3	MODERATE-2	LIGHT-3	15
Rutting	4	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	24
Block Cracking	5	LIGHT-3	LIGHT-3	12
Transverse Cracking	6	LIGHT-3	LIGHT-3	12
Reflective Cracking	6	LIGHT-3	LIGHT-3	12
Logitudinal Cracking	7	MODERATE-2	LIGHT-3	10
Edge Cracking	7	MODERATE-2	MODERATE-2	8
Flushing	8	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	16
Raveling	9	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	8
Rippling	9	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	8
Shoving	10	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	8
Tenting	11	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	8
Lane/Shoulder Drop-Off	12	MODERATE-2	MODERATE-2	4
Lane/ShoulderSeparation	12	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	8
TOTAL DISTRESS SCORE				201 OF 240

INDICES	Priority Level	Severity Level	Indices Score
Riding	1	80	240
Safety	2	80	240
Drainage	3	80	160
Utility	4	90	180
Traffic	5	75	75
Maintenance	6	75	75
INDICES TOTAL			970 OF 1,200

SPOT REPAIR(S):	
Number	5
Average Area (sf)	200
Total Area (sf)	1,000

TOTAL SCORE	1,171 OF 1,440
INITIAL RATING	81
FINAL RATING	81

PAVEMENT EVALUATION - SORTED BY STREET NAME

Pavement Management Program - Ashburnham, MA 12/9/2011 TO 12/30/2012

Street Name	From Station	To Station	Length (ft)	Width (ft)
JEWELL HILL ROAD BRANCH (LOCAL THRU MINOR)	+ 0	1+17	117	21

DISTRESSES	Priority Level	Severity Level	Extent Level	Distress Score
Potholes	1	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	24
Delamination	2	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	24
Alligator Cracking	3	MODERATE-2	MODERATE-2	12
Rutting	4	LIGHT-3	LIGHT-3	18
Block Cracking	5	MODERATE-2	MODERATE-2	8
Transverse Cracking	6	LIGHT-3	LIGHT-3	12
Reflective Cracking	6	LIGHT-3	LIGHT-3	12
Logitudinal Cracking	7	MODERATE-2	MODERATE-2	8
Edge Cracking	7	HEAVY-1	HEAVY-1	4
Flushing	8	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	16
Raveling	9	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	8
Rippling	9	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	8
Shoving	10	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	8
Tenting	11	LIGHT-3	LIGHT-3	6
Lane/Shoulder Drop-Off	12	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	8
Lane/ShoulderSeparation	12	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	8
TOTAL DISTRESS SCORE				184 OF 240

INDICES	Priority Level	Severity Level	Indices Score
Riding	1	75	225
Safety	2	80	240
Drainage	3	90	180
Utility	4	90	180
Traffic	5	75	75
Maintenance	6	80	80
INDICES TOTAL			980 OF 1,200

SPOT REPAIR(S):	
Number	N/A
Average Area (sf)	N/A
Total Area (sf)	N/A

TOTAL SCORE	1,164	OF 1,440
INITIAL RATING	81	
FINAL RATING	81	

PAVEMENT EVALUATION - SORTED BY STREET NAME

Pavement Management Program - Ashburnham, MA 12/9/2011 TO 12/30/2012

Street Name	From Station	To Station	Length (ft)	Width (ft)
JUNIPER ROAD (LOCAL THRU MINOR)	+ 0	21+71	2,171	20

DISTRESSES	Priority Level	Severity Level	Extent Level	Distress Score
Potholes	1	MODERATE-2	LIGHT-3	15
Delamination	2	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	24
Alligator Cracking	3	MODERATE-2	MODERATE-2	12
Rutting	4	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	24
Block Cracking	5	MODERATE-2	MODERATE-2	8
Transverse Cracking	6	MODERATE-2	MODERATE-2	8
Reflective Cracking	6	MODERATE-2	MODERATE-2	8
Logitudinal Cracking	7	MODERATE-2	HEAVY-1	6
Edge Cracking	7	LIGHT-3	LIGHT-3	12
Flushing	8	LIGHT-3	LIGHT-3	12
Raveling	9	LIGHT-3	LIGHT-3	6
Rippling	9	LIGHT-3	LIGHT-3	6
Shoving	10	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	8
Tenting	11	LIGHT-3	LIGHT-3	6
Lane/Shoulder Drop-Off	12	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	8
Lane/ShoulderSeparation	12	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	8
TOTAL DISTRESS SCORE				171 OF 240

INDICES	Priority Level	Severity Level	Indices Score
Riding	1	65	195
Safety	2	70	210
Drainage	3	80	160
Utility	4	10	20
Traffic	5	75	75
Maintenance	6	75	75
INDICES TOTAL			735 OF 1,200

SPOT REPAIR(S):	
Number	4
Average Area (sf)	200
Total Area (sf)	800

TOTAL SCORE	906	OF 1,440
INITIAL RATING	63	
FINAL RATING	63	

PAVEMENT EVALUATION - SORTED BY STREET NAME

Pavement Management Program - Ashburnham, MA 12/9/2011 TO 12/30/2012

Street Name	From Station	To Station	Length (ft)	Width (ft)
KALLINEN ROAD (LOCAL/DEAD END)	+ 0	14+94	1,494	16

DISTRESSES	Priority Level	Severity Level	Extent Level	Distress Score
Potholes	1	HEAVY-1	HEAVY-1	6
Delamination	2	HEAVY-1	HEAVY-1	6
Alligator Cracking	3	HEAVY-1	HEAVY-1	6
Rutting	4	HEAVY-1	HEAVY-1	6
Block Cracking	5	MODERATE-2	MODERATE-2	8
Transverse Cracking	6	HEAVY-1	HEAVY-1	4
Reflective Cracking	6	MODERATE-2	MODERATE-2	8
Logitudinal Cracking	7	HEAVY-1	HEAVY-1	4
Edge Cracking	7	HEAVY-1	HEAVY-1	4
Flushing	8	MODERATE-2	MODERATE-2	8
Raveling	9	HEAVY-1	HEAVY-1	2
Rippling	9	HEAVY-1	HEAVY-1	2
Shoving	10	MODERATE-2	MODERATE-2	4
Tenting	11	MODERATE-2	MODERATE-2	4
Lane/Shoulder Drop-Off	12	MODERATE-2	MODERATE-2	4
Lane/ShoulderSeparation	12	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	8
TOTAL DISTRESS SCORE				84 OF 240

INDICES	Priority Level	Severity Level	Indices Score
Riding	1	5	15
Safety	2	40	120
Drainage	3	10	20
Utility	4	70	140
Traffic	5	75	75
Maintenance	6	30	30
INDICES TOTAL			400 OF 1,200

SPOT REPAIR(S):	
Number	N/A
Average Area (sf)	N/A
Total Area (sf)	N/A

TOTAL SCORE	484 OF 1,440
INITIAL RATING	34
FINAL RATING	34

PAVEMENT EVALUATION - SORTED BY STREET NAME

Pavement Management Program - Ashburnham, MA 12/9/2011 TO 12/30/2012

Street Name	From Station	To Station	Length (ft)	Width (ft)
KELTON ROAD (LOCAL/DEAD END)	+ 0	39+18	3,918	20

DISTRESSES	Priority Level	Severity Level	Extent Level	Distress Score
Potholes	1	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	24
Delamination	2	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	24
Alligator Cracking	3	LIGHT-3	LIGHT-3	18
Rutting	4	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	24
Block Cracking	5	LIGHT-3	LIGHT-3	12
Transverse Cracking	6	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	16
Reflective Cracking	6	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	16
Logitudinal Cracking	7	LIGHT-3	LIGHT-3	12
Edge Cracking	7	LIGHT-3	LIGHT-3	12
Flushing	8	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	16
Raveling	9	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	8
Rippling	9	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	8
Shoving	10	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	8
Tenting	11	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	8
Lane/Shoulder Drop-Off	12	LIGHT-3	LIGHT-3	6
Lane/ShoulderSeparation	12	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	8
TOTAL DISTRESS SCORE				220 OF 240

INDICES	Priority Level	Severity Level	Indices Score
Riding	1	85	255
Safety	2	70	210
Drainage	3	85	170
Utility	4	80	160
Traffic	5	75	75
Maintenance	6	70	70
INDICES TOTAL			940 OF 1,200

SPOT REPAIR(S):	
Number	N/A
Average Area (sf)	N/A
Total Area (sf)	N/A

TOTAL SCORE	1,160 OF 1,440
INITIAL RATING	81
FINAL RATING	81

PAVEMENT EVALUATION - SORTED BY STREET NAME

Pavement Management Program - Ashburnham, MA 12/9/2011 TO 12/30/2012

Street Name	From Station	To Station	Length (ft)	Width (ft)
KRAETZER ROAD (LOCAL THRU MINOR)	+ 0	14+88	1,488	16

DISTRESSES	Priority Level	Severity Level	Extent Level	Distress Score
Potholes	1	HEAVY-1	HEAVY-1	6
Delamination	2	MODERATE-2	MODERATE-2	12
Alligator Cracking	3	HEAVY-1	HEAVY-1	6
Rutting	4	MODERATE-2	MODERATE-2	12
Block Cracking	5	MODERATE-2	MODERATE-2	8
Transverse Cracking	6	MODERATE-2	MODERATE-2	8
Reflective Cracking	6	MODERATE-2	MODERATE-2	8
Logitudinal Cracking	7	HEAVY-1	HEAVY-1	4
Edge Cracking	7	MODERATE-2	MODERATE-2	8
Flushing	8	MODERATE-2	MODERATE-2	8
Raveling	9	MODERATE-2	MODERATE-2	4
Rippling	9	MODERATE-2	MODERATE-2	4
Shoving	10	LIGHT-3	LIGHT-3	6
Tenting	11	MODERATE-2	MODERATE-2	4
Lane/Shoulder Drop-Off	12	MODERATE-2	MODERATE-2	4
Lane/ShoulderSeparation	12	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	8
TOTAL DISTRESS SCORE				110 OF 240

INDICES	Priority Level	Severity Level	Indices Score
Riding	1	10	30
Safety	2	30	90
Drainage	3	20	40
Utility	4	40	80
Traffic	5	30	30
Maintenance	6	35	35
INDICES TOTAL			305 OF 1,200

SPOT REPAIR(S):	
Number	N/A
Average Area (sf)	N/A
Total Area (sf)	N/A

TOTAL SCORE	415 OF 1,440
INITIAL RATING	29
FINAL RATING	29

PAVEMENT EVALUATION - SORTED BY STREET NAME

Pavement Management Program - Ashburnham, MA 12/9/2011 TO 12/30/2012

Street Name	From Station	To Station	Length (ft)	Width (ft)
LAKE ROAD (MINOR COLLECTOR)	+ 0	63+00	6,300	26

DISTRESSES	Priority Level	Severity Level	Extent Level	Distress Score
Potholes	1	LIGHT-3	LIGHT-3	18
Delamination	2	LIGHT-3	LIGHT-3	18
Alligator Cracking	3	MODERATE-2	MODERATE-2	12
Rutting	4	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	24
Block Cracking	5	LIGHT-3	LIGHT-3	12
Transverse Cracking	6	LIGHT-3	LIGHT-3	12
Reflective Cracking	6	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	16
Logitudinal Cracking	7	LIGHT-3	LIGHT-3	12
Edge Cracking	7	LIGHT-3	MODERATE-2	10
Flushing	8	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	16
Raveling	9	LIGHT-3	LIGHT-3	6
Rippling	9	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	8
Shoving	10	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	8
Tenting	11	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	8
Lane/Shoulder Drop-Off	12	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	8
Lane/ShoulderSeparation	12	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	8
TOTAL DISTRESS SCORE				196 OF 240

INDICES	Priority Level	Severity Level	Indices Score
Riding	1	65	195
Safety	2	90	270
Drainage	3	80	160
Utility	4	100	200
Traffic	5	100	100
Maintenance	6	80	80
INDICES TOTAL			1005 OF 1,200

SPOT REPAIR(S):	
Number	5
Average Area (sf)	150
Total Area (sf)	750

TOTAL SCORE	1,201 OF 1,440
INITIAL RATING	83
FINAL RATING	80

PAVEMENT EVALUATION - SORTED BY STREET NAME

Pavement Management Program - Ashburnham, MA 12/9/2011 TO 12/30/2012

Street Name	From Station	To Station	Length (ft)	Width (ft)
LAKE ROAD (MINOR COLLECTOR)	63+00	95+00 (SHERBERT ROAD)	3,200	26

DISTRESSES	Priority Level	Severity Level	Extent Level	Distress Score
Potholes	1	MODERATE-2	MODERATE-2	12
Delamination	2	MODERATE-2	MODERATE-2	12
Alligator Cracking	3	MODERATE-2	MODERATE-2	12
Rutting	4	MODERATE-2	MODERATE-2	12
Block Cracking	5	LIGHT-3	LIGHT-3	12
Transverse Cracking	6	LIGHT-3	MODERATE-2	10
Reflective Cracking	6	LIGHT-3	LIGHT-3	12
Logitudinal Cracking	7	MODERATE-2	MODERATE-2	8
Edge Cracking	7	MODERATE-2	MODERATE-2	8
Flushing	8	MODERATE-2	MODERATE-2	8
Raveling	9	MODERATE-2	MODERATE-2	4
Rippling	9	MODERATE-2	MODERATE-2	4
Shoving	10		N/A (NOT APPLICABLE)-4	
Tenting	11	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	8
Lane/Shoulder Drop-Off	12	LIGHT-3	LIGHT-3	6
Lane/ShoulderSeparation	12	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	8
TOTAL DISTRESS SCORE				OF 240

INDICES	Priority Level	Severity Level	Indices Score
Riding	1	50	150
Safety	2	80	240
Drainage	3	65	130
Utility	4	80	160
Traffic	5	100	100
Maintenance	6	80	80
INDICES TOTAL			860 OF 1,200

SPOT REPAIR(S):	
Number	11
Average Area (sf)	200
Total Area (sf)	2,200

TOTAL SCORE	OF 1,440
INITIAL RATING	
FINAL RATING	

PAVEMENT EVALUATION - SORTED BY STREET NAME

Pavement Management Program - Ashburnham, MA 12/9/2011 TO 12/30/2012

Street Name	From Station	To Station	Length (ft)	Width (ft)
LAKE ROAD (LOCAL THRU MINOR)	95+00 (SHERBERT ROAD)	140+44 (CROSS ROAD)	4,544	25

DISTRESSES	Priority Level	Severity Level	Extent Level	Distress Score
Potholes	1	HEAVY-1	HEAVY-1	6
Delamination	2	HEAVY-1	HEAVY-1	6
Alligator Cracking	3	HEAVY-1	HEAVY-1	6
Rutting	4	MODERATE-2	MODERATE-2	12
Block Cracking	5	MODERATE-2	MODERATE-2	8
Transverse Cracking	6	MODERATE-2	MODERATE-2	8
Reflective Cracking	6	LIGHT-3	LIGHT-3	12
Logitudinal Cracking	7	HEAVY-1	HEAVY-1	4
Edge Cracking	7	MODERATE-2	MODERATE-2	8
Flushing	8	MODERATE-2	MODERATE-2	8
Raveling	9	HEAVY-1	HEAVY-1	2
Rippling	9	HEAVY-1	HEAVY-1	2
Shoving	10	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	8
Tenting	11	MODERATE-2	MODERATE-2	4
Lane/Shoulder Drop-Off	12	LIGHT-3	LIGHT-3	6
Lane/ShoulderSeparation	12	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	8
TOTAL DISTRESS SCORE				108 OF 240

INDICES	Priority Level	Severity Level	Indices Score
Riding	1	10	30
Safety	2	60	180
Drainage	3	10	20
Utility	4	10	20
Traffic	5	100	100
Maintenance	6	65	65
INDICES TOTAL			415 OF 1,200

SPOT REPAIR(S):	
Number	N/A
Average Area (sf)	N/A
Total Area (sf)	N/A

TOTAL SCORE	523 OF 1,440
INITIAL RATING	36
FINAL RATING	36

PAVEMENT EVALUATION - SORTED BY STREET NAME

Pavement Management Program - Ashburnham, MA 12/9/2011 TO 12/30/2012

Street Name	From Station	To Station	Length (ft)	Width (ft)
LAKE SHORE ROAD (LOCAL THRU MINOR)	+ 0	21+00	2,100	19

DISTRESSES	Priority Level	Severity Level	Extent Level	Distress Score
Potholes	1	HEAVY-1	HEAVY-1	6
Delamination	2	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	24
Alligator Cracking	3	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	24
Rutting	4	HEAVY-1	HEAVY-1	6
Block Cracking	5	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	16
Transverse Cracking	6	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	16
Reflective Cracking	6	N/A (NOT APPLICABLE)-4	LIGHT-3	14
Logitudinal Cracking	7	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	16
Edge Cracking	7	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	16
Flushing	8	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	16
Raveling	9	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	8
Rippling	9	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	8
Shoving	10	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	8
Tenting	11	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	8
Lane/Shoulder Drop-Off	12	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	8
Lane/Shoulder Separation	12	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	8
TOTAL DISTRESS SCORE				202 OF 240

INDICES	Priority Level	Severity Level	Indices Score
Riding	1	10	30
Safety	2	40	120
Drainage	3	10	20
Utility	4	40	80
Traffic	5	65	65
Maintenance	6	20	20
INDICES TOTAL			335 OF 1,200

SPOT REPAIR(S):	
Number	N/A
Average Area (sf)	N/A
Total Area (sf)	N/A

TOTAL SCORE	537	OF 1,440
INITIAL RATING	37	
FINAL RATING	37	

PAVEMENT EVALUATION - SORTED BY STREET NAME

Pavement Management Program - Ashburnham, MA 12/9/2011 TO 12/30/2012

Street Name	From Station	To Station	Length (ft)	Width (ft)
LAKE SHORE ROAD (LOCAL THRU MINOR)	21+00	92+62	7,162	20

DISTRESSES	Priority Level	Severity Level	Extent Level	Distress Score
Potholes	1	HEAVY-1	MODERATE-2	9
Delamination	2	MODERATE-2	MODERATE-2	12
Alligator Cracking	3	HEAVY-1	HEAVY-1	6
Rutting	4	MODERATE-2	MODERATE-2	12
Block Cracking	5	LIGHT-3	LIGHT-3	12
Transverse Cracking	6	MODERATE-2	MODERATE-2	8
Reflective Cracking	6	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	16
Logitudinal Cracking	7	HEAVY-1	MODERATE-2	6
Edge Cracking	7	MODERATE-2	MODERATE-2	8
Flushing	8	LIGHT-3	LIGHT-3	12
Raveling	9	MODERATE-2	MODERATE-2	4
Rippling	9	MODERATE-2	MODERATE-2	4
Shoving	10	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	8
Tenting	11	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	8
Lane/Shoulder Drop-Off	12	LIGHT-3	LIGHT-3	6
Lane/Shoulder Separation	12	N/A (NOT APPLICABLE)-4	LIGHT-3	7
TOTAL DISTRESS SCORE				138 OF 240

INDICES	Priority Level	Severity Level	Indices Score
Riding	1	20	60
Safety	2	65	195
Drainage	3	20	40
Utility	4	40	80
Traffic	5	80	80
Maintenance	6	45	45
INDICES TOTAL			500 OF 1,200

SPOT REPAIR(S):	
Number	N/A
Average Area (sf)	N/A
Total Area (sf)	N/A

TOTAL SCORE	638	OF 1,440
INITIAL RATING	44	
FINAL RATING	44	

PAVEMENT EVALUATION - SORTED BY STREET NAME

Pavement Management Program - Ashburnham, MA 12/9/2011 TO 12/30/2012

Street Name	From Station	To Station	Length (ft)	Width (ft)
LASHUA ROAD (LOCAL THRU MINOR)	+ 0	23+76	2,376	23

DISTRESSES	Priority Level	Severity Level	Extent Level	Distress Score
Potholes	1	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	24
Delamination	2	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	24
Alligator Cracking	3	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	24
Rutting	4	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	24
Block Cracking	5	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	16
Transverse Cracking	6	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	16
Reflective Cracking	6	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	16
Logitudinal Cracking	7	LIGHT-3	LIGHT-3	12
Edge Cracking	7	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	16
Flushing	8	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	16
Raveling	9	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	8
Slipping	9	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	8
Shoving	10	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	8
Tenting	11	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	8
Lane/Shoulder Drop-Off	12	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	8
Lane/ShoulderSeparation	12	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	8
TOTAL DISTRESS SCORE				236 OF 240

INDICES	Priority Level	Severity Level	Indices Score
Riding	1	90	270
Safety	2	90	270
Drainage	3	90	180
Utility	4	100	200
Traffic	5	90	90
Maintenance	6	75	75
INDICES TOTAL			1085 OF 1,200

SPOT REPAIR(S):	
Number	N/A
Average Area (sf)	N/A
Total Area (sf)	N/A

TOTAL SCORE	1,321 OF 1,440
INITIAL RATING	92
FINAL RATING	92

PAVEMENT EVALUATION - SORTED BY STREET NAME

Pavement Management Program - Ashburnham, MA 12/9/2011 TO 12/30/2012

Street Name	From Station	To Station	Length (ft)	Width (ft)
LAWRENCE STREET (LOCAL THRU MINOR)	+ 0	7+68	768	23

DISTRESSES	Priority Level	Severity Level	Extent Level	Distress Score
Potholes	1	HEAVY-1	HEAVY-1	6
Delamination	2	HEAVY-1	HEAVY-1	6
Alligator Cracking	3	MODERATE-2	MODERATE-2	12
Rutting	4	LIGHT-3	LIGHT-3	18
Block Cracking	5	LIGHT-3	LIGHT-3	12
Transverse Cracking	6	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	16
Reflective Cracking	6	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	16
Logitudinal Cracking	7	HEAVY-1	MODERATE-2	6
Edge Cracking	7	LIGHT-3	LIGHT-3	12
Flushing	8	LIGHT-3	LIGHT-3	12
Raveling	9	MODERATE-2	MODERATE-2	4
Slipping	9	MODERATE-2	MODERATE-2	4
Shoving	10	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	8
Tenting	11	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	8
Lane/Shoulder Drop-Off	12	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	8
Lane/ShoulderSeparation	12	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	8
TOTAL DISTRESS SCORE				156 OF 240

INDICES	Priority Level	Severity Level	Indices Score
Riding	1	55	165
Safety	2	70	210
Drainage	3	65	130
Utility	4	70	140
Traffic	5	45	45
Maintenance	6	60	60
INDICES TOTAL			750 OF 1,200

SPOT REPAIR(S):	
Number	5
Average Area (sf)	300
Total Area (sf)	1,500

TOTAL SCORE	906 OF 1,440
INITIAL RATING	63
FINAL RATING	63

PAVEMENT EVALUATION - SORTED BY STREET NAME

Pavement Management Program - Ashburnham, MA 12/9/2011 TO 12/30/2012

Street Name	From Station	To Station	Length (ft)	Width (ft)
LIBERTY LANE (LOCAL/DEAD END)	+ 0	7+18	718	24

DISTRESSES	Priority Level	Severity Level	Extent Level	Distress Score
Potholes	1	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	24
Delamination	2	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	24
Alligator Cracking	3	MODERATE-2	MODERATE-2	12
Rutting	4	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	24
Block Cracking	5	LIGHT-3	LIGHT-3	12
Transverse Cracking	6	MODERATE-2	HEAVY-1	6
Reflective Cracking	6	MODERATE-2	HEAVY-1	6
Logitudinal Cracking	7	MODERATE-2	MODERATE-2	8
Edge Cracking	7	LIGHT-3	LIGHT-3	12
Flushing	8	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	16
Raveling	9	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	8
Ripping	9	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	8
Shoving	10	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	8
Tenting	11	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	8
Lane/Shoulder Drop-Off	12	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	8
Lane/ShoulderSeparation	12	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	8
TOTAL DISTRESS SCORE				192 OF 240

INDICES	Priority Level	Severity Level	Indices Score
Riding	1	80	240
Safety	2	100	300
Drainage	3	85	170
Utility	4	80	160
Traffic	5	100	100
Maintenance	6	90	90
INDICES TOTAL			1060 OF 1,200

SPOT REPAIR(S):	
Number	N/A
Average Area (sf)	N/A
Total Area (sf)	N/A

TOTAL SCORE	1,252 OF 1,440
INITIAL RATING	87
FINAL RATING	87

PAVEMENT EVALUATION - SORTED BY STREET NAME

Pavement Management Program - Ashburnham, MA 12/9/2011 TO 12/30/2012

Street Name	From Station	To Station	Length (ft)	Width (ft)
LILLIAN DRIVE (LOCAL/DEAD END)	+ 0	5+61	561	24

DISTRESSES	Priority Level	Severity Level	Extent Level	Distress Score
Potholes	1	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	24
Delamination	2	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	24
Alligator Cracking	3	LIGHT-3	MODERATE-2	15
Rutting	4	LIGHT-3	LIGHT-3	18
Block Cracking	5	LIGHT-3	LIGHT-3	12
Transverse Cracking	6	LIGHT-3	LIGHT-3	12
Reflective Cracking	6	LIGHT-3	LIGHT-3	12
Logitudinal Cracking	7	MODERATE-2	LIGHT-3	10
Edge Cracking	7	LIGHT-3	LIGHT-3	12
Flushing	8	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	16
Raveling	9	LIGHT-3	LIGHT-3	6
Ripping	9	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	8
Shoving	10	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	8
Tenting	11	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	8
Lane/Shoulder Drop-Off	12	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	8
Lane/ShoulderSeparation	12	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	8
TOTAL DISTRESS SCORE				201 OF 240

INDICES	Priority Level	Severity Level	Indices Score
Riding	1	70	210
Safety	2	75	225
Drainage	3	80	160
Utility	4	80	160
Traffic	5	75	75
Maintenance	6	80	80
INDICES TOTAL			910 OF 1,200

SPOT REPAIR(S):	
Number	2
Average Area (sf)	100
Total Area (sf)	200

TOTAL SCORE	1,111 OF 1,440
INITIAL RATING	77
FINAL RATING	77

PAVEMENT EVALUATION - SORTED BY STREET NAME

Pavement Management Program - Ashburnham, MA 12/9/2011 TO 12/30/2012

Street Name	From Station	To Station	Length (ft)	Width (ft)
LINCOLN AVENUE (LOCAL THRU MINOR)	+ 0	26+36	2,636	22

DISTRESSES	Priority Level	Severity Level	Extent Level	Distress Score
Potholes	1	MODERATE-2	MODERATE-2	12
Delamination	2	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	24
Alligator Cracking	3	HEAVY-1	HEAVY-1	6
Rutting	4	MODERATE-2	MODERATE-2	12
Block Cracking	5	HEAVY-1	HEAVY-1	4
Transverse Cracking	6	HEAVY-1	MODERATE-2	6
Reflective Cracking	6	HEAVY-1	MODERATE-2	6
Logitudinal Cracking	7	HEAVY-1	MODERATE-2	6
Edge Cracking	7	MODERATE-2	MODERATE-2	8
Flushing	8	LIGHT-3	LIGHT-3	12
Raveling	9	MODERATE-2	MODERATE-2	4
Rippling	9	MODERATE-2	MODERATE-2	4
Shoving	10	LIGHT-3	LIGHT-3	6
Tenting	11	MODERATE-2	MODERATE-2	4
Lane/Shoulder Drop-Off	12	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	8
Lane/ShoulderSeparation	12	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	8
TOTAL DISTRESS SCORE				130 OF 240

INDICES	Priority Level	Severity Level	Indices Score
Riding	1	30	90
Safety	2	65	195
Drainage	3	65	130
Utility	4	20	40
Traffic	5	75	75
Maintenance	6	80	80
INDICES TOTAL			610 OF 1,200

SPOT REPAIR(S):	
Number	N/A
Average Area (sf)	N/A
Total Area (sf)	N/A

TOTAL SCORE	740	OF 1,440
INITIAL RATING	51	
FINAL RATING	51	

PAVEMENT EVALUATION - SORTED BY STREET NAME

Pavement Management Program - Ashburnham, MA 12/9/2011 TO 12/30/2012

Street Name	From Station	To Station	Length (ft)	Width (ft)
LOG CABIN ROAD (LOCAL/DEAD END)	+ 0	11+30	1,130	16

DISTRESSES	Priority Level	Severity Level	Extent Level	Distress Score
Potholes	1	HEAVY-1	HEAVY-1	6
Delamination	2	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	24
Alligator Cracking	3	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	24
Rutting	4	HEAVY-1	HEAVY-1	6
Block Cracking	5	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	16
Transverse Cracking	6	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	16
Reflective Cracking	6	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	16
Logitudinal Cracking	7	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	16
Edge Cracking	7	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	16
Flushing	8	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	16
Raveling	9	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	8
Rippling	9	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	8
Shoving	10	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	8
Tenting	11	HEAVY-1	HEAVY-1	2
Lane/Shoulder Drop-Off	12	MODERATE-2	MODERATE-2	4
Lane/ShoulderSeparation	12	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	8
TOTAL DISTRESS SCORE				194 OF 240

INDICES	Priority Level	Severity Level	Indices Score
Riding	1	5	15
Safety	2	60	180
Drainage	3	10	20
Utility	4	15	30
Traffic	5	40	40
Maintenance	6	65	65
INDICES TOTAL			350 OF 1,200

SPOT REPAIR(S):	
Number	N/A
Average Area (sf)	N/A
Total Area (sf)	N/A

TOTAL SCORE	544	OF 1,440
INITIAL RATING	38	
FINAL RATING	38	

PAVEMENT EVALUATION - SORTED BY STREET NAME

Pavement Management Program - Ashburnham, MA 12/9/2011 TO 12/30/2012

Street Name	From Station	To Station	Length (ft)	Width (ft)
MAIN STREET (MINOR COLLECTOR)	+ 0	37+58	3,758	34

DISTRESSES	Priority Level	Severity Level	Extent Level	Distress Score
Potholes	1	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	24
Delamination	2	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	24
Alligator Cracking	3	LIGHT-3	LIGHT-3	18
Rutting	4	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	24
Block Cracking	5	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	16
Transverse Cracking	6	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	16
Reflective Cracking	6	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	16
Logitudinal Cracking	7	LIGHT-3	LIGHT-3	12
Edge Cracking	7	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	16
Flushing	8	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	16
Raveling	9	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	8
Rippling	9	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	8
Shoving	10	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	8
Tenting	11	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	8
Lane/Shoulder Drop-Off	12	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	8
Lane/ShoulderSeparation	12	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	8
TOTAL DISTRESS SCORE				230 OF 240

INDICES	Priority Level	Severity Level	Indices Score
Riding	1	95	285
Safety	2	95	285
Drainage	3	90	180
Utility	4	100	200
Traffic	5	90	90
Maintenance	6	90	90
INDICES TOTAL			1130 OF 1,200

SPOT REPAIR(S):	
Number	N/A
Average Area (sf)	N/A
Total Area (sf)	N/A

TOTAL SCORE	1,360 OF 1,440
INITIAL RATING	94
FINAL RATING	90

PAVEMENT EVALUATION - SORTED BY STREET NAME

Pavement Management Program - Ashburnham, MA 12/9/2011 TO 12/30/2012

Street Name	From Station	To Station	Length (ft)	Width (ft)
MAIN STREET SOUTH (LOCAL THRU MINOR)	+ 0	46+95	4,695	26

DISTRESSES	Priority Level	Severity Level	Extent Level	Distress Score
Potholes	1	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	24
Delamination	2	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	24
Alligator Cracking	3	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	24
Rutting	4	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	24
Block Cracking	5	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	16
Transverse Cracking	6	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	16
Reflective Cracking	6	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	16
Logitudinal Cracking	7	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	16
Edge Cracking	7	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	16
Flushing	8	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	16
Raveling	9	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	8
Rippling	9	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	8
Shoving	10	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	8
Tenting	11	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	8
Lane/Shoulder Drop-Off	12	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	8
Lane/ShoulderSeparation	12	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	8
TOTAL DISTRESS SCORE				240 OF 240

INDICES	Priority Level	Severity Level	Indices Score
Riding	1	100	300
Safety	2	90	270
Drainage	3	100	200
Utility	4	100	200
Traffic	5	90	90
Maintenance	6	90	90
INDICES TOTAL			1150 OF 1,200

SPOT REPAIR(S):	
Number	N/A
Average Area (sf)	N/A
Total Area (sf)	N/A

TOTAL SCORE	1,390 OF 1,440
INITIAL RATING	97
FINAL RATING	97

PAVEMENT EVALUATION - SORTED BY STREET NAME

Pavement Management Program - Ashburnham, MA 12/9/2011 TO 12/30/2012

Street Name	From Station	To Station	Length (ft)	Width (ft)
MAPLE AVENUE	+ 0	13+27	1,327	16
(LOCAL/DEAD END)	(WESTMINSTER STRE	(MAPLE AVENUE ON		

DISTRESSES	Priority Level	Severity Level	Extent Level	Distress Score
Potholes	1	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	24
Delamination	2	MODERATE-2	LIGHT-3	15
Alligator Cracking	3	MODERATE-2	MODERATE-2	12
Rutting	4	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	24
Block Cracking	5	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	16
Transverse Cracking	6	MODERATE-2	LIGHT-3	10
Reflective Cracking	6	LIGHT-3	LIGHT-3	12
Logitudinal Cracking	7	MODERATE-2	MODERATE-2	8
Edge Cracking	7	LIGHT-3	LIGHT-3	12
Flushing	8	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	16
Raveling	9	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	8
Rippling	9	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	8
Shoving	10	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	8
Tenting	11	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	8
Lane/Shoulder Drop-Off	12	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	8
Lane/ShoulderSeparation	12	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	8
TOTAL DISTRESS SCORE				197 OF 240

INDICES	Priority Level	Severity Level	Indices Score
Riding	1	75	225
Safety	2	65	195
Drainage	3	60	120
Utility	4	80	160
Traffic	5	65	65
Maintenance	6	65	65
INDICES TOTAL			830 OF 1,200

SPOT REPAIR(S):	
Number	2
Average Area (sf)	200
Total Area (sf)	400

TOTAL SCORE	1,027 OF 1,440
INITIAL RATING	71
FINAL RATING	71

PAVEMENT EVALUATION - SORTED BY STREET NAME

Pavement Management Program - Ashburnham, MA 12/9/2011 TO 12/30/2012

Street Name	From Station	To Station	Length (ft)	Width (ft)
MAPLE AVENUE NORTH	+ 0	9+43	943	24
(LOCAL THRU MINOR)				

DISTRESSES	Priority Level	Severity Level	Extent Level	Distress Score
Potholes	1	MODERATE-2	LIGHT-3	15
Delamination	2	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	24
Alligator Cracking	3	MODERATE-2	MODERATE-2	12
Rutting	4	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	24
Block Cracking	5	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	16
Transverse Cracking	6	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	16
Reflective Cracking	6	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	16
Logitudinal Cracking	7	MODERATE-2	LIGHT-3	10
Edge Cracking	7	MODERATE-2	MODERATE-2	8
Flushing	8	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	16
Raveling	9	LIGHT-3	LIGHT-3	6
Rippling	9	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	8
Shoving	10	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	8
Tenting	11	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	8
Lane/Shoulder Drop-Off	12	MODERATE-2	MODERATE-2	4
Lane/ShoulderSeparation	12	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	8
TOTAL DISTRESS SCORE				199 OF 240

INDICES	Priority Level	Severity Level	Indices Score
Riding	1	80	240
Safety	2	90	270
Drainage	3	80	160
Utility	4	75	150
Traffic	5	75	75
Maintenance	6	75	75
INDICES TOTAL			970 OF 1,200

SPOT REPAIR(S):	
Number	5
Average Area (sf)	200
Total Area (sf)	1,000

TOTAL SCORE	1,169 OF 1,440
INITIAL RATING	81
FINAL RATING	81

PAVEMENT EVALUATION - SORTED BY STREET NAME

Pavement Management Program - Ashburnham, MA 12/9/2011 TO 12/30/2012

Street Name	From Station	To Station	Length (ft)	Width (ft)
MAPLE AVENUE ONE WAY TO WES (LOCAL/DEAD END)	+ 0	1+29	129	16

DISTRESSES	Priority Level	Severity Level	Extent Level	Distress Score
Potholes	1	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	24
Delamination	2	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	24
Alligator Cracking	3	LIGHT-3	LIGHT-3	18
Rutting	4	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	24
Block Cracking	5	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	16
Transverse Cracking	6	LIGHT-3	LIGHT-3	12
Reflective Cracking	6	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	16
Logitudinal Cracking	7	LIGHT-3	LIGHT-3	12
Edge Cracking	7	MODERATE-2	MODERATE-2	8
Flushing	8	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	16
Raveling	9	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	8
Rippling	9	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	8
Shoving	10	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	8
Tenting	11	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	8
Lane/Shoulder Drop-Off	12	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	8
Lane/ShoulderSeparation	12	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	8
TOTAL DISTRESS SCORE				218 OF 240

INDICES	Priority Level	Severity Level	Indices Score
Riding	1	70	210
Safety	2	90	270
Drainage	3	70	140
Utility	4	50	100
Traffic	5	95	95
Maintenance	6	55	55
INDICES TOTAL			870 OF 1,200

SPOT REPAIR(S):	
Number	1
Average Area (sf)	200
Total Area (sf)	200

TOTAL SCORE	1,088 OF 1,440
INITIAL RATING	76
FINAL RATING	76

PAVEMENT EVALUATION - SORTED BY STREET NAME

Pavement Management Program - Ashburnham, MA 12/9/2011 TO 12/30/2012

Street Name	From Station	To Station	Length (ft)	Width (ft)
MARBLE ROAD (LOCAL THRU MINOR)	+ 0	1+99	199	22

DISTRESSES	Priority Level	Severity Level	Extent Level	Distress Score
Potholes	1	HEAVY-1	HEAVY-1	6
Delamination	2	HEAVY-1	HEAVY-1	6
Alligator Cracking	3	HEAVY-1	MODERATE-2	9
Rutting	4	HEAVY-1	HEAVY-1	6
Block Cracking	5	MODERATE-2	MODERATE-2	8
Transverse Cracking	6	MODERATE-2	MODERATE-2	8
Reflective Cracking	6	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	16
Logitudinal Cracking	7	HEAVY-1	MODERATE-2	6
Edge Cracking	7	MODERATE-2	MODERATE-2	8
Flushing	8	MODERATE-2	MODERATE-2	8
Raveling	9	HEAVY-1	HEAVY-1	2
Rippling	9	HEAVY-1	HEAVY-1	2
Shoving	10	MODERATE-2	LIGHT-3	5
Tenting	11	LIGHT-3	LIGHT-3	6
Lane/Shoulder Drop-Off	12	MODERATE-2	MODERATE-2	4
Lane/ShoulderSeparation	12	LIGHT-3	LIGHT-3	6
TOTAL DISTRESS SCORE				105 OF 240

INDICES	Priority Level	Severity Level	Indices Score
Riding	1	20	60
Safety	2	50	150
Drainage	3	15	30
Utility	4	20	40
Traffic	5	75	75
Maintenance	6	50	50
INDICES TOTAL			405 OF 1,200

SPOT REPAIR(S):	
Number	N/A
Average Area (sf)	N/A
Total Area (sf)	N/A

TOTAL SCORE	511 OF 1,440
INITIAL RATING	35
FINAL RATING	35

PAVEMENT EVALUATION - SORTED BY STREET NAME

Pavement Management Program - Ashburnham, MA 12/9/2011 TO 12/30/2012

Street Name	From Station	To Station	Length (ft)	Width (ft)
MELE AVENUE (LOCAL/DEAD END)	+ 0	4+21	421	18

DISTRESSES	Priority Level	Severity Level	Extent Level	Distress Score
Potholes	1	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	24
Delamination	2	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	24
Alligator Cracking	3	LIGHT-3	LIGHT-3	18
Rutting	4	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	24
Block Cracking	5	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	16
Transverse Cracking	6	LIGHT-3	LIGHT-3	12
Reflective Cracking	6	LIGHT-3	LIGHT-3	12
Logitudinal Cracking	7	MODERATE-2	LIGHT-3	10
Edge Cracking	7	LIGHT-3	LIGHT-3	12
Flushing	8	LIGHT-3	LIGHT-3	12
Raveling	9	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	8
Rippling	9	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	8
Shoving	10	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	8
Tenting	11	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	8
Lane/Shoulder Drop-Off	12	LIGHT-3	LIGHT-3	6
Lane/ShoulderSeparation	12	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	8
TOTAL DISTRESS SCORE				210 OF 240

INDICES	Priority Level	Severity Level	Indices Score
Riding	1	75	225
Safety	2	80	240
Drainage	3	70	140
Utility	4	100	200
Traffic	5	65	65
Maintenance	6	75	75
INDICES TOTAL			945 OF 1,200

SPOT REPAIR(S):	
Number	N/A
Average Area (sf)	N/A
Total Area (sf)	N/A

TOTAL SCORE	1,155 OF 1,440
INITIAL RATING	80
FINAL RATING	80

PAVEMENT EVALUATION - SORTED BY STREET NAME

Pavement Management Program - Ashburnham, MA 12/9/2011 TO 12/30/2012

Street Name	From Station	To Station	Length (ft)	Width (ft)
MILL STREET (LOCAL THRU MINOR)	+ 0	4+63	463	20

DISTRESSES	Priority Level	Severity Level	Extent Level	Distress Score
Potholes	1	LIGHT-3	LIGHT-3	18
Delamination	2	MODERATE-2	MODERATE-2	12
Alligator Cracking	3	MODERATE-2	LIGHT-3	15
Rutting	4	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	24
Block Cracking	5	LIGHT-3	LIGHT-3	12
Transverse Cracking	6	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	16
Reflective Cracking	6	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	16
Logitudinal Cracking	7	LIGHT-3	LIGHT-3	12
Edge Cracking	7	LIGHT-3	LIGHT-3	12
Flushing	8	LIGHT-3	LIGHT-3	12
Raveling	9	LIGHT-3	LIGHT-3	6
Rippling	9	LIGHT-3	LIGHT-3	6
Shoving	10	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	8
Tenting	11	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	8
Lane/Shoulder Drop-Off	12	MODERATE-2	MODERATE-2	4
Lane/ShoulderSeparation	12	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	8
TOTAL DISTRESS SCORE				189 OF 240

INDICES	Priority Level	Severity Level	Indices Score
Riding	1	75	225
Safety	2	80	240
Drainage	3	75	150
Utility	4	85	170
Traffic	5	65	65
Maintenance	6	80	80
INDICES TOTAL			930 OF 1,200

SPOT REPAIR(S):	
Number	N/A
Average Area (sf)	N/A
Total Area (sf)	N/A

TOTAL SCORE	1,119 OF 1,440
INITIAL RATING	78
FINAL RATING	78

PAVEMENT EVALUATION - SORTED BY STREET NAME

Pavement Management Program - Ashburnham, MA 12/9/2011 TO 12/30/2012

Street Name	From Station	To Station	Length (ft)	Width (ft)
MURRAY ROAD (LOCAL/DEAD END)	+ 0	37+62	3,762	18

DISTRESSES	Priority Level	Severity Level	Extent Level	Distress Score
Potholes	1	HEAVY-1	HEAVY-1	6
Delamination	2	HEAVY-1	HEAVY-1	6
Alligator Cracking	3	HEAVY-1	HEAVY-1	6
Rutting	4	HEAVY-1	HEAVY-1	6
Block Cracking	5	MODERATE-2	MODERATE-2	8
Transverse Cracking	6	MODERATE-2	MODERATE-2	8
Reflective Cracking	6	LIGHT-3	LIGHT-3	12
Logitudinal Cracking	7	HEAVY-1	HEAVY-1	4
Edge Cracking	7	MODERATE-2	MODERATE-2	8
Flushing	8	LIGHT-3	LIGHT-3	12
Raveling	9	MODERATE-2	MODERATE-2	4
Rippling	9	MODERATE-2	MODERATE-2	4
Shoving	10	MODERATE-2	MODERATE-2	4
Tenting	11	MODERATE-2	MODERATE-2	4
Lane/Shoulder Drop-Off	12	MODERATE-2	MODERATE-2	4
Lane/ShoulderSeparation	12	MODERATE-2	MODERATE-2	4
TOTAL DISTRESS SCORE				100 OF 240

INDICES	Priority Level	Severity Level	Indices Score
Riding	1	10	30
Safety	2	50	150
Drainage	3	10	20
Utility	4	15	30
Traffic	5	80	80
Maintenance	6	50	50
INDICES TOTAL			360 OF 1,200

SPOT REPAIR(S):	
Number	N/A
Average Area (sf)	N/A
Total Area (sf)	N/A

TOTAL SCORE	460 OF 1,440
INITIAL RATING	32
FINAL RATING	32

PAVEMENT EVALUATION - SORTED BY STREET NAME

Pavement Management Program - Ashburnham, MA 12/9/2011 TO 12/30/2012

Street Name	From Station	To Station	Length (ft)	Width (ft)
NEW STREET (LOCAL/DEAD END)	+ 0	3+28	328	18

DISTRESSES	Priority Level	Severity Level	Extent Level	Distress Score
Potholes	1	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	24
Delamination	2	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	24
Alligator Cracking	3	LIGHT-3	LIGHT-3	18
Rutting	4	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	24
Block Cracking	5	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	16
Transverse Cracking	6	LIGHT-3	LIGHT-3	12
Reflective Cracking	6	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	16
Logitudinal Cracking	7	LIGHT-3	LIGHT-3	12
Edge Cracking	7	LIGHT-3	LIGHT-3	12
Flushing	8	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	16
Raveling	9	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	8
Rippling	9	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	8
Shoving	10	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	8
Tenting	11	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	8
Lane/Shoulder Drop-Off	12	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	8
Lane/ShoulderSeparation	12	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	8
TOTAL DISTRESS SCORE				222 OF 240

INDICES	Priority Level	Severity Level	Indices Score
Riding	1	80	240
Safety	2	85	255
Drainage	3	50	100
Utility	4	100	200
Traffic	5	65	65
Maintenance	6	80	80
INDICES TOTAL			940 OF 1,200

SPOT REPAIR(S):	
Number	N/A
Average Area (sf)	N/A
Total Area (sf)	N/A

TOTAL SCORE	1,162 OF 1,440
INITIAL RATING	81
FINAL RATING	81

PAVEMENT EVALUATION - SORTED BY STREET NAME

Pavement Management Program - Ashburnham, MA 12/9/2011 TO 12/30/2012

Street Name	From Station	To Station	Length (ft)	Width (ft)
OAKMONT DRIVE (LOCAL THRU MINOR)	+ 0	15+34	1,534	28

DISTRESSES	Priority Level	Severity Level	Extent Level	Distress Score
Potholes	1	HEAVY-1	HEAVY-1	6
Delamination	2	HEAVY-1	HEAVY-1	6
Alligator Cracking	3	HEAVY-1	HEAVY-1	6
Rutting	4	LIGHT-3	LIGHT-3	18
Block Cracking	5	LIGHT-3	LIGHT-3	12
Transverse Cracking	6	MODERATE-2	MODERATE-2	8
Reflective Cracking	6	MODERATE-2	MODERATE-2	8
Logitudinal Cracking	7	MODERATE-2	MODERATE-2	8
Edge Cracking	7	LIGHT-3	LIGHT-3	12
Flushing	8	LIGHT-3	LIGHT-3	12
Raveling	9	MODERATE-2	MODERATE-2	4
Ripping	9	MODERATE-2	MODERATE-2	4
Shoving	10	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	8
Tenting	11	LIGHT-3	LIGHT-3	6
Lane/Shoulder Drop-Off	12	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	8
Lane/Shoulder Separation	12	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	8
TOTAL DISTRESS SCORE				134 OF 240

INDICES	Priority Level	Severity Level	Indices Score
Riding	1	20	60
Safety	2	70	210
Drainage	3	55	110
Utility	4	50	100
Traffic	5	65	65
Maintenance	6	65	65
INDICES TOTAL			610 OF 1,200

SPOT REPAIR(S):	
Number	N/A
Average Area (sf)	N/A
Total Area (sf)	N/A

TOTAL SCORE	744	OF 1,440
INITIAL RATING	52	
FINAL RATING	52	

PAVEMENT EVALUATION - SORTED BY STREET NAME

Pavement Management Program - Ashburnham, MA 12/9/2011 TO 12/30/2012

Street Name	From Station	To Station	Length (ft)	Width (ft)
OLD ASHBY ROAD (LOCAL THRU MINOR)	+ 0	74+11	7,411	20

DISTRESSES	Priority Level	Severity Level	Extent Level	Distress Score
Potholes	1	HEAVY-1	HEAVY-1	6
Delamination	2	HEAVY-1	HEAVY-1	6
Alligator Cracking	3	HEAVY-1	HEAVY-1	6
Rutting	4	HEAVY-1	HEAVY-1	6
Block Cracking	5	MODERATE-2	MODERATE-2	8
Transverse Cracking	6	HEAVY-1	HEAVY-1	4
Reflective Cracking	6	HEAVY-1	HEAVY-1	4
Logitudinal Cracking	7	HEAVY-1	HEAVY-1	4
Edge Cracking	7	MODERATE-2	MODERATE-2	8
Flushing	8	MODERATE-2	MODERATE-2	8
Raveling	9	HEAVY-1	HEAVY-1	2
Ripping	9	HEAVY-1	HEAVY-1	2
Shoving	10	MODERATE-2	MODERATE-2	4
Tenting	11	HEAVY-1	HEAVY-1	2
Lane/Shoulder Drop-Off	12	MODERATE-2	MODERATE-2	4
Lane/Shoulder Separation	12	MODERATE-2	MODERATE-2	4
TOTAL DISTRESS SCORE				78 OF 240

INDICES	Priority Level	Severity Level	Indices Score
Riding	1	10	30
Safety	2	75	225
Drainage	3	10	20
Utility	4	10	20
Traffic	5	80	80
Maintenance	6	55	55
INDICES TOTAL			430 OF 1,200

SPOT REPAIR(S):	
Number	N/A
Average Area (sf)	N/A
Total Area (sf)	N/A

TOTAL SCORE	508	OF 1,440
INITIAL RATING	35	
FINAL RATING	35	

PAVEMENT EVALUATION - SORTED BY STREET NAME

Pavement Management Program - Ashburnham, MA 12/9/2011 TO 12/30/2012

Street Name	From Station	To Station	Length (ft)	Width (ft)
OLD COUNTY ROAD (LOCAL/DEAD END)	+ 0	83+50	8,350	16

DISTRESSES	Priority Level	Severity Level	Extent Level	Distress Score
Potholes	1	HEAVY-1	MODERATE-2	9
Delamination	2	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	24
Alligator Cracking	3	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	24
Rutting	4	HEAVY-1	HEAVY-1	6
Block Cracking	5	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	16
Transverse Cracking	6	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	16
Reflective Cracking	6	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	16
Logitudinal Cracking	7	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	16
Edge Cracking	7	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	16
Flushing	8	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	16
Raveling	9	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	8
Ripping	9	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	8
Shoving	10	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	8
Tenting	11	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	8
Lane/Shoulder Drop-Off	12	HEAVY-1	HEAVY-1	2
Lane/ShoulderSeparation	12	MODERATE-2	MODERATE-2	4
TOTAL DISTRESS SCORE				197 OF 240

INDICES	Priority Level	Severity Level	Indices Score
Riding	1	20	60
Safety	2	60	180
Drainage	3	5	10
Utility	4	60	120
Traffic	5	55	55
Maintenance	6	20	20
INDICES TOTAL			445 OF 1,200

SPOT REPAIR(S):	
Number	N/A
Average Area (sf)	N/A
Total Area (sf)	N/A

TOTAL SCORE	642	OF 1,440
INITIAL RATING	45	
FINAL RATING	45	

PAVEMENT EVALUATION - SORTED BY STREET NAME

Pavement Management Program - Ashburnham, MA 12/9/2011 TO 12/30/2012

Street Name	From Station	To Station	Length (ft)	Width (ft)
OLD GARDER ROAD (LOCAL/DEAD END)	+ 0	12+56	1,256	

DISTRESSES	Priority Level	Severity Level	Extent Level	Distress Score
Potholes	1	HEAVY-1	HEAVY-1	6
Delamination	2	MODERATE-2	MODERATE-2	12
Alligator Cracking	3	MODERATE-2	MODERATE-2	12
Rutting	4	MODERATE-2	MODERATE-2	12
Block Cracking	5	LIGHT-3	LIGHT-3	12
Transverse Cracking	6	MODERATE-2	MODERATE-2	8
Reflective Cracking	6	MODERATE-2	MODERATE-2	8
Logitudinal Cracking	7	MODERATE-2	MODERATE-2	8
Edge Cracking	7	LIGHT-3	LIGHT-3	12
Flushing	8	LIGHT-3	LIGHT-3	12
Raveling	9	MODERATE-2	MODERATE-2	4
Ripping	9	MODERATE-2	MODERATE-2	4
Shoving	10	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	8
Tenting	11	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	8
Lane/Shoulder Drop-Off	12	MODERATE-2	MODERATE-2	4
Lane/ShoulderSeparation	12	LIGHT-3	LIGHT-3	6
TOTAL DISTRESS SCORE				136 OF 240

INDICES	Priority Level	Severity Level	Indices Score
Riding	1	30	90
Safety	2	35	105
Drainage	3	20	40
Utility	4	80	160
Traffic	5	90	90
Maintenance	6	20	20
INDICES TOTAL			505 OF 1,200

SPOT REPAIR(S):	
Number	N/A
Average Area (sf)	N/A
Total Area (sf)	N/A

TOTAL SCORE	641	OF 1,440
INITIAL RATING	45	
FINAL RATING	45	

PAVEMENT EVALUATION - SORTED BY STREET NAME

Pavement Management Program - Ashburnham, MA 12/9/2011 TO 12/30/2012

Street Name	From Station	To Station	Length (ft)	Width (ft)
OLD NIMS ROAD (LOCAL/DEAD END)	+ 0	3+46	346	22

DISTRESSES	Priority Level	Severity Level	Extent Level	Distress Score
Potholes	1	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	24
Delamination	2	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	24
Alligator Cracking	3	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	24
Rutting	4	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	24
Block Cracking	5	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	16
Transverse Cracking	6	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	16
Reflective Cracking	6	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	16
Logitudinal Cracking	7	MODERATE-2	MODERATE-2	8
Edge Cracking	7	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	16
Flushing	8	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	16
Raveling	9	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	8
Rippling	9	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	8
Shoving	10	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	8
Tenting	11	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	8
Lane/Shoulder Drop-Off	12	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	8
Lane/ShoulderSeparation	12	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	8
TOTAL DISTRESS SCORE				232 OF 240

INDICES	Priority Level	Severity Level	Indices Score
Riding	1	90	270
Safety	2	90	270
Drainage	3	90	180
Utility	4	100	200
Traffic	5	75	75
Maintenance	6	75	75
INDICES TOTAL			1070 OF 1,200

SPOT REPAIR(S):	
Number	N/A
Average Area (sf)	N/A
Total Area (sf)	N/A

TOTAL SCORE	1,302 OF 1,440
INITIAL RATING	90
FINAL RATING	90

PAVEMENT EVALUATION - SORTED BY STREET NAME

Pavement Management Program - Ashburnham, MA 12/9/2011 TO 12/30/2012

Street Name	From Station	To Station	Length (ft)	Width (ft)
OLD PIERCE ROAD (LOCAL THRU MINOR)	+ 0	12+00	1,200	18

DISTRESSES	Priority Level	Severity Level	Extent Level	Distress Score
Potholes	1	LIGHT-3	LIGHT-3	18
Delamination	2	MODERATE-2	LIGHT-3	15
Alligator Cracking	3	MODERATE-2	MODERATE-2	12
Rutting	4	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	24
Block Cracking	5	MODERATE-2	MODERATE-2	8
Transverse Cracking	6	LIGHT-3	LIGHT-3	12
Reflective Cracking	6	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	16
Logitudinal Cracking	7	HEAVY-1	MODERATE-2	6
Edge Cracking	7	MODERATE-2	MODERATE-2	8
Flushing	8	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	16
Raveling	9	LIGHT-3	LIGHT-3	6
Rippling	9	LIGHT-3	LIGHT-3	6
Shoving	10	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	8
Tenting	11	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	8
Lane/Shoulder Drop-Off	12	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	8
Lane/ShoulderSeparation	12	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	8
TOTAL DISTRESS SCORE				179 OF 240

INDICES	Priority Level	Severity Level	Indices Score
Riding	1	50	150
Safety	2	55	165
Drainage	3	55	110
Utility	4	100	200
Traffic	5	65	65
Maintenance	6	55	55
INDICES TOTAL			745 OF 1,200

SPOT REPAIR(S):	
Number	N/A
Average Area (sf)	N/A
Total Area (sf)	N/A

TOTAL SCORE	924 OF 1,440
INITIAL RATING	64
FINAL RATING	64

PAVEMENT EVALUATION - SORTED BY STREET NAME

Pavement Management Program - Ashburnham, MA 12/9/2011 TO 12/30/2012

Street Name	From Station	To Station	Length (ft)	Width (ft)
OLD PIERCE ROAD (LOCAL THRU MINOR)	12+00	72+46	6,046	15

DISTRESSES	Priority Level	Severity Level	Extent Level	Distress Score
Potholes	1	HEAVY-1	HEAVY-1	6
Delamination	2	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	24
Alligator Cracking	3	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	24
Rutting	4	HEAVY-1	HEAVY-1	6
Block Cracking	5	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	16
Transverse Cracking	6	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	16
Reflective Cracking	6	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	16
Logitudinal Cracking	7	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	16
Edge Cracking	7	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	16
Flushing	8	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	16
Raveling	9	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	8
Ripping	9	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	8
Shoving	10	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	8
Tenting	11	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	8
Lane/Shoulder Drop-Off	12	MODERATE-2	MODERATE-2	4
Lane/ShoulderSeparation	12	HEAVY-1	HEAVY-1	2
TOTAL DISTRESS SCORE				194 OF 240

INDICES	Priority Level	Severity Level	Indices Score
Riding	1	5	15
Safety	2	15	45
Drainage	3	5	10
Utility	4	100	200
Traffic	5	65	65
Maintenance	6	10	10
INDICES TOTAL			345 OF 1,200

SPOT REPAIR(S):	
Number	N/A
Average Area (sf)	N/A
Total Area (sf)	N/A

TOTAL SCORE	539	OF 1,440
INITIAL RATING	37	
FINAL RATING	37	

PAVEMENT EVALUATION - SORTED BY STREET NAME

Pavement Management Program - Ashburnham, MA 12/9/2011 TO 12/30/2012

Street Name	From Station	To Station	Length (ft)	Width (ft)
OLD WILLIAMS ROAD 0				

DISTRESSES	Priority Level	Severity Level	Extent Level	Distress Score
Potholes	1			
Delamination	2			
Alligator Cracking	3			
Rutting	4			
Block Cracking	5			
Transverse Cracking	6			
Reflective Cracking	6			
Logitudinal Cracking	7			
Edge Cracking	7			
Flushing	8			
Raveling	9			
Ripping	9			
Shoving	10			
Tenting	11			
Lane/Shoulder Drop-Off	12			
Lane/ShoulderSeparation	12			
TOTAL DISTRESS SCORE				OF 240

INDICES	Priority Level	Severity Level	Indices Score
Riding	1		
Safety	2		
Drainage	3		
Utility	4		
Traffic	5		
Maintenance	6		
INDICES TOTAL			OF 1,200

SPOT REPAIR(S):	
Number	N/A
Average Area (sf)	N/A
Total Area (sf)	N/A

TOTAL SCORE	OF 1,440
INITIAL RATING	
FINAL RATING	

PAVEMENT EVALUATION - SORTED BY STREET NAME

Pavement Management Program - Ashburnham, MA 12/9/2011 TO 12/30/2012

Street Name	From Station	To Station	Length (ft)	Width (ft)
PACKARD HILL ROAD (LOCAL THRU MINOR)	+ 0	73+22	7,322	18

DISTRESSES	Priority Level	Severity Level	Extent Level	Distress Score
Potholes	1	HEAVY-1	HEAVY-1	6
Delamination	2	HEAVY-1	HEAVY-1	6
Alligator Cracking	3	HEAVY-1	HEAVY-1	6
Rutting	4	HEAVY-1	HEAVY-1	6
Block Cracking	5	HEAVY-1	HEAVY-1	4
Transverse Cracking	6	HEAVY-1	HEAVY-1	4
Reflective Cracking	6	HEAVY-1	HEAVY-1	4
Logitudinal Cracking	7	HEAVY-1	HEAVY-1	4
Edge Cracking	7	HEAVY-1	HEAVY-1	4
Flushing	8	MODERATE-2	MODERATE-2	8
Raveling	9	HEAVY-1	HEAVY-1	2
Ripping	9	HEAVY-1	HEAVY-1	2
Shoving	10	MODERATE-2	MODERATE-2	4
Tenting	11	HEAVY-1	HEAVY-1	2
Lane/Shoulder Drop-Off	12	HEAVY-1	HEAVY-1	2
Lane/ShoulderSeparation	12	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	8
TOTAL DISTRESS SCORE				72 OF 240

INDICES	Priority Level	Severity Level	Indices Score
Riding	1	5	15
Safety	2	5	15
Drainage	3	5	10
Utility	4	5	10
Traffic	5	35	35
Maintenance	6	5	5
INDICES TOTAL			90 OF 1,200

SPOT REPAIR(S):	
Number	N/A
Average Area (sf)	N/A
Total Area (sf)	N/A

TOTAL SCORE	162 OF 1,440
INITIAL RATING	11
FINAL RATING	11

PAVEMENT EVALUATION - SORTED BY STREET NAME

Pavement Management Program - Ashburnham, MA 12/9/2011 TO 12/30/2012

Street Name	From Station	To Station	Length (ft)	Width (ft)
PILLSBURY ROAD (LOCAL THRU MINOR)	+ 0	3+58	358	20

DISTRESSES	Priority Level	Severity Level	Extent Level	Distress Score
Potholes	1	LIGHT-3	LIGHT-3	18
Delamination	2	LIGHT-3	LIGHT-3	18
Alligator Cracking	3	LIGHT-3	LIGHT-3	18
Rutting	4	LIGHT-3	LIGHT-3	18
Block Cracking	5	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	16
Transverse Cracking	6	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	16
Reflective Cracking	6	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	16
Logitudinal Cracking	7	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	16
Edge Cracking	7	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	16
Flushing	8	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	16
Raveling	9	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	8
Ripping	9	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	8
Shoving	10	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	8
Tenting	11	LIGHT-3	LIGHT-3	6
Lane/Shoulder Drop-Off	12	MODERATE-2	MODERATE-2	4
Lane/ShoulderSeparation	12	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	8
TOTAL DISTRESS SCORE				210 OF 240

INDICES	Priority Level	Severity Level	Indices Score
Riding	1	75	225
Safety	2	90	270
Drainage	3	60	120
Utility	4	90	180
Traffic	5	75	75
Maintenance	6	75	75
INDICES TOTAL			945 OF 1,200

SPOT REPAIR(S):	
Number	N/A
Average Area (sf)	N/A
Total Area (sf)	N/A

TOTAL SCORE	1,155 OF 1,440
INITIAL RATING	80
FINAL RATING	80

PAVEMENT EVALUATION - SORTED BY STREET NAME

Pavement Management Program - Ashburnham, MA 12/9/2011 TO 12/30/2012

Street Name	From Station	To Station	Length (ft)	Width (ft)
PLATTS ROAD (LOCAL THRU MINOR)	+ 0	29+00	2,900	28

DISTRESSES	Priority Level	Severity Level	Extent Level	Distress Score
Potholes	1	MODERATE-2	HEAVY-1	9
Delamination	2	MODERATE-2	HEAVY-1	9
Alligator Cracking	3	MODERATE-2	MODERATE-2	12
Rutting	4	LIGHT-3	LIGHT-3	18
Block Cracking	5	LIGHT-3	LIGHT-3	12
Transverse Cracking	6	HEAVY-1	MODERATE-2	6
Reflective Cracking	6	HEAVY-1	MODERATE-2	6
Logitudinal Cracking	7	LIGHT-3	MODERATE-2	10
Edge Cracking	7	LIGHT-3	LIGHT-3	12
Flushing	8	HEAVY-1	HEAVY-1	4
Raveling	9	MODERATE-2	MODERATE-2	4
Ripping	9	MODERATE-2	MODERATE-2	4
Shoving	10	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	8
Tenting	11	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	8
Lane/Shoulder Drop-Off	12	LIGHT-3	LIGHT-3	6
Lane/Shoulder Separation	12	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	8
TOTAL DISTRESS SCORE				136 OF 240

INDICES	Priority Level	Severity Level	Indices Score
Riding	1	45	135
Safety	2	55	165
Drainage	3	40	80
Utility	4	60	120
Traffic	5	80	80
Maintenance	6	50	50
INDICES TOTAL			630 OF 1,200

SPOT REPAIR(S):	
Number	N/A
Average Area (sf)	N/A
Total Area (sf)	N/A

TOTAL SCORE	766	OF 1,440
INITIAL RATING	53	
FINAL RATING	53	

PAVEMENT EVALUATION - SORTED BY STREET NAME

Pavement Management Program - Ashburnham, MA 12/9/2011 TO 12/30/2012

Street Name	From Station	To Station	Length (ft)	Width (ft)
PLATTS ROAD (LOCAL THRU MINOR)	29+00	39+20	1,020	26

DISTRESSES	Priority Level	Severity Level	Extent Level	Distress Score
Potholes	1	MODERATE-2	LIGHT-3	15
Delamination	2	MODERATE-2	MODERATE-2	12
Alligator Cracking	3	MODERATE-2	MODERATE-2	12
Rutting	4	LIGHT-3	LIGHT-3	18
Block Cracking	5	MODERATE-2	MODERATE-2	8
Transverse Cracking	6	LIGHT-3	LIGHT-3	12
Reflective Cracking	6	LIGHT-3	LIGHT-3	12
Logitudinal Cracking	7	MODERATE-2	MODERATE-2	8
Edge Cracking	7	LIGHT-3	LIGHT-3	12
Flushing	8	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	16
Raveling	9	LIGHT-3	LIGHT-3	6
Ripping	9	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	8
Shoving	10	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	8
Tenting	11	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	8
Lane/Shoulder Drop-Off	12	LIGHT-3	LIGHT-3	6
Lane/Shoulder Separation	12	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	8
TOTAL DISTRESS SCORE				169 OF 240

INDICES	Priority Level	Severity Level	Indices Score
Riding	1	50	150
Safety	2	70	210
Drainage	3	55	110
Utility	4	70	140
Traffic	5	80	80
Maintenance	6	50	50
INDICES TOTAL			740 OF 1,200

SPOT REPAIR(S):	
Number	3
Average Area (sf)	150
Total Area (sf)	450

TOTAL SCORE	909	OF 1,440
INITIAL RATING	63	
FINAL RATING	63	

PAVEMENT EVALUATION - SORTED BY STREET NAME

Pavement Management Program - Ashburnham, MA 12/9/2011 TO 12/30/2012

Street Name	From Station	To Station	Length (ft)	Width (ft)
PLATTS ROAD EAST (LOCAL THRU MINOR)	+ 0	9+58	958	16

DISTRESSES	Priority Level	Severity Level	Extent Level	Distress Score
Potholes	1	HEAVY-1	HEAVY-1	6
Delamination	2	HEAVY-1	HEAVY-1	6
Alligator Cracking	3	HEAVY-1	HEAVY-1	6
Rutting	4	HEAVY-1	HEAVY-1	6
Block Cracking	5	MODERATE-2	HEAVY-1	6
Transverse Cracking	6	MODERATE-2	HEAVY-1	6
Reflective Cracking	6	MODERATE-2	HEAVY-1	6
Logitudinal Cracking	7	MODERATE-2	HEAVY-1	6
Edge Cracking	7	HEAVY-1	HEAVY-1	4
Flushing	8	MODERATE-2	MODERATE-2	8
Raveling	9	HEAVY-1	HEAVY-1	2
Ripping	9	HEAVY-1	HEAVY-1	2
Shoving	10	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	8
Testing	11	HEAVY-1	HEAVY-1	2
Lane/Shoulder Drop-Off	12	MODERATE-2	MODERATE-2	4
Lane/Shoulder Separation	12	MODERATE-2	MODERATE-2	4
TOTAL DISTRESS SCORE				82 OF 240

INDICES	Priority Level	Severity Level	Indices Score
Riding	1	10	30
Safety	2	70	210
Drainage	3	20	40
Utility	4	30	60
Traffic	5	65	65
Maintenance	6	30	30
INDICES TOTAL			435 OF 1,200

SPOT REPAIR(S):	
Number	N/A
Average Area (sf)	N/A
Total Area (sf)	N/A

TOTAL SCORE	517	OF 1,440
INITIAL RATING	36	
FINAL RATING	36	

PAVEMENT EVALUATION - SORTED BY STREET NAME

Pavement Management Program - Ashburnham, MA 12/9/2011 TO 12/30/2012

Street Name	From Station	To Station	Length (ft)	Width (ft)
PLEASANT STREET (LOCAL THRU MINOR)	+ 0	17+67	1,767	24

DISTRESSES	Priority Level	Severity Level	Extent Level	Distress Score
Potholes	1	LIGHT-3	LIGHT-3	18
Delamination	2	LIGHT-3	LIGHT-3	18
Alligator Cracking	3	MODERATE-2	MODERATE-2	12
Rutting	4	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	24
Block Cracking	5	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	16
Transverse Cracking	6	HEAVY-1	MODERATE-2	6
Reflective Cracking	6	HEAVY-1	MODERATE-2	6
Logitudinal Cracking	7	MODERATE-2	LIGHT-3	10
Edge Cracking	7	MODERATE-2	LIGHT-3	10
Flushing	8	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	16
Raveling	9	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	8
Ripping	9	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	8
Shoving	10	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	8
Testing	11	MODERATE-2	LIGHT-3	5
Lane/Shoulder Drop-Off	12	LIGHT-3	LIGHT-3	6
Lane/Shoulder Separation	12	MODERATE-2	LIGHT-3	5
TOTAL DISTRESS SCORE				176 OF 240

INDICES	Priority Level	Severity Level	Indices Score
Riding	1	50	150
Safety	2	75	225
Drainage	3	30	60
Utility	4	35	70
Traffic	5	65	65
Maintenance	6	70	70
INDICES TOTAL			640 OF 1,200

SPOT REPAIR(S):	
Number	3
Average Area (sf)	180
Total Area (sf)	540

TOTAL SCORE	816	OF 1,440
INITIAL RATING	57	
FINAL RATING	57	

PAVEMENT EVALUATION - SORTED BY STREET NAME

Pavement Management Program - Ashburnham, MA 12/9/2011 TO 12/30/2012

Street Name	From Station	To Station	Length (ft)	Width (ft)
PLEASANT STREET NORTH (LOCAL THRU MINOR)	+ 0	19+45	1,945	24

DISTRESSES	Priority Level	Severity Level	Extent Level	Distress Score
Potholes	1	HEAVY-1	HEAVY-1	6
Delamination	2	HEAVY-1	HEAVY-1	6
Alligator Cracking	3	HEAVY-1	HEAVY-1	6
Rutting	4	MODERATE-2	MODERATE-2	12
Block Cracking	5	MODERATE-2	MODERATE-2	8
Transverse Cracking	6	MODERATE-2	MODERATE-2	8
Reflective Cracking	6	MODERATE-2	MODERATE-2	8
Longitudinal Cracking	7	HEAVY-1	HEAVY-1	4
Edge Cracking	7	HEAVY-1	HEAVY-1	4
Flushing	8	MODERATE-2	MODERATE-2	8
Raveling	9	HEAVY-1	HEAVY-1	2
Ripping	9	HEAVY-1	HEAVY-1	2
Shoving	10	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	8
Tenting	11	MODERATE-2	MODERATE-2	4
Lane/Shoulder Drop-Off	12	HEAVY-1	HEAVY-1	2
Lane/ShoulderSeparation	12	MODERATE-2	MODERATE-2	4
TOTAL DISTRESS SCORE				92 OF 240

INDICES	Priority Level	Severity Level	Indices Score
Riding	1	10	30
Safety	2	30	90
Drainage	3	25	50
Utility	4	25	50
Traffic	5	60	60
Maintenance	6	60	60
INDICES TOTAL			340 OF 1,200

SPOT REPAIR(S):	
Number	N/A
Average Area (sf)	N/A
Total Area (sf)	N/A

TOTAL SCORE	432	OF 1,440
INITIAL RATING	30	
FINAL RATING	30	

PAVEMENT EVALUATION - SORTED BY STREET NAME

Pavement Management Program - Ashburnham, MA 12/9/2011 TO 12/30/2012

Street Name	From Station	To Station	Length (ft)	Width (ft)
PROCTOR STREET (LOCAL THRU MINOR)	+ 0	17+87	1,787	20

DISTRESSES	Priority Level	Severity Level	Extent Level	Distress Score
Potholes	1	LIGHT-3	LIGHT-3	18
Delamination	2	LIGHT-3	LIGHT-3	18
Alligator Cracking	3	MODERATE-2	MODERATE-2	12
Rutting	4	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	24
Block Cracking	5	MODERATE-2	MODERATE-2	8
Transverse Cracking	6	MODERATE-2	MODERATE-2	8
Reflective Cracking	6	LIGHT-3	LIGHT-3	12
Longitudinal Cracking	7	MODERATE-2	MODERATE-2	8
Edge Cracking	7	MODERATE-2	MODERATE-2	8
Flushing	8	LIGHT-3	LIGHT-3	12
Raveling	9	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	8
Ripping	9	LIGHT-3	LIGHT-3	6
Shoving	10	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	8
Tenting	11	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	8
Lane/Shoulder Drop-Off	12	LIGHT-3	LIGHT-3	6
Lane/ShoulderSeparation	12	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	8
TOTAL DISTRESS SCORE				172 OF 240

INDICES	Priority Level	Severity Level	Indices Score
Riding	1	65	195
Safety	2	65	195
Drainage	3	70	140
Utility	4	65	130
Traffic	5	75	75
Maintenance	6	75	75
INDICES TOTAL			810 OF 1,200

SPOT REPAIR(S):	
Number	5
Average Area (sf)	200
Total Area (sf)	1,000

TOTAL SCORE	982	OF 1,440
INITIAL RATING	68	
FINAL RATING	68	

PAVEMENT EVALUATION - SORTED BY STREET NAME

Pavement Management Program - Ashburnham, MA 12/9/2011 TO 12/30/2012

Street Name	From Station	To Station	Length (ft)	Width (ft)
PUFFER STREET (LOCAL THRU MINOR)	+ 0	6+81	681	20

DISTRESSES	Priority Level	Severity Level	Extent Level	Distress Score
Potholes	1	LIGHT-3	LIGHT-3	18
Delamination	2	LIGHT-3	LIGHT-3	18
Alligator Cracking	3	HEAVY-1	MODERATE-2	9
Rutting	4	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	24
Block Cracking	5	LIGHT-3	LIGHT-3	12
Transverse Cracking	6	LIGHT-3	LIGHT-3	12
Reflective Cracking	6	LIGHT-3	LIGHT-3	12
Logitudinal Cracking	7	HEAVY-1	MODERATE-2	6
Edge Cracking	7	HEAVY-1	MODERATE-2	6
Flushing	8	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	16
Raveling	9	LIGHT-3	LIGHT-3	6
Ripping	9	LIGHT-3	LIGHT-3	6
Shoving	10	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	8
Tenting	11	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	8
Lane/Shoulder Drop-Off	12	MODERATE-2	MODERATE-2	4
Lane/ShoulderSeparation	12	LIGHT-3	N/A (NOT APPLICABLE)-4	7
TOTAL DISTRESS SCORE				172 OF 240

INDICES	Priority Level	Severity Level	Indices Score
Riding	1	60	180
Safety	2	80	240
Drainage	3	70	140
Utility	4	50	100
Traffic	5	90	90
Maintenance	6	85	85
INDICES TOTAL			835 OF 1,200

SPOT REPAIR(S):	
Number	10
Average Area (sf)	200
Total Area (sf)	2,000

TOTAL SCORE	1,007 OF 1,440
INITIAL RATING	70
FINAL RATING	70

PAVEMENT EVALUATION - SORTED BY STREET NAME

Pavement Management Program - Ashburnham, MA 12/9/2011 TO 12/30/2012

Street Name	From Station	To Station	Length (ft)	Width (ft)
RICHARDSON ROAD (LOCAL/DEAD END)	+ 0	6+11	611	15

DISTRESSES	Priority Level	Severity Level	Extent Level	Distress Score
Potholes	1	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	24
Delamination	2	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	24
Alligator Cracking	3	LIGHT-3	MODERATE-2	15
Rutting	4	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	24
Block Cracking	5	LIGHT-3	LIGHT-3	12
Transverse Cracking	6	LIGHT-3	LIGHT-3	12
Reflective Cracking	6	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	16
Logitudinal Cracking	7	MODERATE-2	MODERATE-2	8
Edge Cracking	7	LIGHT-3	LIGHT-3	12
Flushing	8	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	16
Raveling	9	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	8
Ripping	9	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	8
Shoving	10	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	8
Tenting	11	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	8
Lane/Shoulder Drop-Off	12	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	8
Lane/ShoulderSeparation	12	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	8
TOTAL DISTRESS SCORE				211 OF 240

INDICES	Priority Level	Severity Level	Indices Score
Riding	1	70	210
Safety	2	75	225
Drainage	3	70	140
Utility	4	90	180
Traffic	5	65	65
Maintenance	6	75	75
INDICES TOTAL			895 OF 1,200

SPOT REPAIR(S):	
Number	2
Average Area (sf)	50
Total Area (sf)	100

TOTAL SCORE	1,106 OF 1,440
INITIAL RATING	77
FINAL RATING	77

PAVEMENT EVALUATION - SORTED BY STREET NAME

Pavement Management Program - Ashburnham, MA 12/9/2011 TO 12/30/2012

Street Name	From Station	To Station	Length (ft)	Width (ft)
RINDGE TURNPIKE (MINOR COLLECTOR)	+ 0	137+66	13,766	26

DISTRESSES	Priority Level	Severity Level	Extent Level	Distress Score
Potholes	1	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	24
Delamination	2	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	24
Alligator Cracking	3	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	24
Rutting	4	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	24
Block Cracking	5	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	16
Transverse Cracking	6	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	16
Reflective Cracking	6	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	16
Logitudinal Cracking	7	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	16
Edge Cracking	7	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	16
Flushing	8	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	16
Raveling	9	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	8
Ripping	9	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	8
Shoving	10	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	8
Tenting	11	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	8
Lane/Shoulder Drop-Off	12	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	8
Lane/Shoulder Separation	12	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	8
TOTAL DISTRESS SCORE				240 OF 240

INDICES	Priority Level	Severity Level	Indices Score
Riding	1	95	285
Safety	2	90	270
Drainage	3	90	180
Utility	4	100	200
Traffic	5	100	100
Maintenance	6	80	80
INDICES TOTAL			1115 OF 1,200

SPOT REPAIR(S):	
Number	N/A
Average Area (sf)	N/A
Total Area (sf)	N/A

TOTAL SCORE	1,355 OF 1,440
INITIAL RATING	94
FINAL RATING	90

PAVEMENT EVALUATION - SORTED BY STREET NAME

Pavement Management Program - Ashburnham, MA 12/9/2011 TO 12/30/2012

Street Name	From Station	To Station	Length (ft)	Width (ft)
RINDGE TURNPIKE (MINOR COLLECTOR)	137+66	144+66	700	26

DISTRESSES	Priority Level	Severity Level	Extent Level	Distress Score
Potholes	1	LIGHT-3	LIGHT-3	18
Delamination	2	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	24
Alligator Cracking	3	MODERATE-2	MODERATE-2	12
Rutting	4	LIGHT-3	LIGHT-3	18
Block Cracking	5	LIGHT-3	LIGHT-3	12
Transverse Cracking	6	LIGHT-3	LIGHT-3	12
Reflective Cracking	6	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	16
Logitudinal Cracking	7	LIGHT-3	LIGHT-3	12
Edge Cracking	7	LIGHT-3	LIGHT-3	12
Flushing	8	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	16
Raveling	9	LIGHT-3	LIGHT-3	6
Ripping	9	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	8
Shoving	10	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	8
Tenting	11	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	8
Lane/Shoulder Drop-Off	12	N/A (NOT APPLICABLE)-4	LIGHT-3	7
Lane/Shoulder Separation	12	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	8
TOTAL DISTRESS SCORE				197 OF 240

INDICES	Priority Level	Severity Level	Indices Score
Riding	1	80	240
Safety	2	90	270
Drainage	3	85	170
Utility	4	85	170
Traffic	5	100	100
Maintenance	6	80	80
INDICES TOTAL			1030 OF 1,200

SPOT REPAIR(S):	
Number	N/A
Average Area (sf)	N/A
Total Area (sf)	N/A

TOTAL SCORE	1,227 OF 1,440
INITIAL RATING	85
FINAL RATING	82

PAVEMENT EVALUATION - SORTED BY STREET NAME

Pavement Management Program - Ashburnham, MA 12/9/2011 TO 12/30/2012

Street Name	From Station	To Station	Length (ft)	Width (ft)
RINDGE TURNPIKE INTERSECTION (LOCAL THRU MAJOR)	+ 0	1+53	153	22

DISTRESSES	Priority Level	Severity Level	Extent Level	Distress Score
Potholes	1	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	24
Delamination	2	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	24
Alligator Cracking	3	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	24
Rutting	4	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	24
Block Cracking	5	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	16
Transverse Cracking	6	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	16
Reflective Cracking	6	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	16
Logitudinal Cracking	7	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	16
Edge Cracking	7	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	16
Flushing	8	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	16
Raveling	9	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	8
Rippling	9	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	8
Shoving	10	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	8
Tenting	11	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	8
Lane/Shoulder Drop-Off	12	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	8
Lane/Shoulder Separation	12	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	8
TOTAL DISTRESS SCORE				240 OF 240

INDICES	Priority Level	Severity Level	Indices Score
Riding	1	100	300
Safety	2	100	300
Drainage	3	100	200
Utility	4	100	200
Traffic	5	100	100
Maintenance	6	90	90
INDICES TOTAL			1190 OF 1,200

SPOT REPAIR(S):	
Number	N/A
Average Area (sf)	N/A
Total Area (sf)	N/A

TOTAL SCORE	1,430 OF 1,440
INITIAL RATING	99
FINAL RATING	97

PAVEMENT EVALUATION - SORTED BY STREET NAME

Pavement Management Program - Ashburnham, MA 12/9/2011 TO 12/30/2012

Street Name	From Station	To Station	Length (ft)	Width (ft)
RIVER STREET (LOCAL THRU MINOR)	+ 0	4+28	428	21

DISTRESSES	Priority Level	Severity Level	Extent Level	Distress Score
Potholes	1	LIGHT-3	LIGHT-3	18
Delamination	2	LIGHT-3	LIGHT-3	18
Alligator Cracking	3	MODERATE-2	MODERATE-2	12
Rutting	4	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	24
Block Cracking	5	LIGHT-3	LIGHT-3	12
Transverse Cracking	6	LIGHT-3	LIGHT-3	12
Reflective Cracking	6	N/A (NOT APPLICABLE)-4	LIGHT-3	14
Logitudinal Cracking	7	LIGHT-3	LIGHT-3	12
Edge Cracking	7	HEAVY-1	HEAVY-1	4
Flushing	8	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	16
Raveling	9	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	8
Rippling	9	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	8
Shoving	10	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	8
Tenting	11	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	8
Lane/Shoulder Drop-Off	12	MODERATE-2	MODERATE-2	4
Lane/Shoulder Separation	12	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	8
TOTAL DISTRESS SCORE				186 OF 240

INDICES	Priority Level	Severity Level	Indices Score
Riding	1	75	225
Safety	2	90	270
Drainage	3	75	150
Utility	4	80	160
Traffic	5	75	75
Maintenance	6	70	70
INDICES TOTAL			950 OF 1,200

SPOT REPAIR(S):	
Number	5
Average Area (sf)	200
Total Area (sf)	1,000

TOTAL SCORE	1,136 OF 1,440
INITIAL RATING	79
FINAL RATING	79

PAVEMENT EVALUATION - SORTED BY STREET NAME

Pavement Management Program - Ashburnham, MA 12/9/2011 TO 12/30/2012

Street Name	From Station	To Station	Length (ft)	Width (ft)
RIVER STYX ROAD (LOCAL THRU MINOR)	+ 0	21+91	2,191	24

DISTRESSES	Priority Level	Severity Level	Extent Level	Distress Score
Potholes	1	MODERATE-2	MODERATE-2	12
Delamination	2	MODERATE-2	MODERATE-2	12
Alligator Cracking	3	MODERATE-2	MODERATE-2	12
Rutting	4	MODERATE-2	MODERATE-2	12
Block Cracking	5	LIGHT-3	LIGHT-3	12
Transverse Cracking	6	LIGHT-3	LIGHT-3	12
Reflective Cracking	6	LIGHT-3	LIGHT-3	12
Logitudinal Cracking	7	MODERATE-2	MODERATE-2	8
Edge Cracking	7	MODERATE-2	MODERATE-2	8
Flushing	8	MODERATE-2	MODERATE-2	8
Raveling	9	MODERATE-2	MODERATE-2	4
Rippling	9	MODERATE-2	MODERATE-2	4
Shoving	10	LIGHT-3	LIGHT-3	6
Tenting	11	MODERATE-2	MODERATE-2	4
Lane/Shoulder Drop-Off	12	LIGHT-3	LIGHT-3	6
Lane/ShoulderSeparation	12	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	8
TOTAL DISTRESS SCORE				140 OF 240

INDICES	Priority Level	Severity Level	Indices Score
Riding	1	40	120
Safety	2	65	195
Drainage	3	55	110
Utility	4	65	130
Traffic	5	80	80
Maintenance	6	70	70
INDICES TOTAL			705 OF 1,200

SPOT REPAIR(S):	
Number	10
Average Area (sf)	200
Total Area (sf)	2,000

TOTAL SCORE	845 OF 1,440
INITIAL RATING	59
FINAL RATING	59

PAVEMENT EVALUATION - SORTED BY STREET NAME

Pavement Management Program - Ashburnham, MA 12/9/2011 TO 12/30/2012

Street Name	From Station	To Station	Length (ft)	Width (ft)
RUSSELL AVENUE (LOCAL/DEAD END)	+ 0	6+82	682	21

DISTRESSES	Priority Level	Severity Level	Extent Level	Distress Score
Potholes	1	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	24
Delamination	2	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	24
Alligator Cracking	3	LIGHT-3	LIGHT-3	18
Rutting	4	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	24
Block Cracking	5	LIGHT-3	LIGHT-3	12
Transverse Cracking	6	LIGHT-3	LIGHT-3	12
Reflective Cracking	6	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	16
Logitudinal Cracking	7	LIGHT-3	LIGHT-3	12
Edge Cracking	7	LIGHT-3	LIGHT-3	12
Flushing	8	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	16
Raveling	9	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	8
Rippling	9	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	8
Shoving	10	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	8
Tenting	11	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	8
Lane/Shoulder Drop-Off	12	LIGHT-3	LIGHT-3	6
Lane/ShoulderSeparation	12	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	8
TOTAL DISTRESS SCORE				216 OF 240

INDICES	Priority Level	Severity Level	Indices Score
Riding	1	75	225
Safety	2	50	150
Drainage	3	75	150
Utility	4	85	170
Traffic	5	65	65
Maintenance	6	70	70
INDICES TOTAL			830 OF 1,200

SPOT REPAIR(S):	
Number	N/A
Average Area (sf)	N/A
Total Area (sf)	N/A

TOTAL SCORE	1,046 OF 1,440
INITIAL RATING	73
FINAL RATING	73

PAVEMENT EVALUATION - SORTED BY STREET NAME

Pavement Management Program - Ashburnham, MA 12/9/2011 TO 12/30/2012

Street Name	From Station	To Station	Length (ft)	Width (ft)
RUSSELL HILL ROAD (LOCAL THRU MINOR)	+ 0	117+58	11,758	22

DISTRESSES	Priority Level	Severity Level	Extent Level	Distress Score
Potholes	1	HEAVY-1	MODERATE-2	9
Delamination	2	HEAVY-1	MODERATE-2	9
Alligator Cracking	3	MODERATE-2	MODERATE-2	12
Rutting	4	HEAVY-1	MODERATE-2	9
Block Cracking	5	LIGHT-3	LIGHT-3	12
Transverse Cracking	6	MODERATE-2	MODERATE-2	8
Reflective Cracking	6	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	16
Logitudinal Cracking	7	MODERATE-2	MODERATE-2	8
Edge Cracking	7	HEAVY-1	MODERATE-2	6
Flushing	8	MODERATE-2	MODERATE-2	8
Raveling	9	MODERATE-2	MODERATE-2	4
Ripping	9	LIGHT-3	LIGHT-3	6
Shoving	10	LIGHT-3	LIGHT-3	6
Tenting	11	MODERATE-2	MODERATE-2	4
Lane/Shoulder Drop-Off	12	LIGHT-3	LIGHT-3	6
Lane/Shoulder Separation	12	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	8
TOTAL DISTRESS SCORE				131 OF 240

INDICES	Priority Level	Severity Level	Indices Score
Riding	1	50	150
Safety	2	55	165
Drainage	3	50	100
Utility	4	55	110
Traffic	5	55	55
Maintenance	6	55	55
INDICES TOTAL			635 OF 1,200

SPOT REPAIR(S):	
Number	N/A
Average Area (sf)	N/A
Total Area (sf)	N/A

TOTAL SCORE	766	OF 1,440
INITIAL RATING	53	
FINAL RATING	53	

PAVEMENT EVALUATION - SORTED BY STREET NAME

Pavement Management Program - Ashburnham, MA 12/9/2011 TO 12/30/2012

Street Name	From Station	To Station	Length (ft)	Width (ft)
SHERBERT ROAD (LOCAL THRU MINOR)	+ 0	100+30	10,030	21

DISTRESSES	Priority Level	Severity Level	Extent Level	Distress Score
Potholes	1	HEAVY-1	HEAVY-1	6
Delamination	2	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	24
Alligator Cracking	3	HEAVY-1	HEAVY-1	6
Rutting	4	MODERATE-2	MODERATE-2	12
Block Cracking	5	LIGHT-3	LIGHT-3	12
Transverse Cracking	6	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	16
Reflective Cracking	6	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	16
Logitudinal Cracking	7	HEAVY-1	HEAVY-1	4
Edge Cracking	7	MODERATE-2	MODERATE-2	8
Flushing	8	LIGHT-3	LIGHT-3	12
Raveling	9	MODERATE-2	MODERATE-2	4
Ripping	9	MODERATE-2	MODERATE-2	4
Shoving	10	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	8
Tenting	11	MODERATE-2	MODERATE-2	4
Lane/Shoulder Drop-Off	12	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	8
Lane/Shoulder Separation	12	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	8
TOTAL DISTRESS SCORE				152 OF 240

INDICES	Priority Level	Severity Level	Indices Score
Riding	1	30	90
Safety	2	65	195
Drainage	3	40	80
Utility	4	30	60
Traffic	5	85	85
Maintenance	6	75	75
INDICES TOTAL			585 OF 1,200

SPOT REPAIR(S):	
Number	N/A
Average Area (sf)	N/A
Total Area (sf)	N/A

TOTAL SCORE	737	OF 1,440
INITIAL RATING	51	
FINAL RATING	51	

PAVEMENT EVALUATION - SORTED BY STREET NAME

Pavement Management Program - Ashburnham, MA 12/9/2011 TO 12/30/2012

Street Name	From Station	To Station	Length (ft)	Width (ft)
SHERBERT ROAD (LOCAL THRU MINOR)	100+30	137+28	3,698	22

DISTRESSES	Priority Level	Severity Level	Extent Level	Distress Score
Potholes	1	LIGHT-3	LIGHT-3	18
Delamination	2	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	24
Alligator Cracking	3	MODERATE-2	MODERATE-2	12
Rutting	4	LIGHT-3	LIGHT-3	18
Block Cracking	5	LIGHT-3	LIGHT-3	12
Transverse Cracking	6	LIGHT-3	LIGHT-3	12
Reflective Cracking	6	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	16
Logitudinal Cracking	7	HEAVY-1	MODERATE-2	6
Edge Cracking	7	MODERATE-2	MODERATE-2	8
Flushing	8	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	16
Raveling	9	LIGHT-3	LIGHT-3	6
Rippling	9	LIGHT-3	LIGHT-3	6
Shoving	10	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	8
Tenting	11	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	8
Lane/Shoulder Drop-Off	12	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	8
Lane/ShoulderSeparation	12	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	8
TOTAL DISTRESS SCORE				186 OF 240

INDICES	Priority Level	Severity Level	Indices Score
Riding	1	65	195
Safety	2	70	210
Drainage	3	40	80
Utility	4	50	100
Traffic	5	95	95
Maintenance	6	65	65
INDICES TOTAL			745 OF 1,200

SPOT REPAIR(S):	
Number	8
Average Area (sf)	100
Total Area (sf)	800

TOTAL SCORE	931	OF 1,440
INITIAL RATING	65	
FINAL RATING	65	

PAVEMENT EVALUATION - SORTED BY STREET NAME

Pavement Management Program - Ashburnham, MA 12/9/2011 TO 12/30/2012

Street Name	From Station	To Station	Length (ft)	Width (ft)
SHERBERT ROAD (LOCAL THRU MINOR)	137+28	155+92	1,864	14

DISTRESSES	Priority Level	Severity Level	Extent Level	Distress Score
Potholes	1	MODERATE-2	MODERATE-2	12
Delamination	2	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	24
Alligator Cracking	3	MODERATE-2	MODERATE-2	12
Rutting	4	MODERATE-2	MODERATE-2	12
Block Cracking	5	LIGHT-3	LIGHT-3	12
Transverse Cracking	6	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	16
Reflective Cracking	6	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	16
Logitudinal Cracking	7	HEAVY-1	HEAVY-1	4
Edge Cracking	7	MODERATE-2	MODERATE-2	8
Flushing	8	LIGHT-3	N/A (NOT APPLICABLE)-4	14
Raveling	9	MODERATE-2	MODERATE-2	4
Rippling	9	MODERATE-2	MODERATE-2	4
Shoving	10	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	8
Tenting	11	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	8
Lane/Shoulder Drop-Off	12	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	8
Lane/ShoulderSeparation	12	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	8
TOTAL DISTRESS SCORE				170 OF 240

INDICES	Priority Level	Severity Level	Indices Score
Riding	1	40	120
Safety	2	40	120
Drainage	3	30	60
Utility	4	85	170
Traffic	5	100	100
Maintenance	6	40	40
INDICES TOTAL			610 OF 1,200

SPOT REPAIR(S):	
Number	N/A
Average Area (sf)	N/A
Total Area (sf)	N/A

TOTAL SCORE	780	OF 1,440
INITIAL RATING	54	
FINAL RATING	54	

PAVEMENT EVALUATION - SORTED BY STREET NAME

Pavement Management Program - Ashburnham, MA 12/9/2011 TO 12/30/2012

Street Name	From Station	To Station	Length (ft)	Width (ft)
SHORE ROAD BRANCH (LOCAL/DEAD END)	+ 0	2+62	262	12

DISTRESSES	Priority Level	Severity Level	Extent Level	Distress Score
Potholes	1	HEAVY-1	HEAVY-1	6
Delamination	2	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	24
Alligator Cracking	3	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	24
Rutting	4	HEAVY-1	HEAVY-1	6
Block Cracking	5	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	16
Transverse Cracking	6	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	16
Reflective Cracking	6	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	16
Logitudinal Cracking	7	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	16
Edge Cracking	7	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	16
Flushing	8	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	16
Raveling	9	N/A (NOT APPLICABLE)-4	HEAVY-1	5
Ripping	9	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	8
Shoving	10	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	8
Tenting	11	HEAVY-1	HEAVY-1	2
Lane/Shoulder Drop-Off	12	HEAVY-1	HEAVY-1	2
Lane/ShoulderSeparation	12	HEAVY-1	HEAVY-1	2
TOTAL DISTRESS SCORE				183 OF 240

INDICES	Priority Level	Severity Level	Indices Score
Riding	1	5	15
Safety	2	5	15
Drainage	3	5	10
Utility	4	100	200
Traffic	5	10	10
Maintenance	6	5	5
INDICES TOTAL			255 OF 1,200

SPOT REPAIR(S):	
Number	N/A
Average Area (sf)	N/A
Total Area (sf)	N/A

TOTAL SCORE	438	OF 1,440
INITIAL RATING	30	
FINAL RATING	30	

PAVEMENT EVALUATION - SORTED BY STREET NAME

Pavement Management Program - Ashburnham, MA 12/9/2011 TO 12/30/2012

Street Name	From Station	To Station	Length (ft)	Width (ft)
SIBLEY ROAD (LOCAL THRU MINOR)	+ 0	12+85	1,285	22

DISTRESSES	Priority Level	Severity Level	Extent Level	Distress Score
Potholes	1	LIGHT-3	LIGHT-3	18
Delamination	2	LIGHT-3	LIGHT-3	18
Alligator Cracking	3	LIGHT-3	MODERATE-2	15
Rutting	4	LIGHT-3	LIGHT-3	18
Block Cracking	5	LIGHT-3	MODERATE-2	10
Transverse Cracking	6	LIGHT-3	LIGHT-3	12
Reflective Cracking	6	LIGHT-3	LIGHT-3	12
Logitudinal Cracking	7	LIGHT-3	LIGHT-3	12
Edge Cracking	7	LIGHT-3	LIGHT-3	12
Flushing	8	LIGHT-3	LIGHT-3	12
Raveling	9	LIGHT-3	LIGHT-3	6
Ripping	9	LIGHT-3	LIGHT-3	6
Shoving	10	LIGHT-3	LIGHT-3	6
Tenting	11	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	8
Lane/Shoulder Drop-Off	12	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	8
Lane/ShoulderSeparation	12	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	8
TOTAL DISTRESS SCORE				181 OF 240

INDICES	Priority Level	Severity Level	Indices Score
Riding	1	70	210
Safety	2	85	255
Drainage	3	85	170
Utility	4	90	180
Traffic	5	95	95
Maintenance	6	85	85
INDICES TOTAL			995 OF 1,200

SPOT REPAIR(S):	
Number	4
Average Area (sf)	100
Total Area (sf)	400

TOTAL SCORE	1,176	OF 1,440
INITIAL RATING	82	
FINAL RATING	82	

PAVEMENT EVALUATION - SORTED BY STREET NAME

Pavement Management Program - Ashburnham, MA 12/9/2011 TO 12/30/2012

Street Name	From Station	To Station	Length (ft)	Width (ft)
SOUTH SCHOOL STREET (LOCAL/DEAD END)	+ 0	7+94	794	22

DISTRESSES	Priority Level	Severity Level	Extent Level	Distress Score
Potholes	1	HEAVY-1	MODERATE-2	9
Delamination	2	MODERATE-2	MODERATE-2	12
Alligator Cracking	3	MODERATE-2	MODERATE-2	12
Rutting	4	LIGHT-3	LIGHT-3	18
Block Cracking	5	LIGHT-3	LIGHT-3	12
Transverse Cracking	6	N/A (NOT APPLICABLE)-4	LIGHT-3	14
Reflective Cracking	6	LIGHT-3	LIGHT-3	12
Logitudinal Cracking	7	MODERATE-2	MODERATE-2	8
Edge Cracking	7	MODERATE-2	MODERATE-2	8
Flushing	8	LIGHT-3	LIGHT-3	12
Raveling	9	HEAVY-1	HEAVY-1	2
Ripping	9	HEAVY-1	HEAVY-1	2
Shoving	10	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	8
Tanting	11	LIGHT-3	LIGHT-3	6
Lane/Shoulder Drop-Off	12	LIGHT-3	LIGHT-3	6
Lane/ShoulderSeparation	12	LIGHT-3	N/A (NOT APPLICABLE)-4	7
TOTAL DISTRESS SCORE				148 OF 240

INDICES	Priority Level	Severity Level	Indices Score
Riding	1	25	75
Safety	2	75	225
Drainage	3	40	80
Utility	4	50	100
Traffic	5	65	65
Maintenance	6	65	65
INDICES TOTAL			610 OF 1,200

SPOT REPAIR(S):	
Number	N/A
Average Area (sf)	N/A
Total Area (sf)	N/A

TOTAL SCORE	758	OF 1,440
INITIAL RATING	53	
FINAL RATING	53	

PAVEMENT EVALUATION - SORTED BY STREET NAME

Pavement Management Program - Ashburnham, MA 12/9/2011 TO 12/30/2012

Street Name	From Station	To Station	Length (ft)	Width (ft)
SQUIRE ROAD (LOCAL/DEAD END)	+ 0	8+07	807	18

DISTRESSES	Priority Level	Severity Level	Extent Level	Distress Score
Potholes	1	HEAVY-1	HEAVY-1	6
Delamination	2	HEAVY-1	HEAVY-1	6
Alligator Cracking	3	HEAVY-1	HEAVY-1	6
Rutting	4	HEAVY-1	HEAVY-1	6
Block Cracking	5	HEAVY-1	HEAVY-1	4
Transverse Cracking	6	HEAVY-1	HEAVY-1	4
Reflective Cracking	6	HEAVY-1	HEAVY-1	4
Logitudinal Cracking	7	HEAVY-1	HEAVY-1	4
Edge Cracking	7	HEAVY-1	HEAVY-1	4
Flushing	8	HEAVY-1	HEAVY-1	4
Raveling	9	HEAVY-1	HEAVY-1	2
Ripping	9	HEAVY-1	HEAVY-1	2
Shoving	10	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	8
Tanting	11	HEAVY-1	HEAVY-1	2
Lane/Shoulder Drop-Off	12	LIGHT-3	LIGHT-3	6
Lane/ShoulderSeparation	12	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	8
TOTAL DISTRESS SCORE				76 OF 240

INDICES	Priority Level	Severity Level	Indices Score
Riding	1	5	15
Safety	2	40	120
Drainage	3	5	10
Utility	4	5	10
Traffic	5	25	25
Maintenance	6	65	65
INDICES TOTAL			245 OF 1,200

SPOT REPAIR(S):	
Number	N/A
Average Area (sf)	N/A
Total Area (sf)	N/A

TOTAL SCORE	321	OF 1,440
INITIAL RATING	22	
FINAL RATING	22	

PAVEMENT EVALUATION - SORTED BY STREET NAME

Pavement Management Program - Ashburnham, MA 12/9/2011 TO 12/30/2012

Street Name	From Station	To Station	Length (ft)	Width (ft)
STOWELL ROAD (LOCAL THRU MINOR)	+ 0	61+00	6,100	24

DISTRESSES	Priority Level	Severity Level	Extent Level	Distress Score
Potholes	1	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	24
Delamination	2	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	24
Alligator Cracking	3	MODERATE-2	MODERATE-2	12
Rutting	4	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	24
Block Cracking	5	LIGHT-3	LIGHT-3	12
Transverse Cracking	6	LIGHT-3	LIGHT-3	12
Reflective Cracking	6	LIGHT-3	LIGHT-3	12
Logitudinal Cracking	7	LIGHT-3	MODERATE-2	10
Edge Cracking	7	LIGHT-3	LIGHT-3	12
Flushing	8	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	16
Raveling	9	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	8
Rippling	9	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	8
Shoving	10	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	8
Tenting	11	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	8
Lane/Shoulder Drop-Off	12	LIGHT-3	LIGHT-3	6
Lane/ShoulderSeparation	12	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	8
TOTAL DISTRESS SCORE				204 OF 240

INDICES	Priority Level	Severity Level	Indices Score
Riding	1	70	210
Safety	2	90	270
Drainage	3	60	120
Utility	4	100	200
Traffic	5	80	80
Maintenance	6	65	65
INDICES TOTAL			945 OF 1,200

SPOT REPAIR(S):	
Number	N/A
Average Area (sf)	N/A
Total Area (sf)	N/A

TOTAL SCORE	1,149 OF 1,440
INITIAL RATING	80
FINAL RATING	80

PAVEMENT EVALUATION - SORTED BY STREET NAME

Pavement Management Program - Ashburnham, MA 12/9/2011 TO 12/30/2012

Street Name	From Station	To Station	Length (ft)	Width (ft)
STOWELL ROAD (LOCAL THRU MINOR)	119+00	146+48	2,748	18

DISTRESSES	Priority Level	Severity Level	Extent Level	Distress Score
Potholes	1	HEAVY-1	HEAVY-1	6
Delamination	2	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	24
Alligator Cracking	3	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	24
Rutting	4	HEAVY-1	HEAVY-1	6
Block Cracking	5	N/A (NOT APPLICABLE)-4	LIGHT-3	14
Transverse Cracking	6	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	16
Reflective Cracking	6	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	16
Logitudinal Cracking	7	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	16
Edge Cracking	7	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	16
Flushing	8	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	16
Raveling	9	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	8
Rippling	9	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	8
Shoving	10	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	8
Tenting	11	HEAVY-1	HEAVY-1	2
Lane/Shoulder Drop-Off	12	HEAVY-1	HEAVY-1	2
Lane/ShoulderSeparation	12	MODERATE-2	MODERATE-2	4
TOTAL DISTRESS SCORE				186 OF 240

INDICES	Priority Level	Severity Level	Indices Score
Riding	1	5	15
Safety	2	30	90
Drainage	3	5	10
Utility	4	30	60
Traffic	5	30	30
Maintenance	6	40	40
INDICES TOTAL			245 OF 1,200

SPOT REPAIR(S):	
Number	N/A
Average Area (sf)	N/A
Total Area (sf)	N/A

TOTAL SCORE	431 OF 1,440
INITIAL RATING	30
FINAL RATING	30

PAVEMENT EVALUATION - SORTED BY STREET NAME

Pavement Management Program - Ashburnham, MA 12/9/2011 TO 12/30/2012

Street Name	From Station	To Station	Length (ft)	Width (ft)
STOWELL ROAD (LOCAL THRU MINOR)	61+00	119+00	5,800	20

DISTRESSES	Priority Level	Severity Level	Extent Level	Distress Score
Potholes	1	HEAVY-1	HEAVY-1	6
Delamination	2	HEAVY-1	HEAVY-1	6
Alligator Cracking	3	HEAVY-1	HEAVY-1	6
Rutting	4	HEAVY-1	HEAVY-1	6
Block Cracking	5	HEAVY-1	HEAVY-1	4
Transverse Cracking	6	MODERATE-2	MODERATE-2	8
Reflective Cracking	6	MODERATE-2	MODERATE-2	8
Logitudinal Cracking	7	HEAVY-1	HEAVY-1	4
Edge Cracking	7	HEAVY-1	HEAVY-1	4
Flushing	8	MODERATE-2	MODERATE-2	8
Raveling	9	MODERATE-2	MODERATE-2	4
Ripping	9	MODERATE-2	MODERATE-2	4
Shoving	10	LIGHT-3	LIGHT-3	6
Tenting	11	MODERATE-2	MODERATE-2	4
Lane/Shoulder Drop-Off	12	MODERATE-2	MODERATE-2	4
Lane/ShoulderSeparation	12	LIGHT-3	LIGHT-3	6
TOTAL DISTRESS SCORE				88 OF 240

INDICES	Priority Level	Severity Level	Indices Score
Riding	1	20	60
Safety	2	70	210
Drainage	3	40	80
Utility	4	100	200
Traffic	5	70	70
Maintenance	6	60	60
INDICES TOTAL			680 OF 1,200

SPOT REPAIR(S):	
Number	N/A
Average Area (sf)	N/A
Total Area (sf)	N/A

TOTAL SCORE	768	OF 1,440
INITIAL RATING	53	
FINAL RATING	53	

PAVEMENT EVALUATION - SORTED BY STREET NAME

Pavement Management Program - Ashburnham, MA 12/9/2011 TO 12/30/2012

Street Name	From Station	To Station	Length (ft)	Width (ft)
TUCKERMAN ROAD (LOCAL THRU MINOR)	+ 0 (EAST RINDGE ROAD)	53+00 (DUNN ROAD)	5,300	19

DISTRESSES	Priority Level	Severity Level	Extent Level	Distress Score
Potholes	1	MODERATE-2	LIGHT-3	15
Delamination	2	MODERATE-2	MODERATE-2	12
Alligator Cracking	3	MODERATE-2	MODERATE-2	12
Rutting	4	MODERATE-2	MODERATE-2	12
Block Cracking	5	MODERATE-2	MODERATE-2	8
Transverse Cracking	6	LIGHT-3	LIGHT-3	12
Reflective Cracking	6	LIGHT-3	LIGHT-3	12
Logitudinal Cracking	7	HEAVY-1	MODERATE-2	6
Edge Cracking	7	HEAVY-1	HEAVY-1	4
Flushing	8	LIGHT-3	LIGHT-3	12
Raveling	9	LIGHT-3	LIGHT-3	6
Ripping	9	LIGHT-3	LIGHT-3	6
Shoving	10	LIGHT-3	LIGHT-3	6
Tenting	11	LIGHT-3	LIGHT-3	6
Lane/Shoulder Drop-Off	12	LIGHT-3	LIGHT-3	6
Lane/ShoulderSeparation	12	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	8
TOTAL DISTRESS SCORE				143 OF 240

INDICES	Priority Level	Severity Level	Indices Score
Riding	1	55	165
Safety	2	75	225
Drainage	3	65	130
Utility	4	40	80
Traffic	5	85	85
Maintenance	6	60	60
INDICES TOTAL			745 OF 1,200

SPOT REPAIR(S):	
Number	11
Average Area (sf)	100
Total Area (sf)	1,100

TOTAL SCORE	888	OF 1,440
INITIAL RATING	62	
FINAL RATING	62	

PAVEMENT EVALUATION - SORTED BY STREET NAME

Pavement Management Program - Ashburnham, MA 12/9/2011 TO 12/30/2012

Street Name	From Station	To Station	Length (ft)	Width (ft)
TUCKERMAN ROAD (LOCAL THRU MINOR)	53+00 (DUNN ROAD)	106+63	5,363	20

DISTRESSES	Priority Level	Severity Level	Extent Level	Distress Score
Potholes	1	HEAVY-1	MODERATE-2	9
Delamination	2	HEAVY-1	MODERATE-2	9
Alligator Cracking	3	MODERATE-2	HEAVY-1	9
Rutting	4	HEAVY-1	HEAVY-1	6
Block Cracking	5	MODERATE-2	HEAVY-1	6
Transverse Cracking	6	MODERATE-2	MODERATE-2	8
Reflective Cracking	6	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	16
Logitudinal Cracking	7	HEAVY-1	MODERATE-2	6
Edge Cracking	7	MODERATE-2	HEAVY-1	6
Flushing	8	LIGHT-3	LIGHT-3	12
Raveling	9	MODERATE-2	MODERATE-2	4
Ripping	9	MODERATE-2	MODERATE-2	4
Shoving	10	MODERATE-2	MODERATE-2	4
Tenting	11	HEAVY-1	MODERATE-2	3
Lane/Shoulder Drop-Off	12	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	8
Lane/ShoulderSeparation	12	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	8
TOTAL DISTRESS SCORE				118 OF 240

INDICES	Priority Level	Severity Level	Indices Score
Riding	1	20	60
Safety	2	70	210
Drainage	3	30	60
Utility	4	35	70
Traffic	5	100	100
Maintenance	6	65	65
INDICES TOTAL			565 OF 1,200

SPOT REPAIR(S):	
Number	N/A
Average Area (sf)	N/A
Total Area (sf)	N/A

TOTAL SCORE	683	OF 1,440
INITIAL RATING	47	
FINAL RATING	47	

PAVEMENT EVALUATION - SORTED BY STREET NAME

Pavement Management Program - Ashburnham, MA 12/9/2011 TO 12/30/2012

Street Name	From Station	To Station	Length (ft)	Width (ft)
TURNPIKE ROAD (LOCAL THRU MINOR)	+ 0	21+18	2,118	20

DISTRESSES	Priority Level	Severity Level	Extent Level	Distress Score
Potholes	1	HEAVY-1	HEAVY-1	6
Delamination	2	HEAVY-1	HEAVY-1	6
Alligator Cracking	3	HEAVY-1	HEAVY-1	6
Rutting	4	MODERATE-2	MODERATE-2	12
Block Cracking	5	HEAVY-1	HEAVY-1	4
Transverse Cracking	6	LIGHT-3	LIGHT-3	12
Reflective Cracking	6	LIGHT-3	LIGHT-3	12
Logitudinal Cracking	7	HEAVY-1	HEAVY-1	4
Edge Cracking	7	HEAVY-1	HEAVY-1	4
Flushing	8	MODERATE-2	MODERATE-2	8
Raveling	9	HEAVY-1	HEAVY-1	2
Ripping	9	HEAVY-1	HEAVY-1	2
Shoving	10	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	8
Tenting	11	LIGHT-3	LIGHT-3	6
Lane/Shoulder Drop-Off	12	MODERATE-2	MODERATE-2	4
Lane/ShoulderSeparation	12	LIGHT-3	LIGHT-3	6
TOTAL DISTRESS SCORE				102 OF 240

INDICES	Priority Level	Severity Level	Indices Score
Riding	1	25	75
Safety	2	60	180
Drainage	3	25	50
Utility	4	60	120
Traffic	5	85	85
Maintenance	6	70	70
INDICES TOTAL			580 OF 1,200

SPOT REPAIR(S):	
Number	N/A
Average Area (sf)	N/A
Total Area (sf)	N/A

TOTAL SCORE	682	OF 1,440
INITIAL RATING	47	
FINAL RATING	47	

PAVEMENT EVALUATION - SORTED BY STREET NAME

Pavement Management Program - Ashburnham, MA 12/9/2011 TO 12/30/2012

Street Name	From Station	To Station	Length (ft)	Width (ft)
VALERIE CIRCLE (LOCAL/DEAD END)	+ 0	8+99	899	20

DISTRESSES	Priority Level	Severity Level	Extent Level	Distress Score
Potholes	1	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	24
Delamination	2	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	24
Alligator Cracking	3	LIGHT-3	MODERATE-2	15
Rutting	4	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	24
Block Cracking	5	LIGHT-3	LIGHT-3	12
Transverse Cracking	6	MODERATE-2	LIGHT-3	10
Reflective Cracking	6	MODERATE-2	LIGHT-3	10
Logitudinal Cracking	7	MODERATE-2	LIGHT-3	10
Edge Cracking	7	LIGHT-3	LIGHT-3	12
Flushing	8	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	16
Raveling	9	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	8
Ripping	9	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	8
Shoving	10	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	8
Tearing	11	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	8
Lane/Shoulder Drop-Off	12	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	8
Lane/Shoulder Separation	12	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	8
TOTAL DISTRESS SCORE				205 OF 240

INDICES	Priority Level	Severity Level	Indices Score
Riding	1	85	255
Safety	2	70	210
Drainage	3	85	170
Utility	4	85	170
Traffic	5	65	65
Maintenance	6	85	85
INDICES TOTAL			955 OF 1,200

SPOT REPAIR(S):	
Number	2
Average Area (sf)	100
Total Area (sf)	200

TOTAL SCORE	1,160 OF 1,440
INITIAL RATING	81
FINAL RATING	81

PAVEMENT EVALUATION - SORTED BY STREET NAME

Pavement Management Program - Ashburnham, MA 12/9/2011 TO 12/30/2012

Street Name	From Station	To Station	Length (ft)	Width (ft)
WAGG HILL ROAD (LOCAL THRU MINOR)	+ 0	15+77	1,577	18

DISTRESSES	Priority Level	Severity Level	Extent Level	Distress Score
Potholes	1	HEAVY-1	HEAVY-1	6
Delamination	2	HEAVY-1	HEAVY-1	6
Alligator Cracking	3	HEAVY-1	HEAVY-1	6
Rutting	4	HEAVY-1	HEAVY-1	6
Block Cracking	5	HEAVY-1	HEAVY-1	4
Transverse Cracking	6	MODERATE-2	MODERATE-2	8
Reflective Cracking	6	MODERATE-2	MODERATE-2	8
Logitudinal Cracking	7	HEAVY-1	HEAVY-1	4
Edge Cracking	7	HEAVY-1	HEAVY-1	4
Flushing	8	MODERATE-2	MODERATE-2	8
Raveling	9	HEAVY-1	HEAVY-1	2
Ripping	9	MODERATE-2	MODERATE-2	4
Shoving	10	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	8
Tearing	11	MODERATE-2	MODERATE-2	4
Lane/Shoulder Drop-Off	12	MODERATE-2	MODERATE-2	4
Lane/Shoulder Separation	12	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	8
TOTAL DISTRESS SCORE				90 OF 240

INDICES	Priority Level	Severity Level	Indices Score
Riding	1	10	30
Safety	2	55	165
Drainage	3	15	30
Utility	4	70	140
Traffic	5	70	70
Maintenance	6	65	65
INDICES TOTAL			500 OF 1,200

SPOT REPAIR(S):	
Number	N/A
Average Area (sf)	N/A
Total Area (sf)	N/A

TOTAL SCORE	590 OF 1,440
INITIAL RATING	41
FINAL RATING	41

PAVEMENT EVALUATION - SORTED BY STREET NAME

Pavement Management Program - Ashburnham, MA 12/9/2011 TO 12/30/2012

Street Name	From Station	To Station	Length (ft)	Width (ft)
WATATIC ROAD (LOCAL THRU MINOR)	+ 0	12+23	1,223	14

DISTRESSES	Priority Level	Severity Level	Extent Level	Distress Score
Potholes	1	HEAVY-1	HEAVY-1	6
Delamination	2	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	24
Alligator Cracking	3	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	24
Rutting	4	HEAVY-1	HEAVY-1	6
Block Cracking	5	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	16
Transverse Cracking	6	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	16
Reflective Cracking	6	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	16
Logitudinal Cracking	7	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	16
Edge Cracking	7	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	16
Flushing	8	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	16
Raveling	9	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	8
Ripping	9	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	8
Shoving	10	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	8
Tenting	11	HEAVY-1	HEAVY-1	2
Lane/Shoulder Drop-Off	12	HEAVY-1	HEAVY-1	2
Lane/ShoulderSeparation	12	HEAVY-1	HEAVY-1	2
TOTAL DISTRESS SCORE				186 OF 240

INDICES	Priority Level	Severity Level	Indices Score
Riding	1	5	15
Safety	2	5	15
Drainage	3	5	10
Utility	4	5	10
Traffic	5	80	80
Maintenance	6	5	5
INDICES TOTAL			135 OF 1,200

SPOT REPAIR(S):	
Number	N/A
Average Area (sf)	N/A
Total Area (sf)	N/A

TOTAL SCORE	321 OF 1,440
INITIAL RATING	22
FINAL RATING	22

PAVEMENT EVALUATION - SORTED BY STREET NAME

Pavement Management Program - Ashburnham, MA 12/9/2011 TO 12/30/2012

Street Name	From Station	To Station	Length (ft)	Width (ft)
WATER STREET (MINOR COLLECTOR)	+ 0	23+45	2,345	28

DISTRESSES	Priority Level	Severity Level	Extent Level	Distress Score
Potholes	1	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	24
Delamination	2	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	24
Alligator Cracking	3	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	24
Rutting	4	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	24
Block Cracking	5	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	16
Transverse Cracking	6	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	16
Reflective Cracking	6	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	16
Logitudinal Cracking	7	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	16
Edge Cracking	7	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	16
Flushing	8	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	16
Raveling	9	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	8
Ripping	9	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	8
Shoving	10	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	8
Tenting	11	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	8
Lane/Shoulder Drop-Off	12	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	8
Lane/ShoulderSeparation	12	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	8
TOTAL DISTRESS SCORE				240 OF 240

INDICES	Priority Level	Severity Level	Indices Score
Riding	1	100	300
Safety	2	95	285
Drainage	3	100	200
Utility	4	100	200
Traffic	5	95	95
Maintenance	6	90	90
INDICES TOTAL			1170 OF 1,200

SPOT REPAIR(S):	
Number	N/A
Average Area (sf)	N/A
Total Area (sf)	N/A

TOTAL SCORE	1,410 OF 1,440
INITIAL RATING	98
FINAL RATING	94

PAVEMENT EVALUATION - SORTED BY STREET NAME

Pavement Management Program - Ashburnham, MA 12/9/2011 TO 12/30/2012

Street Name	From Station	To Station	Length (ft)	Width (ft)
WESTMINSTER STREET (MINOR COLLECTOR)	+ 0	16+00	1,600	26

DISTRESSES	Priority Level	Severity Level	Extent Level	Distress Score
Potholes	1	MODERATE-2	MODERATE-2	12
Delamination	2	LIGHT-3	LIGHT-3	18
Alligator Cracking	3	MODERATE-2	MODERATE-2	12
Rutting	4	LIGHT-3	N/A (NOT APPLICABLE)-4	21
Block Cracking	5	MODERATE-2	MODERATE-2	8
Transverse Cracking	6	MODERATE-2	MODERATE-2	8
Reflective Cracking	6	MODERATE-2	MODERATE-2	8
Logitudinal Cracking	7	MODERATE-2	MODERATE-2	8
Edge Cracking	7	MODERATE-2	MODERATE-2	8
Flushing	8	LIGHT-3	LIGHT-3	12
Raveling	9	LIGHT-3	LIGHT-3	6
Rippling	9	N/A (NOT APPLICABLE)-4	LIGHT-3	7
Shoving	10	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	8
Tenting	11	LIGHT-3	LIGHT-3	6
Lane/Shoulder Drop-Off	12	MODERATE-2	LIGHT-3	5
Lane/Shoulder Separation	12	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	8
TOTAL DISTRESS SCORE				155 OF 240

INDICES	Priority Level	Severity Level	Indices Score
Riding	1	45	135
Safety	2	80	240
Drainage	3	60	120
Utility	4	70	140
Traffic	5	95	95
Maintenance	6	75	75
INDICES TOTAL			805 OF 1,200

SPOT REPAIR(S):	
Number	20
Average Area (sf)	190
Total Area (sf)	3,800

TOTAL SCORE	960 OF 1,440
INITIAL RATING	67
FINAL RATING	64

PAVEMENT EVALUATION - SORTED BY STREET NAME

Pavement Management Program - Ashburnham, MA 12/9/2011 TO 12/30/2012

Street Name	From Station	To Station	Length (ft)	Width (ft)
WESTMINSTER STREET (MINOR COLLECTOR)	16+00	23+43	743	26

DISTRESSES	Priority Level	Severity Level	Extent Level	Distress Score
Potholes	1	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	24
Delamination	2	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	24
Alligator Cracking	3	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	24
Rutting	4	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	24
Block Cracking	5	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	16
Transverse Cracking	6	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	16
Reflective Cracking	6	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	16
Logitudinal Cracking	7	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	16
Edge Cracking	7	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	16
Flushing	8	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	16
Raveling	9	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	8
Rippling	9	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	8
Shoving	10	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	8
Tenting	11	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	8
Lane/Shoulder Drop-Off	12	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	8
Lane/Shoulder Separation	12	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	8
TOTAL DISTRESS SCORE				240 OF 240

INDICES	Priority Level	Severity Level	Indices Score
Riding	1	90	270
Safety	2	80	240
Drainage	3	85	170
Utility	4	90	180
Traffic	5	95	95
Maintenance	6	75	75
INDICES TOTAL			1030 OF 1,200

SPOT REPAIR(S):	
Number	N/A
Average Area (sf)	N/A
Total Area (sf)	N/A

TOTAL SCORE	1,270 OF 1,440
INITIAL RATING	88
FINAL RATING	84

PAVEMENT EVALUATION - SORTED BY STREET NAME

Pavement Management Program - Ashburnham, MA 12/9/2011 TO 12/30/2012

Street Name	From Station	To Station	Length (ft)	Width (ft)
WHITNEY DRIVE (LOCAL/DEAD END)	+ 0	20+47	2,047	26

DISTRESSES	Priority Level	Severity Level	Extent Level	Distress Score
Potholes	1	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	24
Delamination	2	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	24
Alligator Cracking	3	MODERATE-2	LIGHT-3	15
Rutting	4	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	24
Block Cracking	5	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	16
Transverse Cracking	6	MODERATE-2	LIGHT-3	10
Reflective Cracking	6	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	16
Logitudinal Cracking	7	MODERATE-2	LIGHT-3	10
Edge Cracking	7	LIGHT-3	LIGHT-3	12
Flushing	8	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	16
Ravelling	9	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	8
Rippling	9	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	8
Shoving	10	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	8
Tenting	11	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	8
Lane/Shoulder Drop-Off	12	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	8
Lane/ShoulderSeparation	12	MODERATE-2	MODERATE-2	4
TOTAL DISTRESS SCORE				211 OF 240

INDICES	Priority Level	Severity Level	Indices Score
Riding	1	75	225
Safety	2	85	255
Drainage	3	80	160
Utility	4	70	140
Traffic	5	80	80
Maintenance	6	75	75
INDICES TOTAL			935 OF 1,200

SPOT REPAIR(S):	
Number	2
Average Area (sf)	100
Total Area (sf)	200

TOTAL SCORE	1,146 OF 1,440
INITIAL RATING	80
FINAL RATING	80

PAVEMENT EVALUATION - SORTED BY STREET NAME

Pavement Management Program - Ashburnham, MA 12/9/2011 TO 12/30/2012

Street Name	From Station	To Station	Length (ft)	Width (ft)
WILKER ROAD (LOCAL THRU MINOR)	+ 0	62+26	6,226	21

DISTRESSES	Priority Level	Severity Level	Extent Level	Distress Score
Potholes	1	HEAVY-1	HEAVY-1	6
Delamination	2	HEAVY-1	HEAVY-1	6
Alligator Cracking	3	HEAVY-1	HEAVY-1	6
Rutting	4	MODERATE-2	MODERATE-2	12
Block Cracking	5	MODERATE-2	MODERATE-2	8
Transverse Cracking	6	MODERATE-2	MODERATE-2	8
Reflective Cracking	6	MODERATE-2	MODERATE-2	8
Logitudinal Cracking	7	HEAVY-1	HEAVY-1	4
Edge Cracking	7	MODERATE-2	MODERATE-2	8
Flushing	8	MODERATE-2	MODERATE-2	8
Ravelling	9	MODERATE-2	MODERATE-2	4
Rippling	9	MODERATE-2	MODERATE-2	4
Shoving	10	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	8
Tenting	11	MODERATE-2	MODERATE-2	4
Lane/Shoulder Drop-Off	12	MODERATE-2	MODERATE-2	4
Lane/ShoulderSeparation	12	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	8
TOTAL DISTRESS SCORE				106 OF 240

INDICES	Priority Level	Severity Level	Indices Score
Riding	1	30	90
Safety	2	60	180
Drainage	3	35	70
Utility	4	40	80
Traffic	5	55	55
Maintenance	6	40	40
INDICES TOTAL			515 OF 1,200

SPOT REPAIR(S):	
Number	N/A
Average Area (sf)	N/A
Total Area (sf)	N/A

TOTAL SCORE	621 OF 1,440
INITIAL RATING	43
FINAL RATING	43

PAVEMENT EVALUATION - SORTED BY STREET NAME

Pavement Management Program - Ashburnham, MA 12/9/2011 TO 12/30/2012

Street Name	From Station	To Station	Length (ft)	Width (ft)
WILKER ROAD BRANCH TO RUSSE (LOCAL THRU MINOR)	+ 0	+68	68	22

DISTRESSES	Priority Level	Severity Level	Extent Level	Distress Score
Potholes	1	HEAVY-1	MODERATE-2	9
Delamination	2	HEAVY-1	HEAVY-1	6
Alligator Cracking	3	MODERATE-2	MODERATE-2	12
Rutting	4	MODERATE-2	MODERATE-2	12
Block Cracking	5	MODERATE-2	MODERATE-2	8
Transverse Cracking	6	LIGHT-3	LIGHT-3	12
Reflective Cracking	6	N/A (NOT APPLICABLE)-4	LIGHT-3	14
Logitudinal Cracking	7	HEAVY-1	MODERATE-2	6
Edge Cracking	7	MODERATE-2	MODERATE-2	8
Flushing	8	LIGHT-3	LIGHT-3	12
Raveling	9	MODERATE-2	MODERATE-2	4
Bipping	9	MODERATE-2	MODERATE-2	4
Shoving	10	MODERATE-2	MODERATE-2	4
Tenting	11	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	8
Lane/Shoulder Drop-Off	12	MODERATE-2	MODERATE-2	4
Lane/ShoulderSeparation	12	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	8
TOTAL DISTRESS SCORE				131 OF 240

INDICES	Priority Level	Severity Level	Indices Score
Riding	1	60	180
Safety	2	60	180
Drainage	3	60	120
Utility	4	60	120
Traffic	5	60	60
Maintenance	6	60	60
INDICES TOTAL			720 OF 1,200

SPOT REPAIR(S):	
Number	N/A
Average Area (sf)	N/A
Total Area (sf)	N/A

TOTAL SCORE	851 OF 1,440
INITIAL RATING	59
FINAL RATING	59

PAVEMENT EVALUATION - SORTED BY STREET NAME

Pavement Management Program - Ashburnham, MA 12/9/2011 TO 12/30/2012

Street Name	From Station	To Station	Length (ft)	Width (ft)
WILLARD ROAD (LOCAL THRU MINOR)	+ 0	10+00	1,000	21

DISTRESSES	Priority Level	Severity Level	Extent Level	Distress Score
Potholes	1	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	24
Delamination	2	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	24
Alligator Cracking	3	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	24
Rutting	4	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	24
Block Cracking	5	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	16
Transverse Cracking	6	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	16
Reflective Cracking	6	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	16
Logitudinal Cracking	7	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	16
Edge Cracking	7	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	16
Flushing	8	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	16
Raveling	9	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	8
Bipping	9	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	8
Shoving	10	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	8
Tenting	11	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	8
Lane/Shoulder Drop-Off	12	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	8
Lane/ShoulderSeparation	12	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	8
TOTAL DISTRESS SCORE				240 OF 240

INDICES	Priority Level	Severity Level	Indices Score
Riding	1	95	285
Safety	2	95	285
Drainage	3	95	190
Utility	4	100	200
Traffic	5	75	75
Maintenance	6	85	85
INDICES TOTAL			1120 OF 1,200

SPOT REPAIR(S):	
Number	N/A
Average Area (sf)	N/A
Total Area (sf)	N/A

TOTAL SCORE	1,360 OF 1,440
INITIAL RATING	94
FINAL RATING	94

PAVEMENT EVALUATION - SORTED BY STREET NAME

Pavement Management Program - Ashburnham, MA 12/9/2011 TO 12/30/2012

Street Name	From Station	To Station	Length (ft)	Width (ft)
WILLARD ROAD (LOCAL THRU MINOR)	10+00	25+00	1,500	19

DISTRESSES	Priority Level	Severity Level	Extent Level	Distress Score
Potholes	1	HEAVY-1	HEAVY-1	6
Delamination	2	HEAVY-1	HEAVY-1	6
Alligator Cracking	3	HEAVY-1	HEAVY-1	6
Rutting	4	MODERATE-2	MODERATE-2	12
Block Cracking	5	MODERATE-2	MODERATE-2	8
Transverse Cracking	6	MODERATE-2	MODERATE-2	8
Reflective Cracking	6	LIGHT-3	LIGHT-3	12
Logitudinal Cracking	7	HEAVY-1	HEAVY-1	4
Edge Cracking	7	MODERATE-2	MODERATE-2	8
Flushing	8	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	16
Raveling	9	HEAVY-1	HEAVY-1	2
Ripping	9	HEAVY-1	HEAVY-1	2
Shoving	10	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	8
Tenting	11	MODERATE-2	MODERATE-2	4
Lane/Shoulder Drop-Off	12	MODERATE-2	MODERATE-2	4
Lane/ShoulderSeparation	12	LIGHT-3	LIGHT-3	6
TOTAL DISTRESS SCORE				112 OF 240

INDICES	Priority Level	Severity Level	Indices Score
Riding	1	15	45
Safety	2	60	180
Drainage	3	40	80
Utility	4	60	120
Traffic	5	90	90
Maintenance	6	60	60
INDICES TOTAL			575 OF 1,200

SPOT REPAIR(S):	
Number	N/A
Average Area (sf)	N/A
Total Area (sf)	N/A

TOTAL SCORE	687 OF 1,440
INITIAL RATING	48
FINAL RATING	48

PAVEMENT EVALUATION - SORTED BY STREET NAME

Pavement Management Program - Ashburnham, MA 12/9/2011 TO 12/30/2012

Street Name	From Station	To Station	Length (ft)	Width (ft)
WILLARD ROAD (LOCAL THRU MINOR)	25+00	107+57	8,257	20

DISTRESSES	Priority Level	Severity Level	Extent Level	Distress Score
Potholes	1	LIGHT-3	LIGHT-3	18
Delamination	2	LIGHT-3	LIGHT-3	18
Alligator Cracking	3	HEAVY-1	HEAVY-1	6
Rutting	4	LIGHT-3	LIGHT-3	18
Block Cracking	5	MODERATE-2	MODERATE-2	8
Transverse Cracking	6	LIGHT-3	LIGHT-3	12
Reflective Cracking	6	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	16
Logitudinal Cracking	7	HEAVY-1	HEAVY-1	4
Edge Cracking	7	HEAVY-1	HEAVY-1	4
Flushing	8	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	16
Raveling	9	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	8
Ripping	9	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	8
Shoving	10	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	8
Tenting	11	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	8
Lane/Shoulder Drop-Off	12	LIGHT-3	LIGHT-3	6
Lane/ShoulderSeparation	12	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	8
TOTAL DISTRESS SCORE				166 OF 240

INDICES	Priority Level	Severity Level	Indices Score
Riding	1	65	195
Safety	2	80	240
Drainage	3	90	180
Utility	4	85	170
Traffic	5	100	100
Maintenance	6	80	80
INDICES TOTAL			965 OF 1,200

SPOT REPAIR(S):	
Number	5
Average Area (sf)	200
Total Area (sf)	1,000

TOTAL SCORE	1,131 OF 1,440
INITIAL RATING	79
FINAL RATING	79

PAVEMENT EVALUATION - SORTED BY STREET NAME

Pavement Management Program - Ashburnham, MA 12/9/2011 TO 12/30/2012

Street Name	From Station	To Station	Length (ft)	Width (ft)
WILLIAMS PASSAGE (LOCAL THRU MINOR)	+ 0	5+30	530	24

DISTRESSES	Priority Level	Severity Level	Extent Level	Distress Score
Potholes	1	LIGHT-3	LIGHT-3	18
Delamination	2	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	24
Alligator Cracking	3	LIGHT-3	LIGHT-3	18
Rutting	4	LIGHT-3	LIGHT-3	18
Block Cracking	5	LIGHT-3	LIGHT-3	12
Transverse Cracking	6	MODERATE-2	LIGHT-3	10
Reflective Cracking	6	MODERATE-2	LIGHT-3	10
Logitudinal Cracking	7	LIGHT-3	LIGHT-3	12
Edge Cracking	7	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	16
Flushing	8	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	16
Raveling	9	LIGHT-3	LIGHT-3	6
Ripping	9	LIGHT-3	LIGHT-3	6
Shoving	10	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	8
Tenting	11	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	8
Lane/Shoulder Drop-Off	12	LIGHT-3	LIGHT-3	6
Lane/ShoulderSeparation	12	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	8
TOTAL DISTRESS SCORE				196 OF 240

INDICES	Priority Level	Severity Level	Indices Score
Riding	1	75	225
Safety	2	85	255
Drainage	3	70	140
Utility	4	85	170
Traffic	5	75	75
Maintenance	6	85	85
INDICES TOTAL			950 OF 1,200

SPOT REPAIR(S):	
Number	3
Average Area (sf)	100
Total Area (sf)	300

TOTAL SCORE	1,146 OF 1,440
INITIAL RATING	80
FINAL RATING	80

PAVEMENT EVALUATION - SORTED BY STREET NAME

Pavement Management Program - Ashburnham, MA 12/9/2011 TO 12/30/2012

Street Name	From Station	To Station	Length (ft)	Width (ft)
WILLIAMS ROAD (MINOR COLLECTOR)	+ 0	41+38	4,138	32

DISTRESSES	Priority Level	Severity Level	Extent Level	Distress Score
Potholes	1	HEAVY-1	HEAVY-1	6
Delamination	2	MODERATE-2	HEAVY-1	9
Alligator Cracking	3	MODERATE-2	HEAVY-1	9
Rutting	4	LIGHT-3	LIGHT-3	18
Block Cracking	5	MODERATE-2	MODERATE-2	8
Transverse Cracking	6	MODERATE-2	MODERATE-2	8
Reflective Cracking	6	MODERATE-2	MODERATE-2	8
Logitudinal Cracking	7	MODERATE-2	MODERATE-2	8
Edge Cracking	7	MODERATE-2	MODERATE-2	8
Flushing	8	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	16
Raveling	9	MODERATE-2	MODERATE-2	4
Ripping	9	MODERATE-2	MODERATE-2	4
Shoving	10	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	8
Tenting	11	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	8
Lane/Shoulder Drop-Off	12	LIGHT-3	LIGHT-3	6
Lane/ShoulderSeparation	12	LIGHT-3	LIGHT-3	6
TOTAL DISTRESS SCORE				134 OF 240

INDICES	Priority Level	Severity Level	Indices Score
Riding	1	30	90
Safety	2	45	135
Drainage	3	45	90
Utility	4	50	100
Traffic	5	70	70
Maintenance	6	55	55
INDICES TOTAL			540 OF 1,200

SPOT REPAIR(S):	
Number	N/A
Average Area (sf)	N/A
Total Area (sf)	N/A

TOTAL SCORE	674 OF 1,440
INITIAL RATING	47
FINAL RATING	45

PAVEMENT EVALUATION - SORTED BY STREET NAME

Pavement Management Program - Ashburnham, MA 12/9/2011 TO 12/30/2012

Street Name	From Station	To Station	Length (ft)	Width (ft)
WILLIAMS ROAD (MINOR COLLECTOR)	41+38	60+38	1,900	32

DISTRESSES	Priority Level	Severity Level	Extent Level	Distress Score
Potholes	1	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	24
Delamination	2	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	24
Alligator Cracking	3	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	24
Rutting	4	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	24
Block Cracking	5	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	16
Transverse Cracking	6	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	16
Reflective Cracking	6	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	16
Logitudinal Cracking	7	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	16
Edge Cracking	7	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	16
Flushing	8	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	16
Raveling	9	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	8
Ripping	9	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	8
Shoving	10	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	8
Tenting	11	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	8
Lane/Shoulder Drop-Off	12	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	8
Lane/ShoulderSeparation	12	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	8
TOTAL DISTRESS SCORE				240 OF 240

INDICES	Priority Level	Severity Level	Indices Score
Riding	1	90	270
Safety	2	75	225
Drainage	3	90	180
Utility	4	85	170
Traffic	5	70	70
Maintenance	6	70	70
INDICES TOTAL			985 OF 1,200

SPOT REPAIR(S):	
Number	N/A
Average Area (sf)	N/A
Total Area (sf)	N/A

TOTAL SCORE	1,225 OF 1,440
INITIAL RATING	85
FINAL RATING	82

PAVEMENT EVALUATION - SORTED BY STREET NAME

Pavement Management Program - Ashburnham, MA 12/9/2011 TO 12/30/2012

Street Name	From Station	To Station	Length (ft)	Width (ft)
YOUNG ROAD (LOCAL THRU MINOR)	+ 0	31+84	3,184	20

DISTRESSES	Priority Level	Severity Level	Extent Level	Distress Score
Potholes	1	MODERATE-2	LIGHT-3	15
Delamination	2	LIGHT-3	LIGHT-3	18
Alligator Cracking	3	HEAVY-1	MODERATE-2	9
Rutting	4	LIGHT-3	LIGHT-3	18
Block Cracking	5	LIGHT-3	LIGHT-3	12
Transverse Cracking	6	LIGHT-3	LIGHT-3	12
Reflective Cracking	6	LIGHT-3	LIGHT-3	12
Logitudinal Cracking	7	HEAVY-1	HEAVY-1	4
Edge Cracking	7	MODERATE-2	MODERATE-2	8
Flushing	8	LIGHT-3	LIGHT-3	12
Raveling	9	LIGHT-3	LIGHT-3	6
Ripping	9	LIGHT-3	LIGHT-3	6
Shoving	10	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	8
Tenting	11	LIGHT-3	LIGHT-3	6
Lane/Shoulder Drop-Off	12	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	8
Lane/ShoulderSeparation	12	N/A (NOT APPLICABLE)-4	N/A (NOT APPLICABLE)-4	8
TOTAL DISTRESS SCORE				162 OF 240

INDICES	Priority Level	Severity Level	Indices Score
Riding	1	60	180
Safety	2	65	195
Drainage	3	60	120
Utility	4	70	140
Traffic	5	60	60
Maintenance	6	70	70
INDICES TOTAL			765 OF 1,200

SPOT REPAIR(S):	
Number	18
Average Area (sf)	110
Total Area (sf)	1,980

TOTAL SCORE	927 OF 1,440
INITIAL RATING	64
FINAL RATING	64